



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: sweta

Parameter: Paint Filter

Supervisor Review By: ketankumar

Run Number: LB97592

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	J4274-05	HD-01-082718	1	100.02	0.00	08/28/2018	12:00
2	J4274-05DUP	HD-01-082718DUP	1	100.01	0.00	08/28/2018	12:06
3	J4276-05	OK-02-082718	1	100.02	0.00	08/28/2018	12:11
4	J4277-09	OR-01-082718-A	1	100.03	0.00	08/28/2018	12:16
5	J4277-11	OR-01-082718-B	1	100.02	0.00	08/28/2018	12:22
6	J4663-01	6722AA	1	100.01	0.00	08/28/2018	12:27
7	J4671-01	TL-SPEEDY-DRY	1	100.02	0.00	08/28/2018	12:32

WORKLIST(Hardcopy Internal Chain)

LB 97592

WorkList Name : PF082818

WorkList ID : 116138

Date : 8/28/2018 11:14:57 AM

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
08/27/2018	Solid	J4274-05 B	Paint Filter	Cool 4 deg C	PSEG05		HD-01-082718	08/27/2018	9095B
08/27/2018	Solid	J4276-05 G	Paint Filter	Cool 4 deg C	PSEG05		OK-02-082718	08/27/2018	9095B
08/27/2018	Solid	J4277-05 I	Paint Filter	Cool 4 deg C	PSEG05		OR-01-082718-A	08/27/2018	9095B
08/27/2018	Solid	J4277-11 G	Paint Filter	Cool 4 deg C	PSEG05		OR-01-082718-B	08/27/2018	9095B
08/28/2018	Solid	J4663-01 F	Paint Filter	Cool 4 deg C	PSEG01	K63	6722AA	08/28/2018	9095B
08/27/2018	Solid	J4671-01 F	Paint Filter	Cool 4 deg C	PSEG01	K63	TL-SPEEDY-DRY	08/27/2018	9095B

Date/Time 08/28/18 11:40
 Received by: SP
 Relinquished by: CP

Date/Time 08/28/18 12:40
 Received by: CP
 Relinquished by: SP