



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: sweta

Parameter: Paint Filter

Supervisor Review By: ketankumar

Run Number: LB97668

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	J4270-05	BU-02-083018	1	100.02	0.00	08/31/2018	11:40
2	J4270-05DUP	BU-02-083018DUP	1	100.03	0.00	08/31/2018	11:46
3	J4726-01	KG-SLUDGE-1	1	100.02	0.00	08/31/2018	11:52
4	J4726-03	KG-SLUDGE-2	1	100.01	0.00	08/31/2018	12:58

WORKLIST(Hardcopy Internal Chain)

LB 97668

WorkList Name : PF083118

WorkList ID : 116282

Date : 8/31/2018 11:21:01 AM

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
08/30/2018	Solid	J4270-05 I	Paint Filter	Cool 4 deg C	PSEG05		BU-02-083018	08/30/2018	9095B
08/30/2018	Solid	J4726-01 J	Paint Filter	Cool 4 deg C	PSEG01	E61	KG-SLUDGE-1	08/30/2018	9095B
08/30/2018	Solid	J4726-03 T	Paint Filter	Cool 4 deg C	PSEG01	E61	KG-SLUDGE-2	08/30/2018	9095B

Date/Time 08/31/18 11:30
 Received by: SP
 Relinquished by: CP

Date/Time 08/31/18 12:05
 Received by: CP
 Relinquished by: SP