

WORKLIST(Hardcopy Internal Chain)

WorkList Name : Dcl083118

WorkList ID : 116301

Date : 8/31/2018 3:32:31 PM

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
09/11/2018	Water	J4708-06	Dissolved Chloride	Cool 4 deg C	WEST04	H23	I01I-058-1	08/28/2018	SM4500-CL C
09/11/2018	Water	J4708-07	Dissolved Chloride	Cool 4 deg C	WEST04	H23	I03I-058-1	08/28/2018	SM4500-CL C
09/11/2018	Water	J4708-08	Dissolved Chloride	Cool 4 deg C	WEST04	H23	I04I-058-1	08/28/2018	SM4500-CL C
09/11/2018	Water	J4708-09	Dissolved Chloride	Cool 4 deg C	WEST04	H23	I05I-058-1	08/28/2018	SM4500-CL C
09/11/2018	Water	J4708-10	Dissolved Chloride	Cool 4 deg C	WEST04	H23	I06I-058-1	08/28/2018	SM4500-CL C
09/13/2018	Water	J4743-10	Dissolved Chloride	Cool 4 deg C	WEST04	H63	MW4M-058-1	08/30/2018	SM4500-CL C
09/13/2018	Water	J4743-11	Dissolved Chloride	Cool 4 deg C	WEST04	H63	MW2S-058-3	08/30/2018	SM4500-CL C
09/13/2018	Water	J4743-12	Dissolved Chloride	Cool 4 deg C	WEST04	H63	MW11M-058-1	08/30/2018	SM4500-CL C
09/13/2018	Water	J4743-13	Dissolved Chloride	Cool 4 deg C	WEST04	H63	MW11D-058-1	08/30/2018	SM4500-CL C
09/13/2018	Water	J4743-14	Dissolved Chloride	Cool 4 deg C	WEST04	H63	MW2S-058-1	08/30/2018	SM4500-CL C
09/13/2018	Water	J4743-15	Dissolved Chloride	Cool 4 deg C	WEST04	H63	MW10M-058-1	08/30/2018	SM4500-CL C
09/13/2018	Water	J4743-16	Dissolved Chloride	Cool 4 deg C	WEST04	H63	MW10M-058-2	08/30/2018	SM4500-CL C
09/13/2018	Water	J4743-17	Dissolved Chloride	Cool 4 deg C	WEST04	H63	MW10D-058-1	08/30/2018	SM4500-CL C

Date/Time 9/6/18 8:30
 Received by: AS
 Relinquished by: AS

Date/Time 9/6/18 11:00
 Received by: AS
 Relinquished by: AS