



PERCENT SOLID

Supervisor: sweta
Analyst: JIGNESH
Date: 9/13/2018

OVENTEMP IN Celsius(°C): 108
Time IN: 16:10
In Date: 09/12/2018
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M Oven-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 07:45
Out Date: 09/13/2018
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M Sc-1

QC:LB97861

Lab ID	Client Sample ID	Dish#	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish + Dry Sample Wt(g) (C)	% Solid
J4865-01	DB3N1	1	1.13	9.78	9.24	93.8
J4865-02	DB3N2	2	1.11	9.64	9.3	96.0
J4865-03	DB3N2MS	3	1.11	9.64	9.3	96.0
J4865-04	DB3N2MSD	4	1.11	9.64	9.3	96.0
J4865-05	DB3N3	5	1.12	9.85	9.24	93.0
J4865-06	DB3N4	6	1.13	9.58	9.29	96.6
J4865-07	DB3N5	7	1.14	9.89	9.37	94.1
J4865-08	DB3N6	8	1.14	9.9	9.37	93.9
J4865-09	DB3N7	9	1.13	9.61	9.21	95.3
J4865-10	DB3N8	10	1.13	9.87	9.41	94.7
J4865-11	DB3N9	11	1.11	9.82	9.51	96.4
J4865-12	DB3P0	12	1.12	9.88	9.09	91.0
J4865-13	DB3P1	13	1.13	9.65	8.96	91.9
J4865-14	DB3P2	14	1.13	9.92	9.52	95.4
J4865-15	DB3P3	15	1.12	9.86	9.32	93.8
J4865-16	DB3P4	16	1.13	9.87	9.54	96.2
J4865-17	DB3P5	17	1.12	9.58	7.89	80.0
J4865-18	DB3P6	18	1.12	9.9	8.22	80.9
J4865-19	DB3P7	19	1.12	9.89	8.31	82.0
J4865-20	DB3P8	20	1.14	9.8	7.98	79.0
J4865-21	DB3P9	21	1.13	9.8	6.93	66.9
J4865-22	DB3Q1	22	1.00	2.00	2.00	100.0
J4865-23	VHBLK01	23	1.00	2.00	2.00	100.0
J4865-24	DB3M9	24	1.00	2.00	2.00	100.0
J4865-25	DB3N0	25	1.00	2.00	2.00	100.0

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$