



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: sweta

Parameter: Paint Filter

Supervisor Review By: ketankumar

Run Number: LB97882

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	J4771-01	NB-08-091218	1	100.02	0.00	09/13/2018	10:30
2	J4771-01DUP	NB-08-091218DUP	1	100.03	0.00	09/13/2018	10:36
3	J4873-01	NF-CON-1	1	100.02	0.00	09/13/2018	10:40
4	J4873-03	NF-CON-2	1	100.01	0.00	09/13/2018	10:45
5	J4873-05	NF-STONE	1	100.04	0.00	09/13/2018	10:51
6	J4883-01	292	1	100.02	0.00	09/13/2018	10:55

WORKLIST(Hardcopy Internal Chain)

LB 97882

WorkList Name : PF091318

WorkList ID : 116662

Date : 9/13/2018 9:39:46 AM

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
09/12/2018	Solid	J4771-01	Paint Filter	Cool 4 deg C	PSEG05	I31	NB-08-091218	09/12/2018	9095B
09/12/2018	Solid	J4873-01	Paint Filter	Cool 4 deg C	PSEG01	I31	NF-CON-1	09/12/2018	9095B
09/12/2018	Solid	J4873-03	Paint Filter	Cool 4 deg C	PSEG01	I31	NF-CON-2	09/12/2018	9095B
09/12/2018	Solid	J4873-05	Paint Filter	Cool 4 deg C	PSEG01	I31	NF-STONE	09/12/2018	9095B
09/12/2018	Solid	J4883-01	Paint Filter	Cool 4 deg C	PSEG01	I31	292	09/12/2018	9095B

Date/Time 09/13/18 9:45
 Received by: SP
 Relinquished by: CP

Date/Time 09/13/18 11:00
 Received by: CP
 Relinquished by: SP