



PERCENT SOLID

Supervisor: sweta
Analyst: JIGNESH
Date: 9/14/2018

OVENTEMP IN Celsius(°C): 108
Time IN: 17:25
In Date: 09/13/2018
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M Oven-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:26
Out Date: 09/14/2018
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M Sc-1

QC:LB97898

Lab ID	Client Sample ID	Dish#	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish + Dry Sample Wt(g) (C)	% Solid
J4891-01	NM-CONCRETE	1	1.00	2.00	2.00	100.0
J4898-01	ROLLOFF01-COMP-FILL	2	1.12	9.65	7.79	78.2
J4898-02	ROLLOFF02-COMP-FILL	3	1.14	9.94	7.93	77.2
J4904-01	S-1	4	1.13	9.78	7.98	79.2
J4904-02	S-2	5	1.15	9.98	8.78	86.4
J4904-03	S-3	6	1.1	9.86	9.22	92.7
J4904-04	S-4	7	1.18	9.78	7.83	77.3
J4904-05	S-5	8	1.13	9.75	8.55	86.1
J4904-06	S-6	9	1.18	9.64	8.03	81.0
J4904-07	S-7	10	1.13	9.86	8.64	86.0
J4904-08	S-8	11	1.17	9.73	8.48	85.4
J4904-09	S-9	12	1.17	9.97	8.08	78.5
J4904-10	S-10	13	1.15	9.57	7.35	73.6
J4904-11	S-11	14	1.17	9.98	8.8	86.6
J4904-12	S-12	15	1.17	9.96	8.49	83.3
J4904-13	S-13	16	1.15	9.75	8.23	82.3
J4904-14	S-14	17	1.1	9.77	8.62	86.7
J4904-15	S-15	18	1.18	9.97	8.58	84.2
J4904-16	S-16	19	1.17	9.64	8.6	87.7
J4904-17	S-17	20	1.13	9.85	8.67	86.5
J4904-18	S-18	21	1.17	9.81	9.12	92.0
J4904-19	S-19	22	1.13	9.53	8.71	90.2
J4904-20	S-20	23	1.19	9.92	8.87	88.0
J4904-21	S-21	24	1.15	9.62	8.82	90.6
J4905-01	A355312	25	1.00	2.00	2.00	100.0
J4905-02	B355282	26	1.00	2.00	2.00	100.0
J4906-01	SP-PIT-3	27	1.11	9.57	8.59	88.4
J4906-02	SP-PIT-3-A	28	1.11	9.57	8.59	88.4
J4906-03	SP-PIT-3-B	29	1.11	9.57	8.59	88.4
J4906-04	SP-PIT-3	30	1.11	9.57	8.59	88.4
J4906-05	SP-PIT-1	31	1.12	9.65	8.54	87.0
J4906-06	SP-PIT-1-A	32	1.12	9.65	8.54	87.0
J4906-07	SP-PIT-1-B	33	1.12	9.65	8.54	87.0
J4906-08	SP-PIT-1	34	1.12	9.65	8.54	87.0
J4906-09	SP-PIT-7	35	1.18	9.74	8.23	82.4
J4906-10	SP-PIT-7-A	36	1.18	9.74	8.23	82.4
J4906-11	SP-PIT-7-B	37	1.18	9.74	8.23	82.4
J4906-12	SP-PIT-7	38	1.18	9.74	8.23	82.4
J4906-13	SP-PIT-8	39	1.16	9.96	7.36	70.5



PERCENT SOLID

Supervisor: sweta
Analyst: JIGNESH
Date: 9/14/2018

OVENTEMP IN Celsius(°C): 108
Time IN: 17:25
In Date: 09/13/2018
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M Oven-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:26
Out Date: 09/14/2018
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M Sc-1

QC:LB97898

Lab ID	Client Sample ID	Dish#	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish + Dry Sample Wt(g) (C)	% Solid
J4906-14	SP-PIT-8-A	40	1.16	9.96	7.36	70.5
J4906-15	SP-PIT-8-B	41	1.16	9.96	7.36	70.5
J4906-16	SP-PIT-8	42	1.16	9.96	7.36	70.5
J4906-17	SP-PIT-9	43	1.17	9.89	8.8	87.5
J4906-18	SP-PIT-9-A	44	1.17	9.89	8.8	87.5
J4906-19	SP-PIT-9-B	45	1.17	9.89	8.8	87.5
J4906-20	SP-PIT-9	46	1.17	9.89	8.8	87.5
J4906-21	SP-PIT-10	47	1.13	9.84	8.32	82.5
J4906-22	SP-PIT-10-A	48	1.13	9.84	8.32	82.5
J4906-23	SP-PIT-10-B	49	1.13	9.84	8.32	82.5
J4906-24	SP-PIT-10	50	1.13	9.84	8.32	82.5
J4906-25	SP-PIT-4	51	1.16	9.95	8.71	85.9
J4906-26	SP-PIT-4-A	52	1.16	9.95	8.71	85.9
J4906-27	SP-PIT-4-B	53	1.16	9.95	8.71	85.9
J4906-28	SP-PIT-4	54	1.16	9.95	8.71	85.9
J4906-29	SP-PIT-2	55	1.19	9.97	8.78	86.4
J4906-30	SP-PIT-2-A	56	1.19	9.97	8.78	86.4
J4906-31	SP-PIT-2-B	57	1.19	9.97	8.78	86.4
J4906-32	SP-PIT-2	58	1.19	9.97	8.78	86.4

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$