



Analytical Summary Report

Analysis Method: SM5220 D

ANALYST: Indiana

Parameter: COD

SUPERVISOR REVIEW BY: apatel

Run Number: LB97927

Reagent/Standard	Lot/Log #
COD ICV-LCS std, 50ppm	WP67408
COD calibration std. 100 ppm	WP67405
COD calibration std. 10 ppm	WP67404
COD calibration std. 150 ppm	WP67407
COD calibration std. 50 ppm	WP67406
COD calibration std. 0 ppm	WP67403
COD Digestion Vials Low Level 0-150Mg/L	W2395
COD ICV-LCS std, 50ppm	WP67822
COD CCV std, 50ppm	WP67823

Temp In (C): 150	Date In: 09/14/2018	Time In: 11:00
Temp Out (C): 150	Date Out: 09/14/2018	Time Out: 13:00

Intercept: 0.2469

Slope: 0.9992

Regression: 1

Seq	Lab ID	TrueValue (mg/l)	DF	MATRIX	Reading	Anal Date	Anal Time
1	CAL1	0	1	Water	0.000	08/29/2018	14:40
2	CAL2	10	1	Water	10.000	08/29/2018	14:40
3	CAL3	50	1	Water	51.000	08/29/2018	14:41
4	CAL4	100	1	Water	100.000	08/29/2018	14:41
5	CAL5	150	1	Water	150.000	08/29/2018	14:42



Analytical Summary Report

Analysis Method: SM5220 D

ANALYST: Indiana

Parameter: COD

SUPERVISOR REVIEW BY: apatel

Run Number: LB97927

Seq	Lab ID	True Value (mg/l)	Initial Weight (g)	Final Vol (ml)	DF	MATRIX	Reading	Result	AnalDate	AnalTime
1	ICV	50			1	Water	51.000	50.794	08/29/2018	14:42
2	ICB				1	Water	0.000	-0.247	08/29/2018	14:43
3	CCV1	50			1	Water	51.000	50.794	09/14/2018	14:02
4	CCB1				1	Water	0.000	-0.247	09/14/2018	14:02
5	LB97927BL				1	Water	0.000	-0.247	09/14/2018	14:03
6	LB97927BS	50			1	Water	52.000	51.795	09/14/2018	14:03
7	J4882-01				1	Water	66.000	65.806	09/14/2018	14:04
8	J4883-03				1	Water	18.000	17.767	09/14/2018	14:04
9	J4883-03DUP				1	Water	17.000	16.767	09/14/2018	14:05
10	J4883-03MS	50			1	Water	70.000	69.809	09/14/2018	14:05
11	J4883-03MSD	50			1	Water	71.000	70.810	09/14/2018	14:06
12	CCV2	50			1	Water	52.000	51.795	09/14/2018	14:06
13	CCB2				1	Water	0.000	-0.247	09/14/2018	14:07

2B97927

WORKLIST(Hardcopy Internal Chain)

WorkList Name : COD091318

WorkList ID : 116671

Date : 9/13/2018 12:06:58 PM

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
09/17/2018	Water	J4882-01	COD	Conc H2SO4 4c	PSEG01	I31	28570	09/12/2018	SM5220 D
09/17/2018	Water	J4883-03	COD	Conc H2SO4 4c	PSEG01	I31	SV30518L	09/12/2018	SM5220 D

Date/Time 09/14/18 10:45
 Received by: IB
 Relinquished by: [Signature]

Date/Time 09/14/18 11:32
 Received by: [Signature]
 Relinquished by: IB