



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: sweta

Parameter: Paint Filter

Supervisor Review By: ketankumar

Run Number: LB97980

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	J4772-01	HD-02-091718	1	100.02	0.00	09/18/2018	10:00
2	J4772-01DUP	HD-02-091718DUP	1	100.03	0.00	09/18/2018	10:05
3	J4960-01	S1	1	100.02	0.00	09/18/2018	10:10
4	J4962-01	291-11984	1	100.01	0.00	09/18/2018	10:15

WORKLIST(Hardcopy Internal Chain)

LB 97980

WorkList Name : PF091818

WorkList ID : 116861

Date : 9/18/2018 10:09:38 AM

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
09/17/2018	Solid	J4772-01	F	Paint Filter	PSEG05	I61	HD-02-091718	09/17/2018	9095B
09/17/2018	Solid	J4960-01	F	Paint Filter	AREC01	K11	S1	09/17/2018	9095B
09/17/2018	Solid	J4962-01	A	Paint Filter	PSEG01	I61	291-11984	09/17/2018	9095B

Date/Time 09/18/18 9:30
 Received by: SP
 Relinquished by: CP

Date/Time 09/18/18 10:20
 Received by: CP
 Relinquished by: SP