



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: sweta

Parameter: Paint Filter

Supervisor Review By: ketankumar

Run Number: LB98017

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	J4771-03	NB-07-091818	1	100.02	0.00	09/19/2018	10:30
2	J4771-03DUP	NB-07-091818DUP	1	100.04	0.00	09/19/2018	10:35
3	J4975-01	VNJ-220	1	100.02	0.00	09/19/2018	10:40
4	J4979-01	VNJ-202	1	100.03	0.00	09/19/2018	10:45

WORKLIST(Hardcopy Internal Chain)

LB 98017

WorkList Name : PF091918

WorkList ID : 116935

Date : 9/19/2018 9:57:04 AM

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
09/18/2018	Solid	J4771-03	Paint Filter	Cool 4 deg C	PSEG05		NB-07-091818	09/18/2018	9095B
09/18/2018	Solid	J4975-01	Paint Filter	Cool 4 deg C	PSEG01	I62	VNJ-220	09/18/2018	9095B
09/18/2018	Solid	J4979-01	Paint Filter	Cool 4 deg C	PSEG01	I61	VNJ-202	09/18/2018	9095B

Date/Time 09/19/18 9:30
 Received by: SP
 Relinquished by: CP

Date/Time 09/19/18 11:00
 Received by: CP
 Relinquished by: SP