



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: sweta

Parameter: Paint Filter

Supervisor Review By: ketankumar

Run Number: LB98052

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	J4778-01	SA-01-091918	1	100.02	0.00	09/20/2018	11:00
2	J4778-01DUP	SA-01-091918DUP	1	100.03	0.00	09/20/2018	11:05
3	J4987-01	RBR200036	1	100.01	0.00	09/20/2018	11:10
4	J4993-04	NS-SLUDGE	1	100.02	0.00	09/20/2018	11:15
5	J5001-02	BS-OILY-STONE	1	100.02	0.00	09/20/2018	11:20

WORKLIST(Hardcopy Internal Chain)

LB98052

WorkList Name : PF092018

WorkList ID : 116994

Date : 9/20/2018 10:06:36 AM

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
09/19/2018	Solid	J4778-01	Paint Filter	Cool 4 deg C	PSEG05	I61	SA-01-091918	09/19/2018	9095B
09/19/2018	Solid	J4987-01	Paint Filter	Cool 4 deg C	PSEG01	I62	RBR200036	09/19/2018	9095B
09/19/2018	Solid	J4993-04	Paint Filter	Cool 4 deg C	PSEG01	J41	NS-SLUDGE	09/19/2018	9095B
09/19/2018	Solid	J5001-02	Paint Filter	Cool 4 deg C	PSEG01	I31	BS-OILY-STONE	09/19/2018	9095B

Date/Time 09/20/18 10:10

Received by: SP

Relinquished by: CP

Date/Time 09/20/18 11:30

Received by: CP

Relinquished by: SP