

Analysis Method: 9034
 Parameter: Sulfide
 Run Number: LB98092

ANALYST: ketankumar
 SUPERVISOR REVIEW BY: apatel
 Constant: 16000
 Normality1: 0.025
 Normality2: 0.025

Reagent/Standard	Lot/Log #
SODIUM THIOSULFATE, 0.025N, 4LITRE	W2337
IODINE SOLUTION .025N 1L	W2349
Starch Solution, 4L	W2277

Seq	Lab ID	True Value (mg/L)	DF	Initial Weight (g)	Final Volume (mL)	T1 (mL)	T2 Initial	T2 Final	T2 Diff. (mL)	T1 - T2 Diff (mL)	Value Corrected With Blank	Result (ppm)	AnalDate	Anal Time
1	PB113116BL		1	5.03	50	5.00	0.00	4.82	4.82	0.18	0.00	0.00	09/21/2018	15:45
2	PB113116BS	250	1	5.04	50	5.00	0.00	2.30	2.30	2.70	2.52	200.00	09/21/2018	15:48
3	J5025-01		1	5.03	50	5.00	0.00	4.30	4.30	0.70	0.52	41.35	09/21/2018	15:52
4	J5025-01DUP		1	5.02	50	5.00	4.30	8.62	4.32	0.68	0.50	39.84	09/21/2018	15:55
5	J5025-01MS	250	1	5.04	50	5.00	0.00	2.88	2.88	2.12	1.94	153.97	09/21/2018	15:58
6	J5025-01MSD	250	1	5.04	50	5.00	2.88	5.74	2.86	2.14	1.96	155.56	09/21/2018	16:02

T1 = Titrant1

T2 = Titrant2

T2 Diff = T2 Final - T2 Initial

Value Corrected With Blank = ((T1 - T2 Diff) - Blank Correction(BL))

Result = ((T1 * Normality1) - ((T1 - Value Corrected With Blank) * Normality2)) * Constant / Initial Volume