



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: sweta

Parameter: Paint Filter

Supervisor Review By: ketankumar

Run Number: LB98297

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	J5191-01	155-CLAY	1	100.01	0.00	10/02/2018	12:15
2	J5191-01DUP	155-CLAYDUP	1	100.02	0.00	10/02/2018	12:20
3	J5191-05	344-OILY-STONES	1	100.02	0.00	10/02/2018	12:25
4	J5200-01	OR-02-100118-A	1	100.03	0.00	10/02/2018	12:30
5	J5200-03	OR-02-100118-B	1	100.01	0.00	10/02/2018	12:35

WORKLIST(Hardcopy Internal Chain)

LB 98297

WorkList Name : PF100218

WorkList ID : 117456

Date : 10/2/2018 12:01:41 PM

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
10/01/2018	Solid	J5191-01	F	Paint Filter	PSEG01	K63	155-CLAY	10/01/2018	9095B
10/01/2018	Solid	J5191-05	F	Paint Filter	PSEG01	K63	344-OILY-STONES	10/01/2018	9095B
10/01/2018	Solid	J5200-01	G	Paint Filter	PSEG05	J61	OR-02-100118-A	10/01/2018	9095B
10/01/2018	Solid	J5200-03	I	Paint Filter	PSEG05	J61	OR-02-100118-B	10/01/2018	9095B

Date/Time 10/02/18 12:05

Received by: SP

Relinquished by: CP

Date/Time 10/02/18 12:40

Received by: SP

Relinquished by: SP