

TitriSoft Report

Ident	Amount	DateTime	Alkalinity	Final pH (sample)	Initial pH (sample)	slope	offset
LB98332BLW	100	03/10/2018 14:25	0.00	3.85	3.78	103.3	7.14
LB98332BSW	100	03/10/2018 14:28	46.48	4.46	8.53	103.3	7.14
J5155-01	50	03/10/2018 14:32	453.92	4.45	6.18	103.3	7.14
J5155-01DUP	50	03/10/2018 14:39	447.36	4.47	6.46	103.3	7.14
J5155-02	50	03/10/2018 14:45	1251.04	4.32	7.19	103.3	7.14
J5155-03	50	03/10/2018 14:55	2135.44	4.43	6.75	103.3	7.14
J5155-04	50	03/10/2018 15:10	2103.76	4.41	7.61	103.3	7.14
J5155-05	50	03/10/2018 15:26	1809.68	4.38	7.70	103.3	7.14
J5168-01	50	03/10/2018 15:39	1458.64	4.46	7.57	103.3	7.14
J5225-01	50	03/10/2018 15:51	115.20	3.91	5.23	103.3	7.14
J5225-02	50	03/10/2018 15:55	80.80	3.92	5.73	103.3	7.14
J5225-03	50	03/10/2018 15:59	71.76	4.40	5.82	103.3	7.14
J5225-04	50	03/10/2018 16:02	450.56	4.44	6.42	103.3	7.14

10/03/18
±0