



Extraction and Analytical Summary Report

Analysis Method: 1664A
Test: TPH
Run Number: LB98351
Analysis Date: 10/04/2018
BalanceID: WC SC-3
OvenID: EX OVEN-2

ANALYST: JIGNESH
REVIEWED BY: apatel
Extraction Date: 10/04/2018
Extraction IN Time: 08:00
Extraction OUT Time: 08:40

Dish #	Lab ID	Client ID	Matrix	pH	Sample Vol (ml)	Final Volume (ml)	Empty Dish Weight	Final Empty Dish Weight (g)	Silica Gel Weight (g)	Weight After Drying (g)	Final Weight After Drying (g)	Change Weight (g)	Result in ppm
1	LB98351BL	LB98351BL	WATER	2	1000	100	3.1023	3.1023	3.01	3.1023	3.1023	0.0000	0
2	LB98351BS	LB98351BS	WATER	2	1000	100	3.2698	3.2698	3.02	3.2887	3.2887	0.0189	18.9
3	LB98351BSD	LB98351BSD	WATER	2	1000	100	3.1316	3.1316	3.03	3.1506	3.1506	0.0190	19
4	J5227-01	GRAB	WATER	2	950	100	3.0037	3.0037	3.04	3.0074	3.0074	0.0037	3.89
5	J5235-04	CLEARWELL	WATER	2	1000	100	3.2043	3.2043	3.05	3.2122	3.2122	0.0079	7.9
6	J5243-01	DSN001	WATER	2	1000	100	3.0275	3.0275	3.02	3.0281	3.0281	0.0006	0.6
7	J5244-04	OILY-WATER	WATER	2	1000	100	3.0203	3.0203	3.03	3.0209	3.0209	0.0006	0.6



QC Batch# LB98351 Test: TPH Analysis Date: 10/04/2018

Chemicals Used:

Chemical Name	Chemical Lot #
HEXANE	W2419
pH Paper 0-14	W2373
Sodium Sulfate	EP2519
1:1 HCL	WP64228
Silica Gel	W2368
Sand	NA

Standards Used:

Standard Name	Amount Used	Standard Lot #
LCSW	10.00 ML	WP64229
LCSWD	10.00 ML	WP64230
MS/MSD	NA	NA

BALANCE CALIBRATION / OVEN Dessicator Data

Analytical Balance ID # : WC SC-3

Before Analysis

0.0020 gram Balance:	<u>0.0018</u>	In OVEN TEMP :	<u>71</u>	Dessicator Time In :	<u>10:16</u>
1.0000 gram Balance:	<u>1.0005</u>	In Time:	<u>09:15</u>		
Bal Check Time:	<u>08:20</u>	Out OVEN TEMP:	<u>71</u>	Dessicator Time Out:	<u>10:45</u>
		Out Time:	<u>10:15</u>		

After Analysis

0.0020 gram Balance:	<u>0.0021</u>	In OVEN TEMP :	<u>70</u>	Dessicator Time In :	<u>11:51</u>
1.0000 gram Balance:	<u>1.0003</u>	In Time:	<u>11:15</u>		
Bal Check Time:	<u>13:00</u>	Out OVEN TEMP:	<u>70</u>	Dessicator Time Out:	<u>12:30</u>
		Out Time:	<u>11:50</u>		

LB 9835)

WORKLIST(Hardcopy Internal Chain)

WorkList Name : TPH J5235

WorkList ID : 117540

Date : 10/4/2018 7:43:51 AM

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
10/10/2018	Water	J5227-01 ✓	TPH	Conc H2SO4 1c	ARAM01	N23	GRAB	10/03/2018	1664A
10/10/2018	Water	J5235-04 ✓	TPH	Conc H2SO4 1c	CARP01	N51	CLEARWELL	10/03/2018	1664A
10/10/2018	Water	J5243-01 ✓	TPH	Conc H2SO4 1c	NAT04	N42	DSN001	10/03/2018	1664A
10/08/2018	Water	J5244-04 ~H	TPH	Conc H2SO4 1c	PSEG01	J61	OILY-WATER	10/03/2018	1664A

Date/Time

10-04-18

7:155 AM

Received by:

JD

Relinquished by:

JD

Date/Time

10-04-18

10:35 AM

Received by:

JD

Relinquished by:

JD