



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: sweta

Parameter: Paint Filter

Supervisor Review By: ketankumar

Run Number: LB98400

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	J5179-01	T2-GRAVEL	1	100.03	0.00	10/05/2018	12:10
2	J5179-01DUP	T2-GRAVELDUP	1	100.02	0.00	10/05/2018	12:15
3	J5179-05	T1-GRAVEL	1	100.03	0.00	10/05/2018	12:20
4	J5195-01	JC-02-100418	1	100.01	0.00	10/05/2018	12:25
5	J5205-01	TR-05-100418	1	100.01	0.00	10/05/2018	12:30
6	J5255-02	TRACK-D-1	1	100.03	0.00	10/05/2018	12:35
7	J5255-05	TRACK-D-2	1	100.02	0.00	10/05/2018	12:40

WORKLIST(Hardcopy Internal Chain)

LB98400

WorkList Name : PF100518

WorkList ID : 117645

Date : 10/5/2018 11:48:23 AM

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
10/04/2018	Solid	J5179-01 B	Paint Filter	Cool 4 deg C	PSEG01	J31	T2-GRAVEL	10/04/2018	9095B
10/04/2018	Solid	J5179-05 B	Paint Filter	Cool 4 deg C	PSEG01	J31	T1-GRAVEL	10/04/2018	9095B
10/04/2018	Solid	J5195-01 A	Paint Filter	Cool 4 deg C	PSEG05	J41	JC-03-100418	10/04/2018	9095B
10/04/2018	Solid	J5205-01 A	Paint Filter	Cool 4 deg C	PSEG05	J33	TR-05-100418	10/04/2018	9095B
10/03/2018	Solid	J5255-02 C	Paint Filter	Cool 4 deg C	TECT01	N31	TRACK-D-1	10/03/2018	9095B
10/03/2018	Solid	J5255-05 B	Paint Filter	Cool 4 deg C	TECT01	N31	TRACK-D-2	10/03/2018	9095B

Date/Time 10/05/18 12:00

Received by: SP

Relinquished by: SP

Date/Time 10/05/18 12:50

Received by: CP

Relinquished by: SP