



Analytical Summary Report

Analysis Method: 9095B
Parameter: Paint Filter
Run Number: LB98589

Reviewed By: sweta
Supervisor Review By: ketankumar
BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	J5193-01	BU-01-101118	1	100.02	0.00	10/12/2018	12:20
2	J5193-01DUP	BU-01-101118DUP	1	100.03	0.00	10/12/2018	12:25
3	J5197-01	HD-01-101118	1	100.02	0.00	10/12/2018	12:30
4	J5199-03	OK-02-101118	1	100.01	0.00	10/12/2018	12:35
5	J5205-03	TR-04-101118	1	100.03	0.00	10/12/2018	12:40
6	J5392-01	SOIL-DRUM	1	100.02	0.00	10/12/2018	12:45
7	J5395-01	PH-SOIL	1	100.04	0.00	10/12/2018	12:50
8	J5450-01	VNJ218-210-282	1	100.03	0.00	10/12/2018	12:55
9	J5457-01	KG-SOIL	1	100.03	0.00	10/12/2018	13:00

LB 98589

WORKLIST(Hardcopy Internal Chain)

WorkList Name : PF101218

WorkList ID : 117981

Date : 10/12/2018 12:07:56 PM

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
10/11/2018	Solid	J5193-01 B	Paint Filter	Cool 4 deg C	PSEG05	P23	BU-01-101118	10/11/2018	9095B
10/11/2018	Solid	J5197-01 A	Paint Filter	Cool 4 deg C	PSEG05	P21	HD-01-101118	10/11/2018	9095B
10/11/2018	Solid	J5199-03 A	Paint Filter	Cool 4 deg C	PSEG05		OK-02-101118	10/11/2018	9095B
10/11/2018	Solid	J5205-03 A	Paint Filter	Cool 4 deg C	PSEG05		TR-04-101118	10/11/2018	9095B
10/10/2018	Solid	J5392-01 A	Paint Filter	Cool 4 deg C	PSEG01	P23	SOIL-DRUM	10/10/2018	9095B
10/11/2018	Solid	J5395-01 C	Paint Filter	Cool 4 deg C	PSEG01	P22	PH-SOIL	10/11/2018	9095B
10/11/2018	Solid	J5450-01 E	Paint Filter	Cool 4 deg C	PSEG01	P21	VNJ218-210-282	10/11/2018	9095B
10/11/2018	Solid	J5457-01	Paint Filter	Cool 4 deg C	PSEG01	P23	KG-SOIL	10/11/2018	9095B

Date/Time 10/12/18 12:10

Received by: SP

Relinquished by: CP

Date/Time 10/12/18 12:10

Received by: CP

Relinquished by: SP