



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: sweta

Parameter: Paint Filter

Supervisor Review By: ketankumar

Run Number: LB98664

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	J5200-09	OR-01-101618-A	1	100.03	0.00	10/17/2018	11:10
2	J5200-09DUP	OR-01-101618-ADUP	1	100.02	0.00	10/17/2018	11:15
3	J5200-11	OR-01-101618-B	1	100.02	0.00	10/17/2018	11:20
4	J5536-01	351-SOIL	1	100.03	0.00	10/17/2018	11:25

WORKLIST(Hardcopy Internal Chain)

UB 98664

WorkList Name : PF101618

WorkList ID : 118076

Date : 10/16/2018 10:43:33 AM

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
10/15/2018	Solid	J5524-01	Paint Filter	Cool 4 deg C	PSEG01	P31	BS-SOIL-1	10/15/2018	9095B
10/15/2018	Solid	J5524-05	Paint Filter	Cool 4 deg C	PSEG01	P31	BS-SOIL-2	10/15/2018	9095B
10/15/2018	Solid	J5527-01	Paint Filter	Cool 4 deg C	PSEG01	P31	SP-STONE	10/15/2018	9095B

Date/Time 10/17/18 11:00
 Received by: SP
 Relinquished by: CP

Date/Time 10/17/18 11:35
 Received by: CP
 Relinquished by: SP