



PERCENT SOLID

Supervisor: apatel
Analyst: JIGNESH
Date: 10/30/2018

OVENTEMP IN Celsius(°C): 107
Time IN: 17:25
In Date: 10/17/2018
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M Oven-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:15
Out Date: 10/18/2018
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M Sc-1

QC:LB98672

Lab ID	Client Sample ID	Dish#	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish + Dry Sample Wt(g) (C)	% Solid
J5202-01	PL-03-101718-A	1	1.14	9.92	9.12	90.9
J5202-03	PL-03-101718-B	2	1.18	9.61	8.82	90.6
J5202-05	PL-03-101718-C	3	1.16	9.83	9.08	91.3
J5204-05	SU-03-101718-A	4	1.12	9.58	8.56	87.9
J5204-07	SU-03-101718-B	5	1.17	9.83	8.95	89.8
J5517-12	BS01	6	1.13	9.81	6.47	61.5
J5517-13	CNS01	7	1.14	9.98	6.18	57.0
J5521-03	AOC6-01B	8	1.18	9.97	7.78	75.1
J5549-01	CB-1018-S-TCLP-GRID-45	9	1.15	9.8	8.58	85.9
J5549-02	CB-1018-S-TCLP-GRID-50-	10	1.13	9.61	8.73	89.6
J5565-01	RLF-SD-1	11	1.1	9.95	7.31	70.2
J5565-02	RLF-SD-3	12	1.16	9.82	7.34	71.4
J5565-03	RLF-SD-4	13	1.18	9.97	7.31	69.7
J5565-04	RLF-SD-5	14	1.13	9.7	4.00	33.5
J5565-05	J5565-04MS	15	1.13	9.7	4.00	33.5
J5565-06	J5565-04MSD	16	1.13	9.7	4.00	33.5
J5565-07	RLF-SD-8	17	1.14	9.88	5.91	54.6
J5565-08	RLF-SD-FD-01	18	1.18	9.97	4.46	37.3
J5570-01	TS-06	19	1.14	9.96	8.66	85.3
J5570-02	TS-07	20	1.17	9.94	8.6	84.7
J5570-03	TS-08	21	1.19	9.68	8.34	84.2
J5573-01	0689-KM-CA-COMP	22	1.1	9.82	4.9	43.6
J5573-02	0692-KM-CA-AMD-COMP	23	1.16	9.87	5.72	52.4
J5573-03	0692-KM-CA-AMD-COMP	24	1.00	2.00	1.00	0.0
J5575-01	SSSI-1015-S-DH-28	25	1.18	9.96	9.77	97.8
J5575-02	SSSI-1015-S-DH-28	26	1.14	9.64	7.91	79.6
J5575-03	SSSI-1015-S-DH-27	27	1.19	9.55	9.2	95.8
J5575-04	SSSI-1015-S-DH-27	28	1.17	9.71	9.12	93.1
J5575-05	SSSI-1015-S-DH-26	29	1.16	9.59	9.22	95.6
J5575-06	SSSI-1015-S-DH-26	30	1.17	9.88	9.31	93.5
J5575-07	SSSI-1015-S-DH-25A-T	31	1.16	9.61	9.13	94.3
J5575-08	SSSI-1015-S-DH-25A-T	32	1.1	9.97	9.66	96.5
J5575-09	SSSI-1015-S-DH-25A-B	33	1.13	9.74	9.24	94.2
J5575-10	SSSI-1015-S-DH-25A-B	34	1.17	9.55	8.79	90.9
J5575-11	SSSI-1015-S-DH-25-T	35	1.18	9.97	9.81	98.2
J5575-12	SSSI-1015-S-DH-25-T	36	1.15	9.96	9.5	94.8
J5575-13	SSSI-1015-S-DH-25-B	37	1.12	9.74	9.37	95.7
J5575-14	SSSI-1015-S-DH-25-B	38	1.17	9.8	9.3	94.2
J5575-15	SSSI-1015-S-DH-24-T	39	1.1	9.58	9.04	93.6



PERCENT SOLID

Supervisor: apatel
Analyst: JIGNESH
Date: 10/30/2018

OVENTEMP IN Celsius(°C): 107
Time IN: 17:25
In Date: 10/17/2018
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M Oven-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:15
Out Date: 10/18/2018
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M Sc-1

QC:LB98672

Lab ID	Client Sample ID	Dish#	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish + Dry Sample Wt(g) (C)	% Solid
J5575-16	SSSI-1015-S-DH-24-T	40	1.16	9.84	9.29	93.7
J5575-17	SSSI-1015-S-DH-24-B	41	1.14	9.68	9.41	96.8
J5575-18	SSSI-1015-S-DH-24-B	42	1.18	9.97	9.36	93.1
J5575-19	SSSI-1016-S-DH-23	43	1.1	9.86	9.44	95.2
J5575-20	SSSI-1016-S-DH-23	44	1.19	9.91	9.32	93.2
J5576-01	Y-1802	45	1.14	9.95	9.04	89.7
J5576-02	Y-1803	46	1.14	9.95	9.04	89.7
J5577-01	SSSI-1016-S-DH-22	47	1.18	9.97	9.44	94.0
J5577-02	SSSI-1016-S-DH-22	48	1.19	9.72	9.04	92.0
J5577-03	SSSI-1016-S-DH-21	49	1.13	9.92	9.45	94.7
J5577-04	SSSI-1016-S-DH-21	50	1.13	9.54	9.11	94.9
J5579-01	7-1-ROLLOFFS	51	1.14	9.98	8.88	87.6
J5579-02	7-1-ROLLOFFS-A	52	1.14	9.98	8.88	87.6
J5579-03	7-1-ROLLOFFS-B	53	1.14	9.98	8.88	87.6
J5579-04	7-1-ROLLOFFS	54	1.14	9.98	8.88	87.6

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$

13 086f2

WORKLIST(Hardcopy Internal Chain)

WorkList Name: %1-101718

WorkList ID: 118113

Date: 10/17/2018 8:28:32 AM

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
10/22/2018	Solid	J5202-01	Percent Solids	Cool 4 deg C	PSEG05	P63	PL-03-101718-A	10/17/2018	Chemtech -SO
10/22/2018	Solid	J5202-03	Percent Solids	Cool 4 deg C	PSEG05	P63	PL-03-101718-B	10/17/2018	Chemtech -SO
10/22/2018	Solid	J5202-05	Percent Solids	Cool 4 deg C	PSEG05	P63	PL-03-101718-C	10/17/2018	Chemtech -SO
10/22/2018	Solid	J5204-05	Percent Solids	Cool 4 deg C	PSEG05		SU-04-101718-A	10/17/2018	Chemtech -SO
10/22/2018	Solid	J5204-07	Percent Solids	Cool 4 deg C	PSEG05		SU-04-101718-B	10/17/2018	Chemtech -SO
10/19/2018	Solid	J5517-12	Percent Solids	Cool 4 deg C	ENVI77	D31	BS01	10/12/2018	Chemtech -SO
10/19/2018	Solid	J5517-13	Percent Solids	Cool 4 deg C	ENVI77	D31	CNS01	10/12/2018	Chemtech -SO
10/22/2018	Solid	J5521-03	Percent Solids	Cool 4 deg C	BEMS01	D61	AOC6-01B	10/13/2018	Chemtech -SO
10/19/2018	Solid	J5549-01	Percent Solids	Cool 4 deg C	USAR03	D42	CB-1018-S-TCLP-GRID-45	10/15/2018	Chemtech -SO
10/19/2018	Solid	J5549-02	Percent Solids	Cool 4 deg C	USAR03	D42	CB-1018-S-TCLP-GRID-50-2	10/15/2018	Chemtech -SO
10/26/2018	Solid	J5565-01	Percent Solids	Cool 4 deg C	CHAZ02	D32	RLF-SD-1	10/16/2018	Chemtech -SO
10/26/2018	Solid	J5565-02	Percent Solids	Cool 4 deg C	CHAZ02	D32	RLF-SD-3	10/16/2018	Chemtech -SO
10/26/2018	Solid	J5565-03	Percent Solids	Cool 4 deg C	CHAZ02	D32	RLF-SD-4	10/16/2018	Chemtech -SO
10/26/2018	Solid	J5565-04	Percent Solids	Cool 4 deg C	CHAZ02	D32	RLF-SD-5	10/16/2018	Chemtech -SO
10/26/2018	Solid	J5565-05	Percent Solids	Cool 4 deg C	CHAZ02	D32	J5565-04MS	10/16/2018	Chemtech -SO
10/26/2018	Solid	J5565-06	Percent Solids	Cool 4 deg C	CHAZ02	D32	J5565-04MSD	10/16/2018	Chemtech -SO
10/26/2018	Solid	J5565-07	Percent Solids	Cool 4 deg C	CHAZ02	D32	RLF-SD-8	10/16/2018	Chemtech -SO
10/26/2018	Solid	J5565-08	Percent Solids	Cool 4 deg C	CHAZ02	D32	RLF-SD-FD-01	10/16/2018	Chemtech -SO
10/22/2018	Solid	J5570-01	Percent Solids	Cool 4 deg C	ENTA04	D41	TS-06	10/16/2018	Chemtech -SO
10/22/2018	Solid	J5570-02	Percent Solids	Cool 4 deg C	ENTA04	D41	TS-07	10/16/2018	Chemtech -SO
10/22/2018	Solid	J5570-03	Percent Solids	Cool 4 deg C	ENTA04	D41	TS-08	10/16/2018	Chemtech -SO

Date/Time 10/17/18 3:45 PM
 Received by: Ja
 Relinquished by: CP

Date/Time 10/17/18 3:35 PM
 Received by: CP
 Relinquished by: AD

12486f2

WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-101718

WorkList ID : 118113

Date : 10/17/2018 8:28:32 AM

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
10/15/2018	Solid	J5573-01	Percent Solids	Cool 4 deg C	AQUA04	D11	KM-CA-COMPOSITE	10/05/2018	Chemtech -SO
10/15/2018	Solid	J5573-02	Percent Solids	Cool 4 deg C	AQUA04	D11	KM-CA-AMENDED-COMPOS	10/05/2018	Chemtech -SO
10/15/2018	Solid	J5573-03	Percent Solids	Cool 4 deg C	AQUA04	D11	SPLP-LECHATE	10/05/2018	Chemtech -SO
10/25/2018	Solid	J5575-01	Percent Solids	Cool 4 deg C	USAR03	D31	SSSI-1015-S-DH-28	10/15/2018	Chemtech -SO
10/25/2018	Solid	J5575-02	Percent Solids	Cool 4 deg C	USAR03	D31	SSSI-1015-S-DH-28	10/15/2018	Chemtech -SO
10/25/2018	Solid	J5575-03	Percent Solids	Cool 4 deg C	USAR03	D31	SSSI-1015-S-DH-27	10/15/2018	Chemtech -SO
10/25/2018	Solid	J5575-04	Percent Solids	Cool 4 deg C	USAR03	D31	SSSI-1015-S-DH-27	10/15/2018	Chemtech -SO
10/25/2018	Solid	J5575-05	Percent Solids	Cool 4 deg C	USAR03	D31	SSSI-1015-S-DH-26	10/15/2018	Chemtech -SO
10/25/2018	Solid	J5575-06	Percent Solids	Cool 4 deg C	USAR03	D31	SSSI-1015-S-DH-26	10/15/2018	Chemtech -SO
10/25/2018	Solid	J5575-07	Percent Solids	Cool 4 deg C	USAR03	D31	SSSI-1015-S-DH-25A-T	10/15/2018	Chemtech -SO
10/25/2018	Solid	J5575-08	Percent Solids	Cool 4 deg C	USAR03	D31	SSSI-1015-S-DH-25A-T	10/15/2018	Chemtech -SO
10/25/2018	Solid	J5575-09	Percent Solids	Cool 4 deg C	USAR03	D31	SSSI-1015-S-DH-25A-B	10/15/2018	Chemtech -SO
10/25/2018	Solid	J5575-10	Percent Solids	Cool 4 deg C	USAR03	D31	SSSI-1015-S-DH-25A-B	10/15/2018	Chemtech -SO
10/25/2018	Solid	J5575-11	Percent Solids	Cool 4 deg C	USAR03	D31	SSSI-1015-S-DH-25-T	10/15/2018	Chemtech -SO
10/25/2018	Solid	J5575-12	Percent Solids	Cool 4 deg C	USAR03	D31	SSSI-1015-S-DH-25-T	10/15/2018	Chemtech -SO
10/25/2018	Solid	J5575-13	Percent Solids	Cool 4 deg C	USAR03	D31	SSSI-1015-S-DH-25-B	10/15/2018	Chemtech -SO
10/25/2018	Solid	J5575-14	Percent Solids	Cool 4 deg C	USAR03	D31	SSSI-1015-S-DH-25-B	10/15/2018	Chemtech -SO
10/25/2018	Solid	J5575-15	Percent Solids	Cool 4 deg C	USAR03	D31	SSSI-1015-S-DH-24-T	10/15/2018	Chemtech -SO
10/25/2018	Solid	J5575-16	Percent Solids	Cool 4 deg C	USAR03	D31	SSSI-1015-S-DH-24-T	10/15/2018	Chemtech -SO
10/25/2018	Solid	J5575-17	Percent Solids	Cool 4 deg C	USAR03	D31	SSSI-1015-S-DH-24-B	10/15/2018	Chemtech -SO
10/25/2018	Solid	J5575-18	Percent Solids	Cool 4 deg C	USAR03	D31	SSSI-1015-S-DH-24-B	10/15/2018	Chemtech -SO

Date/Time 10/17/18 3:45 PM

Received by: SO

Relinquished by: CB

Date/Time 10/17/18 3:35 PM

Received by: CB

Relinquished by: SO

13 08612

WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-101718

WorkList ID : 118113

Date : 10/17/2018 8:28:32 AM

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
10/26/2018	Solid	J5575-19	Percent Solids	Cool 4 deg C	USAR03	D31	SSSI-1016-S-DH-23	10/16/2018	Chemtech -SO
10/26/2018	Solid	J5575-20	Percent Solids	Cool 4 deg C	USAR03	D31	SSSI-1016-S-DH-23	10/16/2018	Chemtech -SO
10/25/2018	Solid	J5576-01	Percent Solids	Cool 4 deg C	YANN01	D62	T-1802	10/15/2018	Chemtech -SO
10/25/2018	Solid	J5576-02	Percent Solids	Cool 4 deg C	YANN01	D62	T-1803	10/15/2018	Chemtech -SO
10/26/2018	Solid	J5577-01	Percent Solids	Cool 4 deg C	USAR03	D22	SSSI-1016-S-DH-22	10/16/2018	Chemtech -SO
10/26/2018	Solid	J5577-02	Percent Solids	Cool 4 deg C	USAR03	D22	SSSI-1016-S-DH-22	10/16/2018	Chemtech -SO
10/26/2018	Solid	J5577-03	Percent Solids	Cool 4 deg C	USAR03	D22	SSSI-1016-S-DH-21	10/16/2018	Chemtech -SO
10/26/2018	Solid	J5577-04	Percent Solids	Cool 4 deg C	USAR03	D22	SSSI-1016-S-DH-21	10/16/2018	Chemtech -SO
10/22/2018	Solid	J5579-01	Percent Solids	Cool 4 deg C	PSEG01	P52	7-1-ROLLOFFS	10/17/2018	Chemtech -SO
10/22/2018	Solid	J5579-02	Percent Solids	Cool 4 deg C	PSEG01	P52	7-1-ROLLOFFS-A	10/17/2018	Chemtech -SO
10/22/2018	Solid	J5579-03	Percent Solids	Cool 4 deg C	PSEG01	P52	7-1-ROLLOFFS-B	10/17/2018	Chemtech -SO
10/22/2018	Solid	J5579-04	Percent Solids	Cool 4 deg C	PSEG01	P52	7-1-ROLLOFFS	10/17/2018	Chemtech -SO

Date/Time 10-17-18 2:25 PM
 Received by: [Signature]
 Relinquished by: [Signature]

Date/Time 10-17-18 5:35 PM
 Received by: [Signature]
 Relinquished by: [Signature]