



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: sweta

Parameter: Paint Filter

Supervisor Review By: ketankumar

Run Number: LB98701

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	J5202-01	PL-03-101718-A	1	100.03	0.00	10/18/2018	16:20
2	J5202-01DUP	PL-03-101718-ADUP	1	100.02	0.00	10/18/2018	16:25
3	J5202-03	PL-03-101718-B	1	100.00	0.00	10/18/2018	16:30
4	J5202-05	PL-03-101718-C	1	100.02	0.00	10/18/2018	16:35
5	J5204-05	SU-03-101718-A	1	100.03	0.00	10/18/2018	16:40
6	J5204-07	SU-03-101718-B	1	100.02	0.00	10/18/2018	16:45
7	J5579-01	7-1-ROLLOFFS	1	100.03	0.00	10/18/2018	16:50

WORKLIST(Hardcopy Internal Chain)

LB98701

WorkList Name : PF101818

WorkList ID : 118210

Date : 10/18/2018 4:09:22 PM

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
10/17/2018	Solid	J5202-01	Paint Filter	Cool 4 deg C	PSEG05	P63	PL-03-101718-A	10/17/2018	9095B
10/17/2018	Solid	J5202-03	Paint Filter	Cool 4 deg C	PSEG05	P63	PL-03-101718-B	10/17/2018	9095B
10/17/2018	Solid	J5202-05	Paint Filter	Cool 4 deg C	PSEG05	P63	PL-03-101718-C	10/17/2018	9095B
10/17/2018	Solid	J5204-05	Paint Filter	Cool 4 deg C	PSEG05		SU-03-101718-A	10/17/2018	9095B
10/17/2018	Solid	J5204-07	Paint Filter	Cool 4 deg C	PSEG05		SU-03-101718-B	10/17/2018	9095B
10/17/2018	Solid	J5579-01	Paint Filter	Cool 4 deg C	PSEG01	P52	7-1-ROLLOFFS	10/17/2018	9095B

Date/Time 10/18/18 4:12
 Received by: SP
 Relinquished by: SP

Date/Time 10/18/18 4:55
 Received by: SP
 Relinquished by: SP