



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: sweta

Parameter: Paint Filter

Supervisor Review By: ketankumar

Run Number: LB98728

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	J5195-03	JC-02-101818-A	1	100.02	0.00	10/19/2018	12:10
2	J5195-03DUP	JC-02-101818-ADUP	1	100.03	0.00	10/19/2018	12:15
3	J5195-05	JC-02-101818-B	1	100.02	0.00	10/19/2018	12:20
4	J5590-01	LS-SOIL-1	1	100.01	0.00	10/19/2018	12:25
5	J5590-05	LS-SOIL-2	1	100.03	0.00	10/19/2018	12:30

WORKLIST(Hardcopy Internal Chain)

LB 98728

WorkList Name : PF101918

WorkList ID : 118257

Date : 10/19/2018 11:54:55 AM

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
10/18/2018	Solid	J5195-03	Paint Filter	Cool 4 deg C	PSEG05		JC-02-101818-A	10/18/2018	9095B
10/18/2018	Solid	J5195-05	Paint Filter	Cool 4 deg C	PSEG05		JC-02-101818-B	10/18/2018	9095B
10/18/2018	Solid	J5590-01	Paint Filter	Cool 4 deg C	PSEG01	P63	LS-SOIL-1	10/18/2018	9095B
10/18/2018	Solid	J5590-05	Paint Filter	Cool 4 deg C	PSEG01	P63	LS-SOIL-2	10/18/2018	9095B

Date/Time 10/19/18 12:00

Received by: SP

Relinquished by: SP

Date/Time 10/19/18 12:40

Received by: SP

Relinquished by: SP