

TitriSoft Report

Ident	Amount	DateTime	Alkalinity	Final pH (sample)	Initial pH (sample)	offset	slope
LB98762BLW	100	22/10/2018 16:36	0.00	3.82	3.85	7.09	103.6
LB98762BSW	100	22/10/2018 16:46	45.00	4.44	8.43	7.09	103.6
J5569-01	50	22/10/2018 16:51	903.52	4.35	6.22	7.09	103.6
J5569-02	50	22/10/2018 16:59	827.60	4.46	6.35	7.09	103.6
J5569-05	50	22/10/2018 17:07	336.48	4.30	6.65	7.09	103.6
J5569-06	50	22/10/2018 17:12	120.96	4.41	6.61	7.09	103.6
J5569-07	50	22/10/2018 17:17	113.68	4.35	6.63	7.09	103.6
J5569-08	50	22/10/2018 17:22	308.80	4.29	7.05	7.09	103.6
J5569-09	50	22/10/2018 17:27	260.64	4.35	6.83	7.09	103.6
J5569-12	50	22/10/2018 17:33	386.40	4.21	7.14	7.09	103.6
J5569-12DUP	50	22/10/2018 17:39	386.72	4.42	7.18	7.09	103.6
J5569-13	50	22/10/2018 17:45	746.00	4.38	6.59	7.09	103.6
J5586-01	50	22/10/2018 17:53	360.40	4.38	6.88	7.09	103.6

10/22/18 JB