



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: sweta

Parameter: Paint Filter

Supervisor Review By: ketankumar

Run Number: LB98843

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	J5651-01	RBR-200030	1	100.02	0.00	10/25/2018	10:50
2	J5651-01DUP	RBR-200030DUP	1	100.03	0.00	10/25/2018	10:55
3	J5652-02	VB16206-VB16207-V23	1	100.02	0.00	10/25/2018	11:00
4	J5661-01	VB44949	1	100.02	6.00	10/25/2018	11:05

WORKLIST(Hardcopy Internal Chain)

698843

WorkList Name : PF102518

WorkList ID : 118460

Date : 10/25/2018 9:43:11 AM

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
10/24/2018	Solid	J5651-01	✓ Paint Filter	Cool 4 deg C	PSEG01	P62	RBR-200030	10/24/2018	9095B
10/24/2018	Solid	J5652-02	✓ Paint Filter	Cool 4 deg C	PSEG01	P63	VB16206-VB16207-V236-VB1	10/24/2018	9095B
10/24/2018	Solid	J5661-01	✓ Paint Filter	Cool 4 deg C	PSEG01	P62	VB44949	10/24/2018	9095B

Date/Time 10/25/18 10:40
 Received by: SP
 Relinquished by: CP

Date/Time 10/25/18 11:15
 Received by: CP
 Relinquished by: SP