

TitriSoft Report

Ident	Amount	DateTime	Alkalinity	Final pH (sample)	Initial pH (sample)	offset	slope
LB98844BLW	100	10/26/2018 10:20	0.00	4.32	4.32	7.09	103.6
LB98844BSW	100	10/26/2018 10:32	45.00	4.02	10.11	7.09	103.6
J5603-01	50	10/26/2018 10:39	528.00	4.50	7.28	7.09	103.6
J5603-02	50	10/26/2018 10:45	676.00	4.25	7.98	7.09	103.6
J5603-03	50	10/26/2018 10:52	260.00	4.32	7.49	7.09	103.6
J5603-04	50	10/26/2018 10:59	228.00	4.36	6.77	7.09	103.6
J5603-05	50	10/26/2018 11:05	68.00	4.03	7.48	7.09	103.6
J5603-05DUP	50	10/26/2018 11:12	64.00	4.36	7.80	7.09	103.6
J5603-07	50	10/26/2018 11:19	196.00	4.22	7.39	7.09	103.6
J5603-08	50	10/26/2018 11:34	132.00	4.41	6.99	7.09	103.6
J5603-10	50	10/26/2018 11:45	92.00	4.12	7.20	7.09	103.6
J5603-11	50	10/26/2018 11:53	272.00	4.46	6.80	7.09	103.6
J5603-12	50	10/26/2018 12:02	140.00	4.30	7.20	7.09	103.6
J5603-13	50	10/26/2018 12:11	368.00	4.48	6.77	7.09	103.6
J5603-14	50	10/26/2018 12:18	220.00	4.49	7.00	7.09	103.6
J5603-15	50	10/26/2018 12:28	324.00	4.11	7.40	7.09	103.6
J5603-16	50	10/26/2018 12:36	604.00	4.46	7.15	7.09	103.6

Date: 10/26/2018 15:38:30