



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: sweta

Parameter: Paint Filter

Supervisor Review By: ketankumar

Run Number: LB99096

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	J5768-01	OK-02-111718-A	1	100.02	0.00	11/08/2018	12:40
2	J5768-01DUP	OK-02-111718-ADUP	1	100.03	0.00	11/08/2018	12:45
3	J5768-03	OK-02-111718-B	1	100.05	0.00	11/08/2018	12:50
4	J5838-01	HC-SOIL-1	1	100.03	0.00	11/08/2018	12:55
5	J5838-11	HC-SOIL-2	1	100.01	0.00	11/08/2018	13:00
6	J5858-03	SB-8-S	1	100.06	0.00	11/08/2018	13:05
7	J5858-07	SB-8-D	1	100.05	0.00	11/08/2018	13:10
8	J5858-11	SB-9-S	1	100.02	0.00	11/08/2018	13:15

WORKLIST(Hardcopy Internal Chain)

LB99096

WorkList Name : PF110818

WorkList ID : 119013

Date : 11/8/2018 12:00:06 PM

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
11/07/2018	Solid	J5768-01 ☒	Paint Filter	Cool 4 deg C	PSEG05	I21	OK-02-111718-A	11/07/2018	9095B
11/07/2018	Solid	J5768-03 ☒	Paint Filter	Cool 4 deg C	PSEG05	I21	OK-02-111718-B	11/07/2018	9095B
11/07/2018	Solid	J5838-01 ☒	Paint Filter	Cool 4 deg C	PSEG01	I31	HC-SOIL-1	11/07/2018	9095B
11/07/2018	Solid	J5838-11 ☒	Paint Filter	Cool 4 deg C	PSEG01	I31	HC-SOIL-2	11/07/2018	9095B
11/07/2018	Solid	J5858-03 ☒	Paint Filter	Cool 4 deg C	PSEG01	I31	SB-8-S	11/07/2018	9095B
11/07/2018	Solid	J5858-07 ☒	Paint Filter	Cool 4 deg C	PSEG01	I31	SB-8-D	11/07/2018	9095B
11/07/2018	Solid	J5858-11 ☒	Paint Filter	Cool 4 deg C	PSEG01	I31	SB-9-S	11/07/2018	9095B

Date/Time 11/08/18 12:30

Received by: SP

Relinquished by: CP

Date/Time 11/08/18 1:20

Received by: CP

Relinquished by: SP