



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: sweta

Parameter: Paint Filter

Supervisor Review By: ketankumar

Run Number: LB99293

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	J5774-01	SU-04-111618	1	100.03	0.00	11/19/2018	10:45
2	J5774-01DUP	SU-04-111618DUP	1	100.02	0.00	11/19/2018	10:50
3	J5989-01	ES-RO-343	1	100.03	0.00	11/19/2018	10:55
4	J5991-01	WS-RO-358	1	100.05	0.00	11/19/2018	11:00

WORKLIST(Hardcopy Internal Chain)

UB99293

WorkList Name : PF111918

WorkList ID : 119391

Date : 11/19/2018 10:11:38 AM

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
11/16/2018	Solid	J5774-01	Paint Filter	Cool 4 deg C	PSEG05	L31	SU-04-111618	11/16/2018	9095B
11/16/2018	Solid	J5989-01	Paint Filter	Cool 4 deg C	PSEG01	L23	ES-RO-343	11/16/2018	9095B
11/16/2018	Solid	J5991-01	Paint Filter	Cool 4 deg C	PSEG01	L31	WS-RO-358	11/16/2018	9095B

Date/Time 11/19/18 10:15
 Received by: SP
 Relinquished by: CP

Date/Time 11/19/18 11:05
 Received by: CP
 Relinquished by: SP