



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: sweta

Parameter: Paint Filter

Supervisor Review By: ketankumar

Run Number: LB99356

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	J5765-03	NB-08-112018	1	100.02	0.00	11/21/2018	13:30
2	J5765-03DUP	NB-08-112018DUP	1	100.04	0.00	11/21/2018	13:35
3	J5768-05	OK-03-112018	1	100.03	0.00	11/21/2018	13:40
4	J5772-03	PL-01-112018-A	1	100.02	0.00	11/21/2018	13:45
5	J5772-05	PL-01-112018-B	1	100.02	0.00	11/21/2018	13:50
6	J5772-07	PL-01-112018-C	1	100.01	0.00	11/21/2018	13:55
7	J6014-01	TS-BUCKETS	1	100.03	0.00	11/21/2018	14:00
8	J6024-01	PS-SOIL	1	100.05	0.00	11/21/2018	14:05

WORKLIST(Hardcopy Internal Chain)

99356

WorkList Name : PF112118

WorkList ID : 119502

Date : 11/21/2018 12:41:20 PM

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
11/20/2018	Solid	J5765-03	Paint Filter	Cool 4 deg C	PSEG05		NB-08-112018	11/20/2018	9095B
11/20/2018	Solid	J5768-05	Paint Filter	Cool 4 deg C	PSEG05		OK-03-112018	11/20/2018	9095B
11/20/2018	Solid	J5772-03	Paint Filter	Cool 4 deg C	PSEG05		PL-01-112018-A	11/20/2018	9095B
11/20/2018	Solid	J5772-05	Paint Filter	Cool 4 deg C	PSEG05		PL-01-112018-B	11/20/2018	9095B
11/20/2018	Solid	J5772-07	Paint Filter	Cool 4 deg C	PSEG05		PL-01-112018-C	11/20/2018	9095B
11/20/2018	Solid	J6014-01	Paint Filter	Cool 4 deg C	PSEG01	L31	TS-BUCKETS	11/20/2018	9095B
11/20/2018	Solid	J6024-01	Paint Filter	Cool 4 deg C	PSEG01	L31	PS-SOIL	11/20/2018	9095B

Date/Time 11/21/18 1:00
 Received by: SP
 Relinquished by: CP

11/21/18
 Date/Time 11/21/18 2:15
 Received by: CP
 Relinquished by: SP