



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: sweta

Run Number: LB99388

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	J5770-05	OR-02-112118-A	1	100.05	0.00	11/26/2018	16:20
2	J5770-05DUP	OR-02-112118-ADUP	1	100.04	0.00	11/26/2018	16:25
3	J5770-07	OR-02-112118-B	1	100.06	0.00	11/26/2018	16:30
4	J5774-03	SU-02-112118	1	100.05	0.00	11/26/2018	16:35
5	J5774-05	SU-03-112118-A	1	100.04	0.00	11/26/2018	16:40
6	J5774-07	SU-03-112118-B	1	100.05	0.00	11/26/2018	16:45

WORKLIST(Hardcopy Internal Chain)

1399388

WorkList Name : PF112618

WorkList ID : 119567

Date : 11/26/2018 2:27:28 PM

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
11/21/2018	Solid	J5770-05 <u>B</u>	Paint Filter	Cool 4 deg C	PSEG05		OR-02-112118-A	11/21/2018	9095B
11/21/2018	Solid	J5770-07 <u>B</u>	Paint Filter	Cool 4 deg C	PSEG05		OR-02-112118-B	11/21/2018	9095B
11/21/2018	Solid	J5774-03 <u>A</u>	Paint Filter	Cool 4 deg C	PSEG05		SU-02-112118	11/21/2018	9095B
11/21/2018	Solid	J5774-05 <u>A</u>	Paint Filter	Cool 4 deg C	PSEG05		SU-03-112118-A	11/21/2018	9095B
11/21/2018	Solid	J5774-07 <u>A</u>	Paint Filter	Cool 4 deg C	PSEG05		SU-03-112118-B	11/21/2018	9095B

Date/Time 11/26/18 2:30

Received by: SP

Relinquished by: CP

Date/Time 11/26/18 4:55

Received by: CP

Relinquished by: SP