



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: sweta

Parameter: Paint Filter

Supervisor Review By: ketankumar

Run Number: LB99595

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	J6188-01	BU-03-120418-A	1	100.03	0.00	12/05/2018	12:15
2	J6188-01DUP	BU-03-120418-ADUP	1	100.02	0.00	12/05/2018	12:20
3	J6194-01	OK-02-120418-A	1	100.02	0.00	12/05/2018	12:25
4	J6194-03	OK-02-120418-B	1	100.05	0.00	12/05/2018	12:30
5	J6202-01	SAMPLE-1	1	100.03	0.00	12/05/2018	12:35
6	J6219-01	NM-342-135-120418	1	100.01	0.00	12/05/2018	12:40
7	J6233-01	SB-1	1	100.03	0.00	12/05/2018	12:45
8	J6233-03	SB-2	1	100.03	0.00	12/05/2018	12:50

WORKLIST(Hardcopy Internal Chain)

LB99595

WorkList Name : PF120518

WorkList ID : 119953

Date : 12/5/2018 12:02:58 PM

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
12/04/2018	Solid	J6188-01	Paint Filter	Cool 4 deg C	PSEG05	L31	BU-03-120418-A	12/04/2018	9095B
12/04/2018	Solid	J6194-01	Paint Filter	Cool 4 deg C	PSEG05	L31	OK-02-120418-A	12/04/2018	9095B
12/04/2018	Solid	J6194-03	Paint Filter	Cool 4 deg C	PSEG05	L31	OK-02-120418-B	12/04/2018	9095B
12/04/2018	Solid	J6202-01	Paint Filter	Cool 4 deg C	PSEG01	L31	SAMPLE-1	12/04/2018	9095B
12/04/2018	Solid	J6219-01	Paint Filter	Cool 4 deg C	PSEG01	L31	NM-342-135-120418	12/04/2018	9095B
12/04/2018	Solid	J6233-01	Paint Filter	Cool 4 deg C	PSEG01	L31	SB-1	12/04/2018	9095B
12/04/2018	Solid	J6233-03	Paint Filter	Cool 4 deg C	PSEG01	L31	SB-2	12/04/2018	9095B

Date/Time 12/05/18 12:10
 Received by: SP
 Relinquished by: CP

Date/Time 12/05/18 1:00
 Received by: CP
 Relinquished by: SP