



Analytical Summary Report

Analysis Method: 9095B
Parameter: Paint Filter
Run Number: LB99900

Reviewed By: sweta
Supervisor Review By: ketankumar
BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	J6195-09	OR-03-121718	1	100.03	0.00	12/18/2018	12:15
2	J6195-09DUP	OR-03-121718DUP	1	100.05	0.00	12/18/2018	12:20
3	J6453-01	SS-SOIL	1	100.05	0.00	12/18/2018	12:25
4	J6464-01	290-RT4008-RBR25168	1	100.02	0.00	12/18/2018	12:30
5	J6464-04	VB16202	1	100.03	30.00	12/18/2018	12:35

WORKLIST(Hardcopy Internal Chain)

LB99900

WorkList Name : PF121818

WorkList ID : 120541

Date : 12/18/2018 11:50:10 AM

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
12/17/2018	Solid	J6195-09	Paint Filter	Cool 4 deg C	PSEG05		OR-03-121718	12/17/2018	9095B
12/17/2018	Solid	J6453-01	Paint Filter	Cool 4 deg C	PSEG01	E12	SS-SOIL	12/17/2018	9095B
12/17/2018	Solid	J6464-01	Paint Filter	Cool 4 deg C	PSEG01	E21	290-RT4008-RBR251686	12/17/2018	9095B
12/17/2018	Solid	J6464-04	Paint Filter	Cool 4 deg C	PSEG01	E21	VB16202	12/17/2018	9095B

Date/Time 12/18/18 12:00

Received by: SP

Relinquished by: CP

Date/Time

Received by:

Relinquished by:

12/18/18 12:45

CP

SP