



Extraction and Analytical Summary Report

Analysis Method: 1664A
Test: TPH
Run Number: LB99951
Analysis Date: 12/20/2018
BalanceID: WC SC-3
OvenID: EX OVEN-2

ANALYST: jignesh
REVIEWED BY: apatel
Extraction Date: 12/20/2018
Extraction IN Time: 08:30
Extraction OUT Time: 09:15

Dish #	Lab ID	Client ID	Matrix	pH	Sample Vol (ml)	Final Volume (ml)	Empty Dish Weight	Final Empty Dish Weight (g)	Silica Gel Weight (g)	Weight After Drying (g)	Final Weight After Drying (g)	Change Weight (g)	Result in ppm
1	LB99951BL	LB99951BL	WATER	2	1000	100	2.6555	2.6555	3.01	2.6555	2.6555	0.0000	0
2	LB99951BS	LB99951BS	WATER	2	1000	100	2.8741	2.8741	3.02	2.8931	2.8931	0.0190	19
3	J6483-01	STORM-DRAIN-1	WATER	2	1000	100	2.9480	2.9480	3.03	2.9484	2.9484	0.0004	0.4
4	J6483-01DUP	STORM-DRAIN-1DUP	WATER	2	1000	100	3.2766	3.2766	3.04	3.2769	3.2769	0.0003	0.3
5	J6483-02	STORM-DRAIN-2	WATER	2	1000	100	3.2707	3.2707	3.02	3.2724	3.2724	0.0017	1.7
6	J6483-02MS	STORM-DRAIN-2	WATER	2	1000	100	3.0167	3.0167	3.03	3.0382	3.0382	0.0215	21.5



QC Batch# LB99951 Test: TPH Analysis Date: 12/20/2018

Chemicals Used:

Chemical Name	Chemical Lot #
HEXANE	W2456
pH Paper 0-14	W2416
Sodium Sulfate	EP1909
1:1 HCL	WP69312
Silica Gel	W2368
Sand	NA

Standards Used:

Standard Name	Amount Used	Standard Lot #
LCSW	10.00 ML	WP69314
LCSWD	NA	
MS/MSD	10.00 ML	WP69313

BALANCE CALIBRATION / OVEN Dessicator Data

Analytical Balance ID # : WC SC-3

Before Analysis

0.0020 gram Balance:	<u>0.0021</u>	In OVEN TEMP :	<u>70</u>	Dessicator Time In :	<u>10:41</u>
1.0000 gram Balance:	<u>1.0005</u>	In Time:	<u>09:40</u>		
Bal Check Time:	<u>08:45</u>	Out OVEN TEMP:	<u>70</u>	Dessicator Time Out:	<u>11:15</u>
		Out Time:	<u>10:40</u>		

After Analysis

0.0020 gram Balance:	<u>0.0018</u>	In OVEN TEMP :	<u>71</u>	Dessicator Time In :	<u>12:21</u>
1.0000 gram Balance:	<u>1.0003</u>	In Time:	<u>11:40</u>		
Bal Check Time:	<u>13:30</u>	Out OVEN TEMP:	<u>71</u>	Dessicator Time Out:	<u>12:50</u>
		Out Time:	<u>12:20</u>		

LB99951

WORKLIST(Hardcopy Internal Chain)

WorkList Name : tph j6483

WorkList ID : 120621

Date : 12/20/2018 8:14:12 AM

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
12/26/2018	Water	J6483-01 E, F	TPH	Conc H2SO4 to	KWAR01	E41	STORM-DRAIN-1	12/19/2018	1664A
12/26/2018	Water	J6483-02 E, F	TPH	Conc H2SO4 to	KWAR01	E41	STORM-DRAIN-2	12/19/2018	1664A

Date/Time 12.20.18 8:15 AM

Received by: Jg

Relinquished by: Coj

Date/Time

Received by:

Relinquished by: