



PERCENT SOLID

Supervisor: MMDadoda
Analyst: jignesh
Date: 12/22/2018

OVENTEMP IN Celsius(°C): 108
Time IN: 17:40
In Date: 12/21/2018
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:36
Out Date: 12/22/2018
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-1

QC:LB99990

Lab ID	Client Sample ID	Dish#	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish + Dry Sample Wt(g) (C)	% Solid
J6188-05	BU-03-122118	64	1.13	9.64	8.4	85.4
J6486-01	S72-0053	1	1.13	9.54	7.94	81.0
J6486-02	S72-0054	2	1.16	9.94	8.42	82.7
J6494-01	OVS	3	1.11	9.86	5.00	44.5
J6498-01	SSSI-1218-S-DH-9-T	4	1.15	9.56	7.98	81.2
J6498-02	SSSI-1218-S-DH-9-T	5	1.14	9.73	8.7	88.0
J6498-03	SSSI-1218-S-DH-9-B	6	1.17	9.88	8.91	88.9
J6498-04	SSSI-1218-S-DH-9-B	7	1.16	9.97	9.18	91.0
J6498-05	SSSI-1218-S-AB-6	8	1.16	9.6	8.22	83.6
J6498-06	SSSI-1218-S-AB-6	9	1.12	9.89	8.54	84.6
J6505-01	SB-57 (0-12) -COMP	10	1.13	9.8	8.62	86.4
J6505-03	SB-58 (0-23) -COMP	11	1.13	9.96	8.14	79.4
J6505-05	SB-59 (0-23) -COMP	12	1.18	9.97	6.95	65.6
J6505-07	SB-60 (0-23) -COMP	13	1.16	9.55	7.9	80.3
J6505-09	SB-61 (0-23) -COMP	14	1.1	9.52	5.93	57.4
J6505-11	SB-62 (0-23) -COMP	15	1.18	9.81	5.4	48.9
J6505-13	SB-63 (0-23) -COMP	16	1.15	9.62	6.59	64.2
J6505-15	SB-64 (0-23) -COMP	17	1.11	9.75	7.8	77.4
J6505-17	SB-65 (0-12) -COMP	18	1.18	9.96	9.04	89.5
J6511-01	SB-57 (0-5) -GRAB	19	1.11	9.91	9.08	90.6
J6511-02	SB-58 (0-5) -GRAB	20	1.15	7.74	5.59	67.4
J6511-03	SB-59 (0-5) -GRAB	21	1.18	9.94	8.49	83.4
J6511-04	SB-60 (0-5) -GRAB	22	1.11	9.35	8.04	84.1
J6511-05	SB-61 (0-5) -GRAB	23	1.16	9.58	7.84	79.3
J6511-06	SB-62 (0-5) -GRAB	24	1.17	9.93	8.36	82.1
J6511-07	SB-63 (0-5) -GRAB	25	1.14	9.54	8.34	85.7
J6511-08	SB-64 (0-5) -GRAB	26	1.13	9.9	9.01	89.9
J6511-09	SB-65 (0-5) -GRAB	27	1.16	9.61	8.77	90.1
J6515-01	S72-0050	28	1.14	9.76	8.56	86.1
J6515-02	J6515-01MS	29	1.14	9.76	8.56	86.1
J6515-03	J6515-01MSD	30	1.14	9.76	8.56	86.1
J6515-04	S72-0051	31	1.18	9.92	8.85	87.8
J6521-01	P002-SS001-0006-01	32	1.17	9.71	4.98	44.6
J6521-02	P002-SS002-0006-01	33	1.17	9.85	3.49	26.7
J6521-03	P002-SS003-0006-01	34	1.17	9.8	3.23	23.9
J6521-04	P002-SS004-0006-01	35	1.14	9.88	4.32	36.4
J6521-05	P002-SS005-0006-01	36	1.14	9.97	8.29	81.0
J6521-06	P002-SS006-0006-01	37	1.14	9.87	5.75	52.8
J6521-07	P002-SS007-0006-01	38	1.14	9.69	3.51	27.7



PERCENT SOLID

Supervisor: MMDadoda
Analyst: jignesh
Date: 12/22/2018

OVENTEMP IN Celsius(°C): 108
Time IN: 17:40
In Date: 12/21/2018
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:36
Out Date: 12/22/2018
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-1

QC:LB99990

Lab ID	Client Sample ID	Dish#	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish + Dry Sample Wt(g) (C)	% Solid
J6521-08	P002-SS008-0006-01	39	1.14	9.74	6.7	64.7
J6521-09	P002-SS009-0006-01	40	1.1	9.77	3.08	22.8
J6521-10	P002-SS010-0006-01	41	1.14	9.97	8.22	80.2
J6521-11	P002-SS011-0006-01	42	1.17	9.95	7.89	76.5
J6521-12	P002-SS012-0006-01	43	1.15	9.95	4.13	33.9
J6521-13	J6521-12MS	44	1.15	9.95	4.13	33.9
J6521-14	J6521-12MSD	45	1.15	9.95	4.13	33.9
J6521-15	P002-SS012-0006-02	46	1.12	9.54	4.22	36.8
J6521-16	P002-SS013-0006-01	47	1.18	9.51	4.8	43.5
J6521-17	P002-SS014-0006-01	48	1.16	9.71	3.35	25.6
J6521-18	P002-SS015-0006-01	49	1.13	9.88	6.47	61.0
J6521-19	P002-SS016-0006-01	50	1.16	9.79	3.53	27.5
J6521-20	P002-SS017-0006-01	51	1.1	9.9	3.82	30.9
J6521-21	P002-SS018-0006-01	52	1.19	9.72	4.13	34.5
J6521-22	P002-SS019-0006-01	53	1.17	9.84	4.06	33.3
J6525-01	S-1 (5)	65	1.18	9.84	7.98	78.5
J6525-02	S-2 (5)	66	1.18	9.97	8.37	81.8
J6525-03	S-3 (5)	67	1.11	9.65	8.21	83.1
J6531-01	580K-10D	68	1.11	9.94	8.56	84.4
J6531-02	580K-10E	69	1.12	9.55	7.69	77.9
J6531-03	580K-11D	70	1.15	9.91	7.83	76.3
J6531-04	580K-11E	71	1.16	9.54	7.08	70.6
J6531-05	580K-12D	72	1.17	9.97	8.26	80.6
J6531-06	580K-12E	73	1.13	9.71	7.97	79.7
J6531-07	580K-13D	74	1.16	9.56	7.71	78.0
J6531-08	580K-13E	75	1.13	9.69	8.18	82.4
J6531-09	580K-14D	76	1.17	9.74	8.18	81.8
J6531-10	580K-14E	77	1.11	9.75	8.59	86.6
J6531-11	580K-15D	78	1.15	9.68	8.19	82.5
J6531-12	580K-15E	79	1.16	9.88	8.51	84.3
J6531-13	580K-16D	80	1.18	9.8	8.38	83.5
J6531-14	580K-16E	81	1.13	9.51	8.35	86.2
J6531-15	580K-DUP6	82	1.16	9.57	7.47	75.0
J6531-16	580K-DUP7	83	1.15	9.66	8.43	85.5
J6532-05	SVOC-GPC-BLANK	54	1.00	2.00	2.00	100.0
J6532-06	PEST-GPC-BLANK	55	1.00	2.00	2.00	100.0
J6532-07	PEST-GPC-BLANK-SPIKE	56	1.00	2.00	2.00	100.0
J6532-08	PCB-GPC-BLANK	57	1.00	2.00	2.00	100.0
J6532-09	PCB-GPC-BLANK-SPIKE	58	1.00	2.00	2.00	100.0



PERCENT SOLID

Supervisor: MMDadoda
Analyst: jignesh
Date: 12/22/2018

OVENTEMP IN Celsius(°C): 108
Time IN: 17:40
In Date: 12/21/2018
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:36
Out Date: 12/22/2018
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-1

QC:LB99990

Lab ID	Client Sample ID	Dish#	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish + Dry Sample Wt(g) (C)	% Solid
J6532-10	SVOC-GPC2-BLANK	59	1.00	2.00	2.00	100.0
J6532-11	PEST-GPC2-BLANK	60	1.00	2.00	2.00	100.0
J6532-12	PEST-GPC2-BLANK-SPIKE	61	1.00	2.00	2.00	100.0
J6532-13	PCB-GPC2-BLANK	62	1.00	2.00	2.00	100.0
J6532-14	PCB-GPC2-BLANK-SPIKE	63	1.00	2.00	2.00	100.0
J6546-01	S72-0056	84	1.13	9.58	8.08	82.2
J6546-02	S72-0057	85	1.11	9.88	8.22	81.1
J6546-03	S72-0058	86	1.15	9.83	8.26	81.9
J6547-01	1A-VOC	87	1.18	6.02	5.63	91.9
J6547-02	COMP-1A	88	1.18	9.97	9.2	91.2
J6547-03	1B-VOC	89	1.11	6.56	5.82	86.4
J6547-04	COMP-1B	90	1.19	9.56	8.58	88.3

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$