

SOP ID : M3010A-Digestion-15

SDG No : N/A

Matrix : WATER

Pipette ID: ICP-A

Balance ID : N/A

Filter paper ID : N/A

pH Strip ID : M4588

Hood ID : #3

Block ID/Temp : 1. N/A 2. N/A 3. 95°C 4. N/A

Start Digest Date: 11/23/2020 Time : 12:33 Temp : 95 °C

End Digest Date: 11/23/2020 Time : 16:20 Temp : 96 °C

Digestion tube ID: M4578

Block thermometer ID: MET-DIG. #3

Dig Technician Signature: D.P.

Supervisor Signature: 

Standardized Name	MLS USED	STD REF. # FROM LOG
LFS-1	0.25	M4568
LFS-2	0.25	M4651
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Chemical Used	ML/SAMPLE USED	Lot Number
CONC: HNO3	3.00	M4661
1:1 HCL	5.00	MP59660
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Extraction Conformance/Non-Conformance Comments:

N/A

Date / Time	Received By	Relinquished By	Location
11/23/20 16:40		D.P.	Metals Lab
	Analysis Group	Preparation Group	

Lab Sample ID	Client Sample ID	pH	Initial Vol (ml)	Final Vol (ml)	Color Before	Color After	Clarity Before	Clarity After	Comment	Prep Pos
L4857-04	304EM-STOCKPILE	<2	50	25	Colorless	Colorless	Clear	Clear	N/A	3-26
L4857-05	304EM-STOCKPILE-EAST	<2	50	25	Colorless	Colorless	Clear	Clear	N/A	27
L4857-06	304EM-STOCKPILE-WEST	<2	50	25	Colorless	Colorless	Clear	Clear	N/A	28
L4857-06DUP	304EM-STOCKPILE-WESTDUP	<2	50	25	Colorless	Colorless	Clear	Clear	N/A	29
L4857-06MS	304EM-STOCKPILE-WESTMS	<2	50	25	Colorless	Colorless	Clear	Clear	M4568,M4651	30
L4857-06MSD	304EM-STOCKPILE-WESTMSD	<2	50	25	Colorless	Colorless	Clear	Clear	M4568,M4651	31
PB133204BL	PBW204	<2	50	25	Colorless	Colorless	Clear	Clear	N/A	32
PB133204BS	LCS204	<2	50	25	Colorless	Colorless	Clear	Clear	M4568,M4651	33
PB133204TB	LEB204	<2	50	25	Colorless	Colorless	Clear	Clear	N/A	34