

SOP ID : M3010A-Digestion-15
SDG No : N/A
Matrix : WATER
Pipette ID: ICP-A
Balance ID : N/A
Filter paper ID : N/A
pH Strip ID : M4588
Hood ID : #3
Block ID/Temp : 1. N/A 2. N/A 3. 95°C 4. N/A

Start Digest Date: 06/15/2021 **Time :** 11:28 **Temp :** 94 °C
End Digest Date: 06/15/2021 **Time :** 14:58 **Temp :** 95 °C
Digestion tube ID: M4713
Block thermometer ID: MET-DIG.#3
Dig Technician Signature: 
Supervisor Signature: 

Standard Name	MLS USED	STD REF. # FROM LOG
LFS-1	0.25	M4650
LFS-2	0.25	M4816
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Chemical Used	ML/SAMPLE USED	Lot Number
CONC: HNO3	3.00	M4829
1:1 HNO3	5.00	MP63865
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Extraction Conformance/Non-Conformance Comments:

N/A

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
06/15/21 15:10	BH/Dig Lab	 (Mobile Lab)
	Preparation Group	Analysis Group

Lab Sample ID	Client Sample ID	pH	Initial Vol (ml)	Final Vol (ml)	Color Before	Color After	Clarity Before	Clarity After	Comment	Prep Pos
M2653-01	COMP-A	<2	50	25	Colorless	Colorless	Clear	Clear	N/A	4
M2653-02	COMP-B	<2	50	25	Colorless	Colorless	Clear	Clear	N/A	5
M2678-11	SPLP-AMND-COMP-D(CL-01A)	<2	50	25	Colorless	Colorless	Clear	Clear	N/A	6
M2678-12	SPLP-AMND-COMP-F(CL-05)	<2	50	25	Colorless	Colorless	Clear	Clear	N/A	7
M2678-13	SPLP-AMND-COMP-G(CL-07)	<2	50	25	Colorless	Colorless	Clear	Clear	N/A	8
M2678-14	SPLP-AMND-COMP-K(CL-16)	<2	50	25	Colorless	Colorless	Clear	Clear	N/A	9
M2678-15	SPLP-AMND-COMPOSITE-H	<2	50	25	Colorless	Colorless	Clear	Clear	N/A	10
M2678-15DUP	SPLP-AMND-COMPOSITE-H DUP	<2	50	25	Colorless	Colorless	Clear	Clear	N/A	11
M2678-15MS	SPLP-AMND-COMPOSITE-H MS	<2	50	25	Colorless	Colorless	Clear	Clear	M4650,M4816	12
M2678-15MS B	SPLP-AMND-COMPOSITE-H MSD	<2	50	25	Colorless	Colorless	Clear	Clear	M4650,M4816	13
M2709-13	SPLP-AMND-COMP-E	<2	50	25	Colorless	Colorless	Clear	Clear	N/A	14
M2709-14	SPLP-AMND-COMP-L	<2	50	25	Colorless	Colorless	Clear	Clear	N/A	15
M2709-15	SPLP-AMND-COMP-M	<2	50	25	Colorless	Colorless	Clear	Clear	N/A	16
M2709-16	SPLP-AMND-COMP-N(CL-22)	<2	50	25	Colorless	Colorless	Clear	Clear	N/A	17
M2709-17	SPLP-AMND-COMP-O(CL-23)	<2	50	25	Colorless	Colorless	Clear	Clear	N/A	18
M2709-18	SPLP-AMND-COMP-O(CL-24)	<2	50	25	Colorless	Colorless	Clear	Clear	N/A	19
PB137127BL	PBW127	<2	50	25	Colorless	Colorless	Clear	Clear	N/A	3-1
PB137127BS	LCS127	<2	50	25	Colorless	Colorless	Clear	Clear	M4650,M4816	2
PB137127TB	LEB127	<2	50	25	Colorless	Colorless	Clear	Clear	N/A	3