

SOP ID : M200.7-Trace Elements-22, MSFAM01.1-Trace Metals-2

SDG No : ~~N/A~~ MJNLH1

Matrix : WATER

Pipette ID: ICP A

Balance ID : N/A

Filter paper ID : N/A

pH Strip ID : M6069

Hood ID : #3

Block ID: 1. HOT BLOCK #1 2. N/A

Start Digest Date: 12/16/2024 Time : 10:05 Temp : 96 °C

End Digest Date: 12/16/2024 Time : 13:10 Temp : 96 °C

Digestion tube ID: M5595

Block thermometer ID: MET-DIG. # 1

Dig Technician Signature: 

Supervisor Signature: 


Temp : 1. 96°C 2. N/A

Standard Name	MLS USED	STD REF. # FROM LOG
LCSS	1.00	MP83506
Spike Sol 6	1.00	MP83512
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Chemical Used	ML/SAMPLE USED	Lot Number
1:1 HNO3	10.00	MP83498
1:1 HCL	5.00	MP83499
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Extraction Conformance/Non-Conformance Comments:

HOT BLOCK #1 CELL #54 : 96 C

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
12/16/24 14:10	SL23. met direction	
	Preparation Group	Analysis Group

Lab Sample ID	Client Sample ID	pH	Initial Vol (ml)	Final Vol (ml)	Color Before	Color After	Clarity Before	Clarity After	Comment	Prep Pos
P5169-01	MJNLH1	<2	50	50	Colorless	Colorless	Clear	Clear	N/A	19
P5169-02	MJNLH2	<2	50	50	Colorless	Colorless	Clear	Clear	N/A	20
P5169-03	MJNLH5	<2	50	50	Colorless	Colorless	Clear	Clear	N/A	21
P5169-04	MJNLH4	<2	50	50	Colorless	Colorless	Clear	Clear	N/A	22
P5169-05	MJNLH4D	<2	50	50	Colorless	Colorless	Clear	Clear	N/A	23
P5169-06	MJNLH4S	<2	50	50	Colorless	Colorless	Clear	Clear	MP83512	24
PB165641TB	PB165641TB <i>LEB641</i>	<2	50	50	Colorless	Colorless	Clear	Clear	N/A	25
PB165673BL	PBW673 <i>SKJ</i>	<2	50	50	Colorless	Colorless	Clear	Clear	N/A	26
PB165673BS	LCS673 <i>01/02/25</i>	<2	50	50	Colorless	Colorless	Clear	Clear	MP83506	27