

Clear table


IC-1 3000
03-22-19 AD

ident	concentra tion F-	concentrati on CL-	concentrati on NO2	concentrati on BR-	concentrati on NO3	concentrati on HPO4	concentrati on SO4	file name	date time	Initial wt/ Final Vol	Analyst
STD1	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	2019-03-05_	3/5/19 16:02		AK/AP
STD2	0.1950	0.2100	0.2250	0.7370	0.1900	0.0560	1.2360	2019-03-05_	3/5/19 16:31		AK/AP
STD3	0.2630	0.3490	0.3570	1.1810	0.3000	0.4170	1.8370	2019-03-05_	3/5/19 17:01		AK/AP
STD4	0.4150	0.6220	0.6150	2.0530	0.5150	1.0860	3.1590	2019-03-05_	3/5/19 17:30		AK/AP
STD5	0.7440	1.1630	1.1610	3.8570	0.9630	2.1770	5.7470	2019-03-05_	3/5/19 18:00		AK/AP
STD6	1.8190	2.8790	2.8470	9.5650	2.3800	5.1210	14.0260	2019-03-05_	3/5/19 18:29		AK/AP
STD7	3.9910	5.9160	5.9430	19.7310	4.9180	9.8910	29.5330	2019-03-05_	3/5/19 18:59		AK/AP
STD8	5.0720	7.6110	7.6010	25.3750	6.3580	12.5020	38.2110	2019-03-05_	3/5/19 19:28		AK/AP
ICV	2.0300	2.9500	2.9330	9.6960	2.4100	5.4390	14.2470	2019-03-05_	3/5/19 19:57		AK/AP
ICB	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	2019-03-05_	3/5/19 20:27		AK/AP
CCV	1.7350	2.8220	2.8010	9.4920	2.3030	4.3550	13.8470	2019-03-21_	3/21/19 9:23		AK/AP
CCB	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	2019-03-21_	3/21/19 9:53		AK/AP
LB101509BLW	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	2019-03-21_	3/21/19 10:23		AK/AP
LB101509BSW	1.8800	2.8040	2.7680	9.3040	2.2880	4.9340	13.8150	2019-03-21_	3/21/19 10:52		AK/AP
K2038-01	0.3700	854.0160	0.0000	1.9580	0.7790	0.0000	228.4150	2019-03-21_	3/21/19 11:35		AK/AP
K2038-01DUP	0.3350	854.3170	0.0000	1.9660	0.7790	0.0000	227.9940	2019-03-21_	3/21/19 12:05		AK/AP
K2038-01MS	2.4210	771.4770	2.7590	11.3110	3.0840	6.0810	222.9190	2019-03-21_	3/21/19 12:34		AK/AP
K2038-01MSD	2.4200	785.2330	2.6920	11.2570	3.1070	6.2790	224.4560	2019-03-21_	3/21/19 13:04		AK/AP
CCV	1.7200	2.7960	2.7530	9.3110	2.2870	4.9310	13.5760	2019-03-21_	3/21/19 13:33		AK/AP
CCB	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	2019-03-21_	3/21/19 14:05		AK/AP

CALIBRATION OF COMPONENT F-

Method: ANIONS 03-05-19.mtw
 Equation: $Q = 0.804925 \cdot A + 2.50321$
 RSD: 5.846 %
 Correlation coefficient: 0.998841

IC-1 ~~8-0~~
 Col 03-05-19
 AR



K3 = 0 K2 = 0 K1 = 0.804925 K0 = 2.50321

Base: Area

Ref.channel: Cond

ISTD:


Formula: Linear

Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File	
1	0	0	0	0	0		0	No
2	0.05848	1.744	0.1	20	5.913			Yes
3	0.1245	3.437	0.2	20	5.913			Yes
4	0.2695	7.209	0.4	20	5.913			Yes
5	0.5744	15.37	0.8	20	5.913			Yes
6	1.596	42.09	2	20	5.913			Yes
7	3.504	96.06	4	20	5.913			Yes
8	4.463	122.9	5	20	5.913			Yes

CALIBRATION OF COMPONENT CL-

Method: ANIONS 03-05-19.mtw
 Equation: $Q = 1.24374 \cdot A + 1.27387$
 RSD: 3.431 %
 Correlation coefficient: 0.999601




K3 = 0 K2 = 0 K1 = 1.24374 K0 = 1.27387

Base: Area
 Ref.channel: Cond
 ISTD:
 Formula: Linear
 Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File	
1	0	0	0	0	0			No
2	0.1378	2.359	0.15	20	8.858			Yes
3	0.2672	4.595	0.3	20	8.858			Yes
4	0.5199	8.974	0.6	20	8.858			Yes
5	1.042	17.67	1.2	20	8.858			Yes
6	2.693	45.27	3	20	8.858			Yes
7	5.632	94.1	6	20	8.858			Yes
8	7.317	121.4	7.5	20	8.858			Yes

CALIBRATION OF COMPONENT NO2

Method: ANIONS 03-05-19.mtw
 Equation: $Q = 0.523191 \cdot A + 1.70358$
 RSD: 3.640 %
 Correlation coefficient: 0.999551




K3 = 0 K2 = 0 K1 = 0.523191 K0 = 1.70358

Base: Area
 Ref.channel: Cond
 ISTD:
 Formula: Linear
 Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File	
1	0	0	0	0	0			No
2	0.2585	5.357	0.15	20	10.65			Yes
3	0.5158	10.38	0.3	20	10.65			Yes
4	1.042	20.25	0.6	20	10.65			Yes
5	2.128	41.14	1.2	20	10.65			Yes
6	5.551	105.6	3	20	10.65			Yes
7	11.6	223.9	6	20	10.65			Yes
8	14.93	287.3	7.5	20	10.65			Yes

CALIBRATION OF COMPONENT BR-

Method: ANIONS 03-05-19.mtw
 Equation: $Q = 2.82009 \cdot A + 7.76849$
 RSD: 3.594 %
 Correlation coefficient: 0.999562




K3 = 0 K2 = 0 K1 = 2.82009 K0 = 7.76849

Base: Area
 Ref.channel: Cond
 ISTD:
 Formula: Linear
 Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File	
1	0	0	0	0	0			No
2	0.1234	2.473	0.5	20	13.72			Yes
3	0.2646	5.624	1	20	13.72			Yes
4	0.5553	11.81	2	20	13.72			Yes
5	1.14	24.6	4	20	13.72			Yes
6	2.942	65.08	10	20	13.72			Yes
7	5.927	137.2	20	20	13.72			Yes
8	7.449	177.2	25	20	13.72			Yes

CALIBRATION OF COMPONENT NO3

Method: ANIONS 03-05-19.mtw
 Equation: $Q = 0.490563 \cdot A + 1.54373$
 RSD: 4.068 %
 Correlation coefficient: 0.999439




K3 = 0 K2 = 0 K1 = 0.490563 K0 = 1.54373

Base: Area
 Ref.channel: Cond
 ISTD:
 Formula: Linear
 Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File	
1	0	0	0	0	0			No
2	0.1812	4.602	0.125	20	15.65			Yes
3	0.3607	9.092	0.25	20	15.65			Yes
4	0.7284	17.86	0.5	20	15.65			Yes
5	1.48	36.13	1	20	15.65			Yes
6	3.872	93.87	2.5	20	15.65			Yes
7	8.278	197.4	5	20	15.65			Yes
8	10.82	256.1	6.25	20	15.65			Yes

CALIBRATION OF COMPONENT HPO4

Method: ANIONS 03-05-19.mtw
 Equation: $Q = 1.05291 \cdot A - 7.73973$
 RSD: 3.321 %
 Correlation coefficient: 0.999626




K3 = 0 K2 = 0 K1 = 1.05291 K0 = -7.73973

Base: Area
 Ref.channel: Cond
 ISTD:
 Formula: Linear
 Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File	
1	—	0	0	0	0		0	No
2	0.185	8.412	0.25	20	21.48	Yes		
3	0.3481	15.27	0.5	20	21.48	Yes		
4	0.6551	27.98	1	20	21.48	Yes		
5	1.199	48.71	2	20	21.48	Yes		
6	2.752	104.6	5	20	21.48	Yes		
7	5.446	195.2	10	20	21.48	Yes		
8	6.973	244.8	12.5	20	21.48	Yes		

CALIBRATION OF COMPONENT SO4

Method: ANIONS 03-05-19.mtw
 Equation: $Q = 1.55143 \cdot A + 10.9562$
 RSD: 4.851 %
 Correlation coefficient: 0.999202



K3 = 0 K2 = 0 K1 = 1.55143 K0 = 10.9562

Base: Area

Ref.channel: Cond

ISTD:

Formula: Linear

Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File	
1	0	0	0	0	0			No
2	0.276	8.873	0.75	20	25.17			Yes
3	0.539	16.62	1.5	20	25.17			Yes
4	1.084	33.66	3	20	25.17			Yes
5	2.197	67.03	6	20	25.17			Yes
6	5.818	173.8	15	20	25.17			Yes
7	12.54	373.7	30	20	25.17			Yes
8	16.37	485.5	37.5	20	25.17			Yes

Report date: 3/6/2019 8:51:35 AM
Printed by: wet


Ident: STD1
Analysis from: 3/5/2019 4:02:28 PM
File: _2019-03-05_

Last save: 3/6/2019 8:40:40 AM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65511

Last save: 3/5/2019 7:25:20 PM

SAMPLE:
: AK/AP
Vial number: 2
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD

Report date: 3/6/2019 8:51:47 AM
 Printed by: wet


Ident: STD2
 Analysis from: 3/5/2019 4:31:54 PM
 File: _2019-03-05_

Last save: 3/6/2019 8:40:40 AM

Method: ANIONS 03-05-19.mtw
 Run operator: wet
 Analysis number: 65512

Last save: 3/5/2019 7:25:20 PM

SAMPLE:
 : AK/AP
 Vial number: 3
 Volume: 20.0 µL
 Dilution: 1.00
 Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.82	0.390	0.06	4.74	1.744	5.16	0.
2	8.70	0.260	0.14	11.22	2.359	6.98	0.
3	10.38	0.289	0.26	21.16	5.357	15.84	0.
4	13.17	0.321	0.12	10.08	2.473	7.31	0.
5	15.01	0.385	0.18	14.80	4.602	13.61	0.
6	20.82	0.594	0.18	15.11	8.412	24.87	0.
7	23.76	0.483	0.28	22.57	8.873	26.24	0.
7	26.50	0.389	1.22	99.68	33.820	100.00	0.

This report has been created by IC Net
 METROHM LTD

Report date: 3/6/2019 8:51:55 AM
Printed by: wet


Ident: STD3
Analysis from: 3/5/2019 5:01:19 PM
File: _2019-03-05_

Last save: 3/6/2019 8:40:40 AM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65513

Last save: 3/5/2019 7:25:20 PM

SAMPLE:
: AK/AP
Vial number: 4
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.70	0.378	0.12	5.12	3.437	5.29	0.
2	8.50	0.257	0.27	11.02	4.595	7.07	0.
3	10.16	0.287	0.52	21.30	10.378	15.96	0.
4	12.96	0.336	0.26	10.91	5.624	8.65	0.
5	14.80	0.381	0.36	14.90	9.092	13.99	0.
6	20.62	0.573	0.35	14.37	15.268	23.49	0.
7	23.56	0.469	0.54	22.25	16.617	25.56	0.
7	26.50	0.383	2.42	99.87	65.009	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 3/6/2019 8:52:02 AM
Printed by: wet


Ident: STD4
Analysis from: 3/5/2019 5:30:44 PM
File: _2019-03-05_

Last save: 3/6/2019 8:40:40 AM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65514

Last save: 3/5/2019 7:25:20 PM

SAMPLE:
: AK/AP
Vial number: 5
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.69	0.365	0.27	5.54	7.209	5.64	0.
2	8.50	0.262	0.52	10.69	8.974	7.03	0.
3	10.18	0.286	1.04	21.47	20.252	15.85	0.
4	12.97	0.334	0.55	11.43	11.807	9.24	0.
5	14.80	0.374	0.73	14.99	17.858	13.98	0.
6	20.61	0.561	0.65	13.48	27.979	21.90	0.
7	23.59	0.471	1.08	22.32	33.663	26.35	0.
7	26.50	0.379	4.85	99.92	127.743	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 3/6/2019 8:52:08 AM
Printed by: wet


Ident: STD5
Analysis from: 3/5/2019 6:00:09 PM
File: _2019-03-05_

Last save: 3/6/2019 8:40:40 AM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65515

Last save: 3/5/2019 7:25:20 PM

SAMPLE:
: AK/AP
Vial number: 6
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.71	0.363	0.57	5.87	15.370	6.13	0.
2	8.51	0.254	1.04	10.68	17.672	7.05	0.
3	10.17	0.284	2.13	21.80	41.139	16.41	0.
4	12.97	0.337	1.14	11.68	24.601	9.82	0.
5	14.78	0.370	1.48	15.16	36.130	14.41	0.
6	20.59	0.537	1.20	12.29	48.709	19.43	0.
7	23.57	0.465	2.20	22.50	67.028	26.74	0.
7	26.50	0.373	9.76	99.98	250.651	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 3/6/2019 8:52:15 AM
Printed by: wet


Ident: STD6
Analysis from: 3/5/2019 6:29:34 PM
File: _2019-03-05_

Last save: 3/6/2019 8:40:40 AM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65516

Last save: 3/5/2019 7:25:20 PM

SAMPLE:
: AK/AP
Vial number: 7
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.71	0.358	1.60	6.32	42.090	6.68	0.
2	8.50	0.251	2.69	10.67	45.265	7.18	0.
3	10.15	0.282	5.55	22.00	105.573	16.75	0.
4	12.94	0.345	2.94	11.66	65.077	10.33	0.
5	14.72	0.367	3.87	15.35	93.867	14.89	0.
6	20.56	0.508	2.75	10.91	104.625	16.60	0.
7	23.56	0.454	5.82	23.06	173.754	27.57	0.
7	26.50	0.366	25.22	99.99	630.251	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 3/6/2019 8:52:22 AM
Printed by: wet


Ident: STD7
Analysis from: 3/5/2019 6:59:00 PM
File: _2019-03-05_

Last save: 3/6/2019 8:40:40 AM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65517

Last save: 3/5/2019 7:25:20 PM

SAMPLE:
: AK/AP
Vial number: 8
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.73	0.357	3.50	6.62	96.056	7.29	0.
2	8.53	0.249	5.63	10.64	94.102	7.14	0.
3	10.17	0.287	11.60	21.91	223.939	17.00	0.
4	12.97	0.363	5.93	11.20	137.180	10.41	0.
5	14.72	0.358	8.28	15.64	197.370	14.98	0.
6	20.57	0.486	5.45	10.29	195.238	14.82	0.
7	23.58	0.452	12.54	23.69	373.664	28.36	0.
7	26.50	0.365	52.92	100.00	1317.548	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 3/6/2019 8:52:32 AM
Printed by: wet


Ident: STD8
Analysis from: 3/5/2019 7:28:25 PM
File: _2019-03-05_

Last save: 3/6/2019 8:41:52 AM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65518

Last save: 3/6/2019 8:41:34 AM

SAMPLE:
: AK/AP
Vial number: 9
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.75	0.366	4.46	6.53	122.913	7.25	0.
2	8.53	0.247	7.32	10.71	121.372	7.16	0.
3	10.17	0.285	14.93	21.85	287.324	16.95	0.
4	12.98	0.375	7.45	10.90	177.205	10.45	0.
5	14.71	0.356	10.82	15.84	256.077	15.11	0.
6	20.55	0.478	6.97	10.21	244.820	14.44	0.
7	23.56	0.451	16.37	23.95	485.529	28.64	0.
7	26.50	0.365	68.32	100.00	1695.239	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 3/6/2019 8:52:42 AM
Printed by: wet

Ident: ICV
Analysis from: 3/5/2019 7:57:50 PM
File: _2019-03-05_


Last save: 3/6/2019 8:41:52 AM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65519

Last save: 3/6/2019 8:41:34 AM

SAMPLE:

: AK/AP
Vial number: 10
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.70	0.364	1.66	6.43	47.318	7.27	0.
2	8.48	0.252	2.75	10.63	46.407	7.13	0.
3	10.14	0.284	5.66	21.88	108.852	16.72	0.
4	12.94	0.345	2.99	11.56	66.007	10.14	0.
5	14.72	0.364	3.95	15.29	95.092	14.61	0.
6	20.59	0.509	2.91	11.25	110.672	17.00	0.
7	23.58	0.452	5.93	22.95	176.602	27.13	0.
7	26.50	0.367	25.85	99.99	650.950	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 3/6/2019 8:52:53 AM
Printed by: wet

Ident: ICB
Analysis from: 3/5/2019 8:27:15 PM
File: _2019-03-05_


Last save: 3/6/2019 8:41:52 AM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65520

Last save: 3/6/2019 8:41:34 AM

SAMPLE:

: AK/AP
Vial number: 11
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD

Report date: 3/22/2019 12:52:02 PM
Printed by: wet


Ident: CCV
Analysis from: 3/21/2019 9:23:42 AM
File: _2019-03-21_

Last save: 3/21/2019 9:50:02 AM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 65999

Last save: 3/18/2019 5:08:44 PM

SAMPLE:
: AK/AP
Vial number: 86
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.79	0.449	1.14	5.34	40.009	6.61	0.
2	8.54	0.289	2.34	11.02	44.356	7.33	0.
3	10.19	0.329	4.79	22.52	103.808	17.16	0.
4	12.98	0.373	2.66	12.49	64.563	10.67	0.
5	14.76	0.409	3.36	15.80	90.736	15.00	0.
6	20.62	0.577	2.19	10.28	90.068	14.89	0.
7	23.65	0.549	4.80	22.55	171.440	28.34	0.
7	26.50	0.425	21.27	100.00	604.980	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 3/22/2019 12:52:19 PM
Printed by: wet


Ident: CCB
Analysis from: 3/21/2019 9:53:40 AM
File: _2019-03-21_

Last save: 3/22/2019 12:52:18 PM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 66000

Last save: 3/18/2019 5:08:44 PM

SAMPLE:
: AK/AP
Vial number: 3
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD

Report date: 3/22/2019 12:52:37 PM
Printed by: wet


Ident: LB101509BLW
Analysis from: 3/21/2019 10:23:05 AM
File: _2019-03-21_

Last save: 3/22/2019 12:52:36 PM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 66001

Last save: 3/18/2019 5:08:44 PM

SAMPLE:
: AK/AP
Vial number: 4
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD

Report date: 3/22/2019 12:52:44 PM
Printed by: wet


Ident: LB101509BSW
Analysis from: 3/21/2019 10:52:30 AM
File: _2019-03-21_

Last save: 3/21/2019 11:18:50 AM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 66002

Last save: 3/18/2019 5:08:44 PM

SAMPLE:
: AK/AP
Vial number: 5
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.79	0.455	1.23	5.65	43.595	7.08	0.
2	8.53	0.283	2.37	10.89	44.072	7.16	0.
3	10.16	0.322	4.82	22.12	102.555	16.66	0.
4	12.93	0.362	2.69	12.33	63.232	10.27	0.
5	14.67	0.399	3.43	15.71	90.150	14.64	0.
6	20.66	0.587	2.40	11.00	101.072	16.42	0.
7	23.72	0.541	4.86	22.29	171.028	27.78	0.
7	26.50	0.421	21.80	99.99	615.706	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 3/22/2019 12:53:05 PM
Printed by: wet


Ident: K2038-01
Analysis from: 3/21/2019 11:35:49 AM
File: _2019-03-21_

Last save: 3/21/2019 12:02:10 PM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 66003

Last save: 3/18/2019 5:08:44 PM

SAMPLE:
: AK/AP
Vial number: 7
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.82	0.541	0.19	0.03	6.096	0.04	0.
2	8.99	0.515	452.09	83.84	13731.960	82.15	0.
3	0.00	0.000	0.00	0.00	0.000	0.00	0.
4	13.12	0.330	0.53	0.10	11.131	0.07	0.
5	14.83	0.388	1.13	0.21	28.603	0.17	0.
6	0.00	0.000	0.00	0.00	0.000	0.00	0.
7	23.69	0.533	85.03	15.77	2937.518	17.57	0.
7	26.50	0.330	538.97	99.96	16715.308	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 3/22/2019 12:53:15 PM
Printed by: wet


Ident: K2038-01DUP
Analysis from: 3/21/2019 12:05:15 PM
File: _2019-03-21_

Last save: 3/21/2019 12:31:34 PM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 66004

Last save: 3/18/2019 5:08:44 PM

SAMPLE:
: AK/AP
Vial number: 8
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.80	0.532	0.16	0.03	5.212	0.03	0.
2	8.99	0.515	452.43	83.91	13736.812	82.19	0.
3	0.00	0.000	0.00	0.00	0.000	0.00	0.
4	13.10	0.326	0.54	0.10	11.188	0.07	0.
5	14.83	0.388	1.13	0.21	28.616	0.17	0.
6	0.00	0.000	0.00	0.00	0.000	0.00	0.
7	23.63	0.534	84.74	15.72	2932.088	17.54	0.
7	26.50	0.328	539.00	99.97	16713.916	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 3/22/2019 12:53:31 PM
Printed by: wet


Ident: K2038-01MS
Analysis from: 3/21/2019 12:34:40 PM
File: _2019-03-21_

Last save: 3/21/2019 1:01:00 PM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 66005

Last save: 3/18/2019 5:08:44 PM

SAMPLE:
: AK/AP
Vial number: 9
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.80	0.604	1.29	0.24	57.045	0.36	0.
2	8.96	0.487	431.56	81.20	12404.699	78.74	0.
3	10.21	0.310	4.85	0.91	102.201	0.65	0.
4	13.06	0.333	3.59	0.68	77.466	0.49	0.
5	14.76	0.376	4.94	0.93	122.605	0.78	0.
6	20.85	0.635	2.68	0.50	122.854	0.78	0.
7	23.64	0.537	82.45	15.51	2866.667	18.20	0.
7	26.50	0.469	531.36	99.98	15753.537	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 3/22/2019 12:53:51 PM
Printed by: wet


Ident: K2038-01MSD
Analysis from: 3/21/2019 1:04:05 PM
File: _2019-03-21_

Last save: 3/21/2019 1:29:56 PM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 66006

Last save: 3/21/2019 1:01:18 PM

SAMPLE:
: AK/AP
Vial number: 10
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.79	0.600	1.31	0.25	57.023	0.36	0.
2	8.98	0.497	431.94	81.23	12625.899	78.93	0.
3	10.22	0.310	4.75	0.89	99.668	0.62	0.
4	13.07	0.337	3.53	0.66	77.079	0.48	0.
5	14.80	0.384	4.86	0.91	123.508	0.77	0.
6	21.04	0.651	2.68	0.50	126.612	0.79	0.
7	23.90	0.541	82.51	15.52	2886.473	18.04	0.
7	26.00	0.474	531.58	99.97	15996.261	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 3/22/2019 12:54:21 PM
Printed by: wet


Ident: CCV
Analysis from: 3/21/2019 1:33:01 PM
File: _2019-03-21_

Last save: 3/21/2019 1:58:50 PM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 66007

Last save: 3/21/2019 1:01:18 PM

SAMPLE:
: AK/AP
Vial number: 2
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.79	0.446	1.17	5.48	39.639	6.52	0.
2	8.54	0.285	2.35	10.95	43.944	7.23	0.
3	10.19	0.325	4.78	22.31	101.984	16.78	0.
4	12.92	0.364	2.67	12.46	63.282	10.41	0.
5	14.70	0.408	3.35	15.61	90.075	14.82	0.
6	20.72	0.597	2.33	10.89	101.006	16.62	0.
7	23.79	0.541	4.78	22.31	167.955	27.63	0.
7	26.00	0.424	21.43	99.99	607.886	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 3/22/2019 12:54:30 PM
Printed by: wet


Ident: CCB
Analysis from: 3/21/2019 2:05:29 PM
File: _2019-03-21_

Last save: 3/21/2019 2:31:18 PM

Method: ANIONS 03-05-19.mtw
Run operator: wet
Analysis number: 66008

Last save: 3/21/2019 1:01:18 PM

SAMPLE:
: AK/AP
Vial number: 3
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD