

Clear table


IC-1 300.0
07-23-19 AK

ident	concentra tion F-	concentrati on CL-	concentrati on NO2	concentrati on BR-	concentrati on NO3	concentrati on HPO4	concentrati on SO4	file name	date time	Initial wt/ Final Vol	Analyst
STD1	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	2019-07-15	7/15/19 9:32		AK/AP
STD2	0.2240	0.3570	0.3570	1.1780	0.2830	0.3020	1.7180	2019-07-15	7/15/19 10:04		AK/AP
STD3	0.4210	0.6120	0.6290	2.1050	0.5170	1.0050	3.0290	2019-07-15	7/15/19 10:35		AK/AP
STD4	0.7970	1.1860	1.1890	3.9550	0.9800	2.1300	5.8160	2019-07-15	7/15/19 11:07		AK/AP
STD5	2.0000	2.9420	2.9380	9.7590	2.4980	5.2300	15.2870	2019-07-15	7/15/19 11:38		AK/AP
STD6	3.8420	5.9200	5.8560	19.6470	4.8720	9.7600	28.9600	2019-07-15	7/15/19 13:54		AK/AP
STD7	5.1170	7.5840	7.6310	25.3560	6.3490	12.5730	38.1890	2019-07-15	7/15/19 14:26		AK/AP
ICV	1.9620	2.9670	2.9050	9.7450	2.4400	5.2580	14.7170	2019-07-15	7/15/19 14:57		AK/AP
ICB	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	2019-07-15	7/15/19 15:28		AK/AP
CCV	1.9580	2.9270	2.9180	9.5720	2.3480	5.3770	13.8040	2019-07-25	7/25/19 0:55		AK/AP
CCB	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	2019-07-25	7/25/19 1:27		AK/AP
LB104204BLW	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	2019-07-25	7/25/19 1:58		AK/AP
LB104204BSW	2.0490	2.9260	2.9210	9.6940	2.4190	5.4900	14.4470	2019-07-25	7/25/19 2:30		AK/AP
K3992-01	0.4050	782.6340	0.1240	1.4500	1.1730	0.0000	143.0420	2019-07-25	7/25/19 3:01		AK/AP
K3992-01DUP	0.3490	783.1490	0.1340	1.4700	1.1790	0.0000	142.9480	2019-07-25	7/25/19 3:32		AK/AP
K3992-01MS	2.6830	703.5290	2.8990	11.2090	3.6540	7.1470	147.6810	2019-07-25	7/25/19 4:04		AK/AP
K3992-01MSD	2.6760	714.4780	2.9690	11.5310	3.7910	7.2610	147.9220	2019-07-25	7/25/19 4:35		AK/AP
CCV	2.0640	3.0540	2.9910	9.9100	2.4900	5.7580	14.2830	2019-07-25	7/25/19 6:10		AK/AP
CCB	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	2019-07-25	7/25/19 6:41		AK/AP

CALIBRATION OF COMPONENT F-

Method: ANIONS 07-15-19.mtw
 Equation: $Q = 0.940749 \cdot A + 2.44468$
 RSD: 4.816 %
 Correlation coefficient: 0.999020

IC-1 col
 07-15-19 AR




K3 = 0 K2 = 0 K1 = 0.940749 K0 = 2.44468

Base: Area
 Ref.channel: Cond
 ISTD:
 Formula: Linear
 Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File
1	0	0	0	0	0		No
2	0.0643	2.165	0.2	20	5.998		Yes
3	0.1547	6.354	0.4	20	5.998		Yes
4	0.3183	14.34	0.8	20	5.998		Yes
5	0.838	39.92	2	20	5.998		Yes
6	1.803	79.08	4	20	5.998		Yes
7	2.259	106.2	5	20	5.998		Yes

CALIBRATION OF COMPONENT CL-

Method: ANIONS 07-15-19.mtw
 Equation: $Q = 1.28176 \cdot A + 1.02714$
 RSD: 2.305 %
 Correlation coefficient: 0.999775




K3 = 0 K2 = 0 K1 = 1.28176 K0 = 1.02714

Base: Area
 Ref.channel: Cond
 ISTD:
 Formula: Linear
 Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File
1	0	0	0	0	0		No
2	0.364	4.77	0.3	20	9.288		Yes
3	0.7231	8.748	0.6	20	9.288		Yes
4	1.463	17.7	1.2	20	9.288		Yes
5	3.814	45.1	3	20	9.288		Yes
6	8.095	91.57	6	20	9.288		Yes
7	10.56	117.5	7.5	20	9.288		Yes

CALIBRATION OF COMPONENT NO2

Method: ANIONS 07-15-19.mtw
 Equation: $Q = 0.552629 \cdot A + 1.83677$
 RSD: 3.450 %
 Correlation coefficient: 0.999497




K3 = 0 K2 = 0 K1 = 0.552629 K0 = 1.83677
 Base: Area
 Ref.channel: Cond
 ISTD:
 Formula: Linear
 Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File
1	0	0	0	0	0		No
2	0.6571	9.585	0.3	20	11.29		Yes
3	1.334	19.46	0.6	20	11.29		Yes
4	2.709	39.69	1.2	20	11.29		Yes
5	6.926	103	3	20	11.29		Yes
6	13.9	208.6	6	20	11.29		Yes
7	17.72	272.8	7.5	20	11.29		Yes

CALIBRATION OF COMPONENT BR-

Method: ANIONS 07-15-19.mtw
 Equation: $Q = 2.88802 \cdot A + 5.29175$
 RSD: 2.880 %
 Correlation coefficient: 0.999649




K3 = 0 K2 = 0 K1 = 2.88802 K0 = 5.29175

Base: Area
 Ref.channel: Cond
 ISTD:
 Formula: Linear
 Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File
1	0	0	0	0	0		No
2	0.3368	6.325	1	20	14.64		Yes
3	0.6941	12.74	2	20	14.64		Yes
4	1.424	25.56	4	20	14.64		Yes
5	3.759	65.75	10	20	14.64		Yes
6	8.023	134.2	20	20	14.64		Yes
7	10.47	173.8	25	20	14.64		Yes

CALIBRATION OF COMPONENT NO3

Method: ANIONS 07-15-19.mtw
 Equation: $Q = 0.516182 \cdot A + 0.686505$
 RSD: 3.239 %
 Correlation coefficient: 0.999557




K3 = 0 K2 = 0 K1 = 0.516182 K0 = 0.686505
 Base: Area
 Ref.channel: Cond
 ISTD:
 Formula: Linear
 Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File
1	0	0	0	0	0		No
2	0.4278	9.64	0.25	20	17.05		Yes
3	0.8383	18.7	0.5	20	17.05		Yes
4	1.684	36.66	1	20	17.05		Yes
5	4.475	95.47	2.5	20	17.05		Yes
6	9.219	187.4	5	20	17.05		Yes
7	12.17	244.7	6.25	20	17.05		Yes

CALIBRATION OF COMPONENT HPO4

Method: ANIONS 07-15-19.mtw
 Equation: $Q = 1.00249 \cdot A - 9.45354$
 RSD: 4.013 %
 Correlation coefficient: 0.999319




K3 = 0 K2 = 0 K1 = 1.00249 K0 = -9.45354

Base: Area
 Ref.channel: Cond
 ISTD:
 Formula: Linear
 Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File
1	0	0	0	0	0		No
2	0.4034	15.45	0.5	20	23.3		Yes
3	0.8054	29.48	1	20	23.3		Yes
4	1.454	51.93	2	20	23.3		Yes
5	3.346	113.8	5	20	23.3		Yes
6	6.469	204.2	10	20	23.3		Yes
7	8.227	260.3	12.5	20	23.3		Yes

CALIBRATION OF COMPONENT SO4

Method: ANIONS 07-15-19.mtw
Equation: Q = 1.63049·A + 3.16066
RSD: 4.231 %
Correlation coefficient: 0.999243



K3 = 0 K2 = 0 K1 = 1.63049 K0 = 3.16066
Base: Area
Ref.channel: Cond
ISTD:
Formula: Linear
Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File
1	0	0	0	0	0		No
2	0.6596	19.13	1.5	20	27.39		Yes
3	1.227	35.22	3	20	27.39		Yes
4	2.43	69.41	6	20	27.39		Yes
5	6.671	185.6	15	20	27.39		Yes
6	13.05	353.3	30	20	27.39		Yes
7	17.1	466.5	37.5	20	27.39		Yes

Report date: 7/16/2019 9:46:33 AM
Printed by: wet


Ident: STD1
Analysis from: 7/15/2019 9:32:51 AM
File: _2019-07-15_

Last save: 7/15/2019 3:05:30 PM

Method: ANIONS 07-15-19.mtw
Run operator: wet
Analysis number: 67826

Last save: 7/15/2019 8:58:48 AM

SAMPLE:
: AK/AP
Vial number: 2
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD

Report date: 7/16/2019 9:46:40 AM
Printed by: wet


Ident: STD2
Analysis from: 7/15/2019 10:04:16 AM
File: _2019-07-15_

Last save: 7/15/2019 3:05:30 PM

Method: ANIONS 07-15-19.mtw
Run operator: wet
Analysis number: 67827

Last save: 7/15/2019 8:58:48 AM

SAMPLE:
: AK/AP
Vial number: 3
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.93	0.551	0.06	2.18	2.165	3.23	0.
2	9.06	0.184	0.36	12.47	4.770	7.11	0.
3	10.99	0.220	0.66	22.55	9.585	14.29	0.
4	14.24	0.281	0.34	11.55	6.325	9.43	0.
5	16.52	0.329	0.43	14.66	9.640	14.38	0.
6	22.20	0.485	0.40	13.82	15.446	23.03	0.
7	25.63	0.441	0.66	22.63	19.129	28.53	0.
7	28.50	0.356	2.91	99.86	67.059	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 7/16/2019 9:47:02 AM
Printed by: wet


Ident: STD3
Analysis from: 7/15/2019 10:35:41 AM
File: _2019-07-15_

Last save: 7/15/2019 3:05:30 PM

Method: ANIONS 07-15-19.mtw
Run operator: wet
Analysis number: 67828

Last save: 7/15/2019 8:58:48 AM

SAMPLE:
: AK/AP
Vial number: 4
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.94	0.590	0.15	2.67	6.354	4.86	0.
2	9.04	0.182	0.72	12.51	8.748	6.69	0.
3	10.96	0.219	1.33	23.09	19.456	14.89	0.
4	14.18	0.273	0.69	12.00	12.745	9.75	0.
5	16.44	0.326	0.84	14.50	18.704	14.31	0.
6	22.20	0.469	0.81	13.94	29.481	22.55	0.
7	25.62	0.437	1.23	21.25	35.219	26.95	0.
7	28.50	0.357	5.77	99.97	130.706	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 7/16/2019 9:48:03 AM
Printed by: wet


Ident: STD4
Analysis from: 7/15/2019 11:07:06 AM
File: _2019-07-15_

Last save: 7/15/2019 3:05:30 PM

Method: ANIONS 07-15-19.mtw
Run operator: wet
Analysis number: 67829

Last save: 7/15/2019 8:58:48 AM

SAMPLE:
: AK/AP
Vial number: 5
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.96	0.612	0.32	2.76	14.336	5.62	0.
2	9.07	0.180	1.46	12.74	17.697	6.93	0.
3	10.98	0.219	2.71	23.58	39.695	15.55	0.
4	14.19	0.268	1.42	12.40	25.555	10.01	0.
5	16.40	0.319	1.68	14.66	36.660	14.36	0.
6	22.23	0.462	1.45	12.66	51.933	20.34	0.
7	25.67	0.436	2.43	21.16	69.405	27.19	0.
7	28.50	0.356	11.48	99.97	255.282	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 7/16/2019 9:48:14 AM
 Printed by: wet


Ident: STD5
 Analysis from: 7/15/2019 11:38:30 AM
 File: _2019-07-15_

Last save: 7/15/2019 3:05:30 PM

Method: ANIONS 07-15-19.mtw
 Run operator: wet
 Analysis number: 67830

Last save: 7/15/2019 8:58:48 AM

SAMPLE:
 : AK/AP
 Vial number: 6
 Volume: 20.0 µL
 Dilution: 1.00
 Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.95	0.615	0.84	2.81	39.918	6.15	0.
2	9.04	0.176	3.81	12.79	45.101	6.95	0.
3	10.94	0.222	6.93	23.22	103.008	15.88	0.
4	14.16	0.260	3.76	12.60	65.751	10.14	0.
5	16.32	0.313	4.47	15.00	95.470	14.72	0.
6	22.18	0.443	3.35	11.22	113.770	17.54	0.
7	25.63	0.424	6.67	22.36	185.580	28.61	0.
7	28.50	0.350	29.83	99.99	648.598	100.00	0.

This report has been created by IC Net
 METROHM LTD

Report date: 7/16/2019 9:48:23 AM
Printed by: wet


Ident: STD6
Analysis from: 7/15/2019 1:54:35 PM
File: _2019-07-15_

Last save: 7/15/2019 3:05:30 PM

Method: ANIONS 07-15-19.mtw
Run operator: wet
Analysis number: 67835

Last save: 7/15/2019 8:58:48 AM

SAMPLE:
: AK/AP
Vial number: 7
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.96	0.566	1.80	2.98	79.078	6.28	0.
2	9.00	0.169	8.09	13.37	91.570	7.28	0.
3	10.85	0.224	13.90	22.95	208.623	16.58	0.
4	14.02	0.250	8.02	13.25	134.226	10.67	0.
5	16.10	0.294	9.22	15.22	187.437	14.90	0.
6	22.18	0.418	6.47	10.68	204.154	16.22	0.
7	25.66	0.411	13.05	21.55	353.297	28.08	0.
7	28.50	0.333	60.55	100.00	1258.385	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 7/16/2019 9:48:30 AM
Printed by: wet


Ident: STD7
Analysis from: 7/15/2019 2:26:00 PM
File: _2019-07-15_

Last save: 7/15/2019 3:05:50 PM

Method: ANIONS 07-15-19.mtw
Run operator: wet
Analysis number: 67836

Last save: 7/15/2019 3:05:48 PM

SAMPLE:
: AK/AP
Vial number: 8
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.97	0.614	2.26	2.88	106.177	6.47	0.
2	8.99	0.166	10.56	13.45	117.531	7.16	0.
3	10.82	0.230	17.72	22.57	272.838	16.62	0.
4	13.98	0.248	10.47	13.34	173.764	10.58	0.
5	16.03	0.291	12.17	15.50	244.672	14.90	0.
6	22.15	0.422	8.23	10.48	260.256	15.85	0.
7	25.63	0.416	17.10	21.78	466.499	28.41	0.
7	28.50	0.341	78.51	100.00	1641.738	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 7/16/2019 9:51:31 AM
Printed by: wet


Ident: ICV
Analysis from: 7/15/2019 2:57:25 PM
File: _2019-07-15_

Last save: 7/15/2019 3:25:44 PM

Method: ANIONS 07-15-19.mtw
Run operator: wet
Analysis number: 67837

Last save: 7/15/2019 2:54:18 PM

SAMPLE:
: AK/AP
Vial number: 9
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.95	0.596	0.86	2.86	39.875	6.24	0.
2	9.00	0.174	3.89	12.93	45.489	7.12	0.
3	10.86	0.216	7.01	23.28	101.827	15.94	0.
4	13.99	0.253	3.88	12.87	65.653	10.28	0.
5	16.11	0.298	4.56	15.12	93.204	14.59	0.
6	22.22	0.434	3.43	11.37	114.320	17.89	0.
7	25.69	0.418	6.50	21.58	178.589	27.95	0.
7	28.50	0.341	30.13	99.99	638.958	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 7/16/2019 9:51:45 AM
Printed by: wet


Ident: ICB
Analysis from: 7/15/2019 3:28:49 PM
File: _2019-07-15_

Last save: 7/16/2019 9:51:44 AM

Method: ANIONS 07-15-19.mtw
Run operator: wet
Analysis number: 67838

Last save: 7/15/2019 3:05:48 PM

SAMPLE:
: AK/AP
Vial number: 10
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD

Report date: 7/25/2019 8:41:13 AM
Printed by: wet


Ident: CCV
Analysis from: 7/25/2019 12:55:57 AM
File: _2019-07-25_

Last save: 7/25/2019 1:24:16 AM

Method: ANIONS 07-15-19.mtw
Run operator: wet
Analysis number: 68023

Last save: 7/15/2019 3:05:48 PM

SAMPLE:
: AK/AP
Vial number: 30
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.94	0.619	0.80	3.06	39.027	6.25	0.
2	8.97	0.189	3.58	13.74	44.875	7.19	0.
3	10.83	0.239	6.48	24.87	102.280	16.38	0.
4	13.93	0.281	3.45	13.24	64.455	10.32	0.
5	16.05	0.342	3.91	15.01	89.662	14.36	0.
6	22.06	0.546	2.91	11.18	116.702	18.69	0.
7	25.45	0.532	4.92	18.89	167.390	26.81	0.
7	28.50	0.393	26.07	99.99	624.392	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 7/25/2019 8:41:21 AM
Printed by: wet


Ident: CCB
Analysis from: 7/25/2019 1:27:22 AM
File: _2019-07-25_

Last save: 7/25/2019 8:34:52 AM

Method: ANIONS 07-15-19.mtw
Run operator: wet
Analysis number: 68024

Last save: 7/15/2019 3:05:48 PM

SAMPLE:
: AK/AP
Vial number: 31
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD

Report date: 7/25/2019 8:41:35 AM
Printed by: wet


Ident: LB104204BLW
Analysis from: 7/25/2019 1:58:46 AM
File: _2019-07-25_

Last save: 7/25/2019 8:41:34 AM

Method: ANIONS 07-15-19.mtw
Run operator: wet
Analysis number: 68025

Last save: 7/15/2019 3:05:48 PM

SAMPLE:
: AK/AP
Vial number: 4
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD

Report date: 7/25/2019 8:41:42 AM
Printed by: wet


Ident: LB104204BSW
Analysis from: 7/25/2019 2:30:10 AM
File: _2019-07-25_

Last save: 7/25/2019 8:41:08 AM

Method: ANIONS 07-15-19.mtw
Run operator: wet
Analysis number: 68026

Last save: 7/15/2019 3:05:48 PM

SAMPLE:
: AK/AP
Vial number: 5
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.97	0.632	0.84	3.17	40.969	6.40	0.
2	8.97	0.190	3.58	13.48	44.856	7.01	0.
3	10.83	0.238	6.51	24.51	102.372	15.99	0.
4	13.92	0.282	3.51	13.21	65.304	10.20	0.
5	16.03	0.344	4.03	15.17	92.392	14.43	0.
6	22.13	0.553	3.02	11.35	118.950	18.58	0.
7	25.50	0.543	5.07	19.09	175.273	27.38	0.
7	28.50	0.397	26.57	99.99	640.115	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 7/25/2019 8:42:10 AM
 Printed by: wet


Ident: K3992-01
 Analysis from: 7/25/2019 3:01:35 AM
 File: _2019-07-25_

Last save: 7/25/2019 8:42:08 AM

Method: ANIONS 07-15-19.mtw
 Run operator: wet
 Analysis number: 68027

Last save: 7/15/2019 3:05:48 PM

SAMPLE:
 : AK/AP
 Vial number: 29
 Volume: 20.0 µL
 Dilution: 1.00
 Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.98	0.695	0.14	0.03	6.016	0.04	0.
2	9.46	0.476	435.26	89.15	12211.032	87.08	0.
3	11.65	0.328	0.06	0.01	1.161	0.01	0.
4	14.05	0.295	0.43	0.09	8.207	0.06	0.
5	16.11	0.343	1.94	0.40	44.100	0.31	0.
6	0.00	0.000	0.00	0.00	0.000	0.00	0.
7	25.41	0.552	50.20	10.28	1752.651	12.50	0.
7	28.50	0.384	488.03	99.96	14023.167	100.00	0.

This report has been created by IC Net
 METROHM LTD

Report date: 7/25/2019 8:42:21 AM
 Printed by: wet


Ident: K3992-01DUP
 Analysis from: 7/25/2019 3:32:59 AM
 File: _2019-07-25_

Last save: 7/25/2019 4:01:18 AM

Method: ANIONS 07-15-19.mtw
 Run operator: wet
 Analysis number: 68028

Last save: 7/15/2019 3:05:48 PM

SAMPLE:
 : AK/AP
 Vial number: 32
 Volume: 20.0 µL
 Dilution: 1.00
 Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	6.10	0.666	0.12	0.03	4.830	0.03	0.
2	9.70	0.475	436.92	89.10	12219.067	87.09	0.
3	11.93	0.319	0.08	0.02	1.524	0.01	0.
4	14.31	0.300	0.43	0.09	8.350	0.06	0.
5	16.38	0.342	1.95	0.40	44.342	0.32	0.
6	0.00	0.000	0.00	0.00	0.000	0.00	0.
7	25.68	0.547	50.61	10.32	1751.488	12.48	0.
7	28.50	0.378	490.12	99.95	14029.601	100.00	0.

This report has been created by IC Net
 METROHM LTD

Report date: 7/25/2019 8:42:34 AM
Printed by: wet


Ident: K3992-01MS
Analysis from: 7/25/2019 4:04:23 AM
File: _2019-07-25_

Last save: 7/25/2019 4:32:42 AM

Method: ANIONS 07-15-19.mtw
Run operator: wet
Analysis number: 68029

Last save: 7/15/2019 3:05:48 PM

SAMPLE:
: AK/AP
Vial number: 33
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.98	0.724	1.02	0.21	54.450	0.41	0.
2	9.41	0.446	416.53	85.60	10976.722	82.47	0.
3	10.93	0.689	2.56	0.53	101.608	0.76	0.
4	13.94	0.282	4.12	0.85	75.793	0.57	0.
5	15.97	0.329	6.35	1.31	140.240	1.05	0.
6	22.15	0.590	3.48	0.71	152.022	1.14	0.
7	25.41	0.546	52.35	10.76	1809.549	13.60	0.
7	28.50	0.515	486.41	99.96	13310.383	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 7/25/2019 8:42:45 AM
Printed by: wet


Ident: K3992-01MSD
Analysis from: 7/25/2019 4:35:47 AM
File: _2019-07-25_

Last save: 7/25/2019 5:04:06 AM

Method: ANIONS 07-15-19.mtw
Run operator: wet
Analysis number: 68030

Last save: 7/15/2019 3:05:48 PM

SAMPLE:
: AK/AP
Vial number: 34
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.99	0.723	1.04	0.21	54.296	0.40	0.
2	9.43	0.454	416.34	85.55	11147.560	82.60	0.
3	10.97	0.702	2.55	0.52	104.111	0.77	0.
4	14.04	0.287	4.16	0.85	78.022	0.58	0.
5	16.13	0.339	6.40	1.32	145.558	1.08	0.
6	22.44	0.586	3.53	0.73	154.288	1.14	0.
7	25.71	0.547	52.38	10.76	1812.506	13.43	0.
7	28.50	0.520	486.40	99.95	13496.340	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 7/25/2019 8:44:30 AM
 Printed by: wet


Ident: CCV
 Analysis from: 7/25/2019 6:10:00 AM
 File: _2019-07-25_

Last save: 7/25/2019 6:38:20 AM

Method: ANIONS 07-15-19.mtw
 Run operator: wet
 Analysis number: 68033

Last save: 7/15/2019 3:05:48 PM

SAMPLE:
 : AK/AP
 Vial number: 2
 Volume: 20.0 µL
 Dilution: 1.00
 Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.97	0.630	0.87	3.24	41.285	6.33	0.
2	8.96	0.191	3.71	13.80	46.855	7.18	0.
3	10.79	0.239	6.64	24.73	104.908	16.08	0.
4	13.83	0.281	3.60	13.40	66.799	10.24	0.
5	15.92	0.350	4.08	15.20	95.141	14.58	0.
6	22.31	0.574	2.98	11.08	124.308	19.05	0.
7	25.76	0.548	4.98	18.55	173.262	26.55	0.
7	28.50	0.402	26.86	99.99	652.556	100.00	0.

This report has been created by IC Net
 METROHM LTD

Report date: 7/25/2019 8:44:38 AM
Printed by: wet


Ident: CCB
Analysis from: 7/25/2019 6:41:25 AM
File: _2019-07-25_

Last save: 7/25/2019 7:09:44 AM

Method: ANIONS 07-15-19.mtw
Run operator: wet
Analysis number: 68034

Last save: 7/15/2019 3:05:48 PM

SAMPLE:
: AK/AP
Vial number: 3
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD