

IC-1 300.0

09-17-19 AR

Clear table


ident	concentra tion F-	concentrati on CL-	concentrati on NO2	concentrati on BR-	concentrati on NO3	concentrati on HPO4	concentrati on SO4	file name	date time	Initial wt/ Final Vol	Analyst
STD1	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	2019-09-11_	9/11/19 11:54		AK/AP
STD2	0.2370	0.3870	0.3840	1.3120	0.3250	0.3970	2.0250	2019-09-11_	9/11/19 12:24		AK/AP
STD3	0.3840	0.6650	0.6490	2.1980	0.5430	1.0120	3.2650	2019-09-11_	9/11/19 12:55		AK/AP
STD4	0.8350	1.1990	1.1920	3.9850	0.9960	2.1480	5.9770	2019-09-11_	9/11/19 13:26		AK/AP
STD5	1.9310	2.8310	2.8440	9.3900	2.3630	5.0000	14.1360	2019-09-11_	9/11/19 13:57		AK/AP
STD6	3.9680	5.8520	5.9090	19.6520	4.9100	9.8450	29.2610	2019-09-11_	9/11/19 14:28		AK/AP
STD7	5.0450	7.6660	7.6210	25.4620	6.3640	12.5980	38.3360	2019-09-11_	9/11/19 14:59		AK/AP
ICV	2.0100	2.8810	2.8880	9.5180	2.4230	5.1840	14.6160	2019-09-11_	9/11/19 15:30		AK/AP
ICB	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	2019-09-11_	9/11/19 16:01		AK/AP
CCV	1.8950	2.8420	2.8470	9.4150	2.3950	4.8760	14.2530	2019-09-16_	9/16/19 10:55		AK/AP
CCB	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	2019-09-16_	9/16/19 11:28		AK/AP
LB105170BLW	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	2019-09-16_	9/16/19 11:58		AK/AP
LB105170BSW	1.9700	2.8480	2.8750	9.4510	2.3940	5.0240	14.1260	2019-09-16_	9/16/19 12:29		AK/AP
K4928-01	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	2019-09-16_	9/16/19 15:49		AK/AP
K4928-01DUP	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	2019-09-16_	9/16/19 16:19		AK/AP
K4928-01MS	1.9590	2.9810	2.9110	9.7120	2.4670	5.1480	14.7530	2019-09-16_	9/16/19 16:49		AK/AP
K4928-01MSD	2.0660	3.0710	2.9980	9.9370	2.5400	5.3410	15.3440	2019-09-16_	9/16/19 17:20		AK/AP
CCV	1.9670	2.8660	2.8830	9.5200	2.3940	5.0250	14.2700	2019-09-16_	9/16/19 17:50		AK/AP
CCB	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	2019-09-16_	9/16/19 18:21		AK/AP

CALIBRATION OF COMPONENT F-

IC-1 cal

Method: ANIONS 09-11-19.mtw
Equation: $Q = 0.821033 \cdot A + 0.364372$
RSD: 2.494 %
Correlation coefficient: 0.999737

9-11-19 AR




K3 = 0 K2 = 0 K1 = 0.821033 K0 = 0.364372

Base: Area
Ref.channel: Cond
ISTD:
Formula: Linear
Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File
1	0	0	0	0	0		No
2	0.2551	5.321	0.2	20	5.943		Yes
3	0.5016	8.91	0.4	20	5.943		Yes
4	1.1	19.9	0.8	20	5.943		Yes
5	3	46.6	2	20	5.943		Yes
6	6.637	96.22	4	20	5.943		Yes
7	8.822	122.5	5	20	5.943		Yes

CALIBRATION OF COMPONENT CL-

Method: ANIONS 09-11-19.mtw
 Equation: $Q = 1.28218 \cdot A + 1.24047$
 RSD: 4.831 %
 Correlation coefficient: 0.999013




K3 = 0 K2 = 0 K1 = 1.28218 K0 = 1.24047

Base: Area
 Ref.channel: Cond
 ISTD:
 Formula: Linear
 Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File
1	0	0	0	0	0		No
2	0.3214	5.069	0.3	20	8.829		Yes
3	0.5935	9.405	0.6	20	8.829		Yes
4	1.171	17.74	1.2	20	8.829		Yes
5	2.904	43.2	3	20	8.829		Yes
6	6.207	90.31	6	20	8.829		Yes
7	8.164	118.6	7.5	20	8.829		Yes

CALIBRATION OF COMPONENT NO2

Method: ANIONS 09-11-19.mtw
 Equation: $Q = 0.554364 \cdot A + 1.90063$
 RSD: 3.841 %
 Correlation coefficient: 0.999376




K3 = 0 K2 = 0 K1 = 0.554364 K0 = 1.90063

Base: Area
 Ref.channel: Cond
 ISTD:
 Formula: Linear
 Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File	
1	0	0	0	0	0			No
2	0.5652	10.44	0.3	20	10.66			Yes
3	1.074	19.98	0.6	20	10.66			Yes
4	2.165	39.57	1.2	20	10.66			Yes
5	5.397	99.19	3	20	10.66			Yes
6	11.17	209.8	6	20	10.66			Yes
7	14.37	271.5	7.5	20	10.66			Yes

CALIBRATION OF COMPONENT BR-

Method: ANIONS 09-11-19.mtw
 Equation: $Q = 2.88696 \cdot A + 7.64928$
 RSD: 4.442 %
 Correlation coefficient: 0.999166




K3 = 0 K2 = 0 K1 = 2.88696 K0 = 7.64928

Base: Area
 Ref.channel: Cond
 ISTD:
 Formula: Linear
 Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File	
1	0	0	0	0	0			No
2	0.2907	6.439	1	20	13.72			Yes
3	0.5549	12.58	2	20	13.72			Yes
4	1.122	24.96	4	20	13.72			Yes
5	2.84	62.4	10	20	13.72			Yes
6	6.118	133.5	20	20	13.72			Yes
7	8.011	173.7	25	20	13.72			Yes

CALIBRATION OF COMPONENT NO3

Method: ANIONS 09-11-19.mtw
 Equation: $Q = 0.524779 \cdot A + 1.52257$
 RSD: 4.212 %
 Correlation coefficient: 0.999250




K3 = 0 K2 = 0 K1 = 0.524779 K0 = 1.52257

Base: Area
 Ref.channel: Cond
 ISTD:
 Formula: Linear
 Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File
1	0	0	0	0	0		No
2	0.3397	9.489	0.25	20	15.85	Yes	
3	0.6435	17.78	0.5	20	15.85	Yes	
4	1.284	35.05	1	20	15.85	Yes	
5	3.191	87.15	2.5	20	15.85	Yes	
6	6.794	184.2	5	20	15.85	Yes	
7	8.907	239.6	6.25	20	15.85	Yes	

CALIBRATION OF COMPONENT HPO4

Method: ANIONS 09-11-19.mtw
 Equation: $Q = 1.1014 \cdot A - 8.20097$
 RSD: 2.490 %
 Correlation coefficient: 0.999738



K3 = 0 K2 = 0 K1 = 1.1014 K0 = -8.20097

Base: Area

Ref.channel: Cond

ISTD:

Formula: Linear


Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File
1	0	0	0	0	0		No
2	0.3285	14.66	0.5	20	21.46		Yes
3	0.594	25.82	1	20	21.46		Yes
4	1.103	46.45	2	20	21.46		Yes
5	2.428	98.23	5	20	21.46		Yes
6	4.756	186.2	10	20	21.46		Yes
7	6.103	236.2	12.5	20	21.46		Yes

AL

CALIBRATION OF COMPONENT SO4

Method: ANIONS 09-11-19.mtw
 Equation: $Q = 1.68205 \cdot A + 8.86802$
 RSD: 4.931 %
 Correlation coefficient: 0.998972



K3 = 0 K2 = 0 K1 = 1.68205 K0 = 8.86802

Base: Area
 Ref.channel: Cond
 ISTD:
 Formula: Linear
 Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File
1	0	0	0	0	0		No
2	0.5148	18.8	1.5	20	24.69		Yes
3	0.9449	33.55	3	20	24.69		Yes
4	1.879	65.79	6	20	24.69		Yes
5	4.708	162.8	15	20	24.69		Yes
6	10.1	342.7	30	20	24.69		Yes
7	13.2	450.6	37.5	20	24.69		Yes

Report date: 9/16/2019 10:46:39 AM
Printed by: wet


Ident: STD1
Analysis from: 9/11/2019 11:54:00 AM
File: _2019-09-11_

Last save: 9/11/2019 3:39:40 PM

Method: ANIONS 09-11-19.mtw
Run operator: wet
Analysis number: 68587

Last save: 9/11/2019 12:31:40 PM

SAMPLE:
: AK/AP
Vial number: 2
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD

Report date: 9/16/2019 10:46:47 AM
Printed by: wet


Ident: STD2
Analysis from: 9/11/2019 12:24:55 PM
File: _2019-09-11_

Last save: 9/11/2019 3:39:40 PM

Method: ANIONS 09-11-19.mtw
Run operator: wet
Analysis number: 68588

Last save: 9/11/2019 12:31:40 PM

SAMPLE:
: AK/AP
Vial number: 3
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.76	0.209	0.25	9.74	5.321	7.58	0.
2	8.83	0.236	0.32	12.26	5.069	7.22	0.
3	10.68	0.277	0.56	21.60	10.439	14.87	0.
4	13.76	0.345	0.29	11.09	6.439	9.17	0.
5	15.89	0.420	0.34	12.97	9.489	13.51	0.
6	21.25	0.562	0.33	12.53	14.663	20.88	0.
7	24.30	0.481	0.51	19.67	18.804	26.78	0.
7	28.00	0.361	2.61	99.86	70.225	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 9/16/2019 10:46:56 AM
Printed by: wet


Ident: STD3
Analysis from: 9/11/2019 12:55:50 PM
File: _2019-09-11_

Last save: 9/11/2019 3:39:40 PM

Method: ANIONS 09-11-19.mtw
Run operator: wet
Analysis number: 68589

Last save: 9/11/2019 12:31:40 PM

SAMPLE:
: AK/AP
Vial number: 4
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.78	0.216	0.50	10.22	8.910	6.96	0.
2	8.85	0.230	0.59	12.08	9.405	7.35	0.
3	10.68	0.276	1.07	21.88	19.979	15.61	0.
4	13.73	0.350	0.55	11.31	12.578	9.82	0.
5	15.84	0.421	0.64	13.11	17.783	13.89	0.
6	21.27	0.542	0.59	12.09	25.819	20.17	0.
7	24.30	0.468	0.94	19.25	33.551	26.21	0.
7	28.00	0.358	4.90	99.93	128.026	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 9/16/2019 10:47:15 AM
Printed by: wet


Ident: STD4
Analysis from: 9/11/2019 1:26:44 PM
File: _2019-09-11_

Last save: 9/11/2019 3:39:40 PM

Method: ANIONS 09-11-19.mtw
Run operator: wet
Analysis number: 68590

Last save: 9/11/2019 12:31:40 PM

SAMPLE:
: AK/AP
Vial number: 5
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.75	0.204	1.10	11.19	19.896	7.98	0.
2	8.79	0.227	1.17	11.92	17.742	7.11	0.
3	10.62	0.274	2.16	22.03	39.569	15.86	0.
4	13.64	0.342	1.12	11.42	24.957	10.00	0.
5	15.71	0.417	1.28	13.07	35.051	14.05	0.
6	21.22	0.517	1.10	11.22	46.447	18.62	0.
7	24.28	0.463	1.88	19.13	65.793	26.37	0.
7	28.00	0.349	9.82	99.97	249.455	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 9/16/2019 10:47:25 AM
 Printed by: wet


Ident: STD5
 Analysis from: 9/11/2019 1:57:39 PM
 File: _2019-09-11_

Last save: 9/11/2019 3:39:40 PM

Method: ANIONS 09-11-19.mtw
 Run operator: wet
 Analysis number: 68591

Last save: 9/11/2019 12:31:40 PM

SAMPLE:
 : AK/AP
 Vial number: 6
 Volume: 20.0 µL
 Dilution: 1.00
 Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.76	0.193	3.00	12.26	46.597	7.77	0.
2	8.78	0.222	2.90	11.87	43.198	7.20	0.
3	10.59	0.276	5.40	22.06	99.193	16.54	0.
4	13.59	0.334	2.84	11.60	62.405	10.41	0.
5	15.61	0.417	3.19	13.04	87.148	14.53	0.
6	21.21	0.496	2.43	9.92	98.231	16.38	0.
7	24.28	0.456	4.71	19.24	162.812	27.15	0.
7	28.00	0.342	24.47	100.00	599.583	100.00	0.

This report has been created by IC Net
 METROHM LTD

Report date: 9/16/2019 10:47:34 AM
Printed by: wet


Ident: STD6
Analysis from: 9/11/2019 2:28:34 PM
File: _2019-09-11_

Last save: 9/11/2019 3:39:40 PM

Method: ANIONS 09-11-19.mtw
Run operator: wet
Analysis number: 68592

Last save: 9/11/2019 12:31:40 PM

SAMPLE:
: AK/AP
Vial number: 7
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.77	0.187	6.64	12.81	96.218	7.74	0.
2	8.79	0.216	6.21	11.99	90.307	7.27	0.
3	10.58	0.284	11.17	21.57	209.761	16.88	0.
4	13.58	0.328	6.12	11.81	133.496	10.74	0.
5	15.55	0.413	6.79	13.12	184.218	14.82	0.
6	21.22	0.482	4.76	9.18	186.219	14.98	0.
7	24.31	0.450	10.10	19.51	342.652	27.57	0.
7	28.00	0.337	51.78	100.00	1242.871	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 9/16/2019 10:47:42 AM
Printed by: wet


Ident: STD7
Analysis from: 9/11/2019 2:59:28 PM
File: _2019-09-11_

Last save: 9/11/2019 3:40:52 PM

Method: ANIONS 09-11-19.mtw
Run operator: wet
Analysis number: 68593

Last save: 9/11/2019 3:40:50 PM

SAMPLE:
: AK/AP
Vial number: 8
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.77	0.181	8.82	13.06	122.454	7.59	0.
2	8.77	0.214	8.16	12.08	118.605	7.35	0.
3	10.57	0.287	14.37	21.26	271.528	16.84	0.
4	13.56	0.322	8.01	11.85	173.746	10.77	0.
5	15.50	0.409	8.91	13.18	239.627	14.86	0.
6	21.20	0.477	6.10	9.03	236.215	14.65	0.
7	24.30	0.455	13.20	19.53	450.551	27.94	0.
7	28.00	0.335	67.57	100.00	1612.725	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 9/16/2019 10:48:15 AM
Printed by: wet


Ident: ICV
Analysis from: 9/11/2019 3:30:23 PM
File: _2019-09-11_

Last save: 9/11/2019 3:58:12 PM

Method: ANIONS 09-11-19.mtw
Run operator: wet
Analysis number: 68594

Last save: 9/11/2019 3:27:18 PM

SAMPLE:
: AK/AP
Vial number: 9
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.77	0.195	3.08	12.25	48.519	7.88	0.
2	8.78	0.221	2.96	11.76	43.968	7.14	0.
3	10.56	0.275	5.48	21.78	100.769	16.36	0.
4	13.53	0.327	2.92	11.61	63.285	10.27	0.
5	15.51	0.412	3.31	13.14	89.452	14.52	0.
6	21.24	0.494	2.51	9.96	101.579	16.49	0.
7	24.32	0.454	4.90	19.49	168.513	27.35	0.
7	28.00	0.340	25.16	99.99	616.085	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 9/16/2019 10:48:24 AM
Printed by: wet


Ident: ICB
Analysis from: 9/11/2019 4:01:17 PM
File: _2019-09-11_

Last save: 9/11/2019 4:29:06 PM

Method: ANIONS 09-11-19.mtw
Run operator: wet
Analysis number: 68595

Last save: 9/11/2019 3:40:50 PM

SAMPLE:
: AK/AP
Vial number: 10
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD

Report date: 9/17/2019 11:49:17 AM
 Printed by: wet


Ident: CCV
 Analysis from: 9/16/2019 10:55:20 AM
 File: _2019-09-16_

Last save: 9/16/2019 11:22:40 AM

Method: ANIONS 09-11-19.mtw
 Run operator: wet
 Analysis number: 68645

Last save: 9/13/2019 1:05:12 PM

SAMPLE:
 : AK/AP
 Vial number: 2
 Volume: 20.0 µL
 Dilution: 1.00
 Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.75	0.215	2.67	12.04	45.710	7.62	0.
2	8.82	0.220	2.67	12.05	43.362	7.23	0.
3	10.65	0.282	4.91	22.11	99.287	16.56	0.
4	13.73	0.332	2.58	11.64	62.575	10.44	0.
5	15.81	0.431	2.84	12.77	88.377	14.74	0.
6	21.21	0.530	2.25	10.12	95.986	16.01	0.
7	24.38	0.509	4.28	19.26	164.196	27.39	0.
7	27.50	0.360	22.19	99.99	599.493	100.00	0.

This report has been created by IC Net
 METROHM LTD

Report date: 9/17/2019 11:49:25 AM
Printed by: wet


Ident: CCB
Analysis from: 9/16/2019 11:28:32 AM
File: _2019-09-16_

Last save: 9/16/2019 11:55:52 AM

Method: ANIONS 09-11-19.mtw
Run operator: wet
Analysis number: 68646

Last save: 9/13/2019 1:05:12 PM

SAMPLE:
: AK/AP
Vial number: 3
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD

Report date: 9/17/2019 11:49:33 AM
Printed by: wet


Ident: LB105170BLW
Analysis from: 9/16/2019 11:58:57 AM
File: _2019-09-16_

Last save: 9/17/2019 10:49:52 AM

Method: ANIONS 09-11-19.mtw
Run operator: wet
Analysis number: 68647

Last save: 9/13/2019 1:05:12 PM

SAMPLE:
: AK/AP
Vial number: 4
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD

Report date: 9/17/2019 11:49:46 AM
Printed by: wet


Ident: LB105170BSW
Analysis from: 9/16/2019 12:29:22 PM
File: _2019-09-16_

Last save: 9/17/2019 10:49:52 AM

Method: ANIONS 09-11-19.mtw
Run operator: wet
Analysis number: 68648

Last save: 9/13/2019 1:05:12 PM

SAMPLE:
: AK/AP
Vial number: 5
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.76	0.220	2.56	11.51	47.544	7.87	0.
2	8.81	0.224	2.68	12.05	43.450	7.20	0.
3	10.61	0.284	4.95	22.28	100.283	16.61	0.
4	13.64	0.330	2.63	11.83	62.821	10.40	0.
5	15.69	0.426	2.89	13.01	88.337	14.63	0.
6	21.30	0.540	2.27	10.22	98.673	16.34	0.
7	24.50	0.509	4.25	19.10	162.691	26.94	0.
7	27.50	0.362	22.24	99.99	603.800	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 9/17/2019 11:51:25 AM
Printed by: wet


Ident: K4928-01
Analysis from: 9/16/2019 3:49:02 PM
File: _2019-09-16_

Last save: 9/17/2019 11:51:26 AM

Method: ANIONS 09-11-19.mtw
Run operator: wet
Analysis number: 68650

Last save: 9/13/2019 1:05:12 PM

SAMPLE:
: AK/AP
Vial number: 6
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD

Report date: 9/17/2019 11:51:34 AM
Printed by: wet


Ident: K4928-01DUP
Analysis from: 9/16/2019 4:19:26 PM
File: _2019-09-16_

Last save: 9/16/2019 4:46:46 PM

Method: ANIONS 09-11-19.mtw
Run operator: wet
Analysis number: 68651

Last save: 9/13/2019 1:05:12 PM

SAMPLE:
: AK/AP
Vial number: 7
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD

Report date: 9/17/2019 11:51:42 AM
Printed by: wet


Ident: K4928-01MS
Analysis from: 9/16/2019 4:49:51 PM
File: _2019-09-16_

Last save: 9/16/2019 5:17:10 PM

Method: ANIONS 09-11-19.mtw
Run operator: wet
Analysis number: 68652

Last save: 9/13/2019 1:05:12 PM

SAMPLE:
: AK/AP
Vial number: 8
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.76	0.218	2.74	11.93	47.272	7.61	0.
2	8.83	0.223	2.79	12.14	45.533	7.33	0.
3	10.67	0.285	5.00	21.79	101.590	16.35	0.
4	13.79	0.338	2.64	11.51	64.633	10.40	0.
5	15.87	0.432	2.93	12.78	91.120	14.67	0.
6	21.27	0.532	2.36	10.28	100.931	16.25	0.
7	24.44	0.503	4.49	19.56	170.146	27.39	0.
7	27.50	0.362	22.95	99.99	621.225	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 9/17/2019 11:51:49 AM
 Printed by: wet


Ident: K4928-01MSD
 Analysis from: 9/16/2019 5:20:16 PM
 File: _2019-09-16_

Last save: 9/16/2019 5:47:36 PM

Method: ANIONS 09-11-19.mtw
 Run operator: wet
 Analysis number: 68653

Last save: 9/13/2019 1:05:12 PM

SAMPLE:
 : AK/AP
 Vial number: 9
 Volume: 20.0 µL
 Dilution: 1.00
 Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.77	0.226	2.65	11.23	49.872	7.75	0.
2	8.84	0.222	2.90	12.28	46.929	7.30	0.
3	10.67	0.285	5.15	21.85	104.738	16.28	0.
4	13.73	0.331	2.76	11.72	66.190	10.29	0.
5	15.80	0.427	3.07	13.01	93.893	14.60	0.
6	21.24	0.537	2.41	10.22	104.424	16.23	0.
7	24.44	0.509	4.64	19.68	177.175	27.54	0.
7	27.50	0.363	23.58	100.00	643.220	100.00	0.

This report has been created by IC Net
 METROHM LTD

Report date: 9/17/2019 11:51:59 AM
Printed by: wet


Ident: CCV
Analysis from: 9/16/2019 5:50:41 PM
File: _2019-09-16_

Last save: 9/16/2019 6:18:00 PM

Method: ANIONS 09-11-19.mtw
Run operator: wet
Analysis number: 68654

Last save: 9/13/2019 1:05:12 PM

SAMPLE:
: AK/AP
Vial number: 2
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.76	0.224	2.54	11.32	47.479	7.83	0.
2	8.81	0.222	2.72	12.14	43.742	7.21	0.
3	10.63	0.284	4.97	22.17	100.589	16.58	0.
4	13.70	0.331	2.65	11.83	63.304	10.44	0.
5	15.75	0.424	2.91	12.96	88.351	14.57	0.
6	21.27	0.535	2.30	10.24	98.699	16.27	0.
7	24.44	0.503	4.33	19.33	164.397	27.10	0.
7	27.50	0.360	22.42	99.99	606.562	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 9/17/2019 11:52:09 AM
Printed by: wet


Ident: CCB
Analysis from: 9/16/2019 6:21:06 PM
File: _2019-09-16_

Last save: 9/16/2019 6:48:26 PM

Method: ANIONS 09-11-19.mtw
Run operator: wet
Analysis number: 68655

Last save: 9/13/2019 1:05:12 PM

SAMPLE:
: AK/AP
Vial number: 3
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD