

IC-1
300.0
9/64/2020
AM


Clear table

ident	concentra tion F-	concentrati on CL-	concentrati on NO2	concentrati on BR-	concentrati on NO3	concentrati on HPO4	concentrati on SO4	file name	date time	Initial wt/ Final Vol	Analyst
STD1	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	2020-08-24	8/24/20 10:22		AM/AP
STD2	0.2170	0.3710	0.3710	1.2160	0.3060	0.2780	1.9170	2020-08-24	8/24/20 10:55		AM/AP
STD3	0.3970	0.6640	0.6370	2.1120	0.5240	0.9650	3.2000	2020-08-24	8/24/20 11:28		AM/AP
STD4	0.7490	1.2120	1.1940	3.9390	0.9840	2.1730	5.8810	2020-08-24	8/24/20 12:01		AM/AP
STD5	2.0960	2.8430	2.8730	9.5580	2.3880	5.2630	14.3400	2020-08-24	8/24/20 12:34		AM/AP
STD6	3.8850	5.8410	5.9250	20.0870	5.0360	9.7850	29.6880	2020-08-24	8/24/20 13:07		AM/AP
STD7	5.0550	7.6690	7.6010	25.0890	6.2610	12.5350	37.9740	2020-08-24	8/24/20 13:40		AM/AP
ICV	2.1940	2.9110	2.9310	9.5250	2.3600	5.0980	14.2740	2020-08-24	8/24/20 14:20		AM/AP
ICB	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	2020-08-24	8/24/20 14:58		AM/AP
CCV	2.1110	2.9020	2.9090	9.5980	2.3850	5.0340	14.8260	2020-09-04	9/4/20 9:18		AM/AP
CCB	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	2020-09-04	9/4/20 9:51		AM/AP
LB110830BLW	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	2020-09-04	9/4/20 10:24		AM/AP
LB110830BSW	2.0940	2.9010	2.9060	9.6390	2.3980	5.2430	15.2280	2020-09-04	9/4/20 10:57		AM/AP
L3920-01	0.1500	26.1300	0.0000	0.0000	0.6910	0.0000	61.7330	2020-09-04	9/4/20 11:30		AM/AP
L3920-01DUP	0.1650	25.7360	0.0000	3.7380	0.0000	0.0000	61.9430	2020-09-04	9/4/20 12:03		AM/AP
L3920-01MS	2.5980	26.9010	2.9580	9.9310	3.0870	5.7390	74.1130	2020-09-04	9/4/20 12:36		AM/AP
L3920-01MSD	2.2600	27.0760	2.8250	9.6260	3.0360	5.4940	73.1620	2020-09-04	9/4/20 13:09		AM/AP
L3920-01DLX5	0.0000	4.3240	0.0000	0.9930	0.0000	0.0000	10.7240	2020-09-04	9/4/20 13:42		AM/AP
CCV	2.0420	2.9040	2.9150	9.6710	2.4060	5.4310	14.9060	2020-09-04	9/4/20 14:14		AM/AP
CCB	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	2020-09-04	9/4/20 14:47		AM/AP

CALIBRATION OF COMPONENT F-

IC-1
300.0
8/25/2020

Method: ANIONS 08-24-20.mtw
Equation: $Q = 0.996171 \cdot A + 0.0595803$
RSD: 4.079 %
Correlation coefficient: 0.999297



K3 = 0 K2 = 0 K1 = 0.996171 K0 = 0.0595803

Base: Area

Ref.channel: Cond

ISTD:


Formula: Linear

Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File
1	0	0	0	0	0		No
2	0.09724	4.301	0.2	20	5.798	Yes	
3	0.135	7.903	0.4	20	5.798	Yes	
4	0.2929	14.98	0.8	20	5.798	Yes	
5	0.8297	42.03	2	20	5.798	Yes	
6	1.603	77.94	4	20	5.798	Yes	
7	2.133	101.4	5	20	5.798	Yes	

CALIBRATION OF COMPONENT CL-

Method: ANIONS 08-24-20.mtw
 Equation: $Q = 1.29019 \cdot A + 1.72136$
 RSD: 4.781 %
 Correlation coefficient: 0.999034




K3 = 0 K2 = 0 K1 = 1.29019 K0 = 1.72136
 Base: Area
 Ref.channel: Cond
 ISTD:
 Formula: Linear
 Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File
1	0	0	0	0	0		No
2	0.3041	4.419	0.3	20	9.004		Yes
3	0.602	8.965	0.6	20	9.004		Yes
4	1.199	17.46	1.2	20	9.004		Yes
5	3.038	42.73	3	20	9.004		Yes
6	6.42	89.21	6	20	9.004		Yes
7	8.363	117.5	7.5	20	9.004		Yes

CALIBRATION OF COMPONENT NO2

Method: ANIONS 08-24-20.mtw
 Equation: $Q = 0.574669 \cdot A + 1.87989$
 RSD: 3.163 %
 Correlation coefficient: 0.999577




K3 = 0 K2 = 0 K1 = 0.574669 K0 = 1.87989
 Base: Area
 Ref.channel: Cond
 ISTD:
 Formula: Linear
 Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File
1	0	0	0	0	0		No
2	0.5487	9.628	0.3	20	10.93		Yes
3	1.072	18.9	0.6	20	10.93		Yes
4	2.149	38.27	1.2	20	10.93		Yes
5	5.39	96.71	3	20	10.93		Yes
6	10.99	202.9	6	20	10.93		Yes
7	13.92	261.3	7.5	20	10.93		Yes

CALIBRATION OF COMPONENT BR-

Method: ANIONS 08-24-20.mtw
 Equation: $Q = 2.95067 \cdot A + 6.22525$
 RSD: 2.532 %
 Correlation coefficient: 0.999729



K3 = 0 K2 = 0 K1 = 2.95067 K0 = 6.22525

Base: Area

Ref.channel: Cond

ISTD:


Formula: Linear

Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File
1	0	0	0	0	0		No
2	0.2811	6.131	1	20	14.19	Yes	
3	0.5662	12.21	2	20	14.19	Yes	
4	1.148	24.59	4	20	14.19	Yes	
5	2.991	62.67	10	20	14.19	Yes	
6	6.345	134	20	20	14.19	Yes	
7	8.189	167.9	25	20	14.19	Yes	

CALIBRATION OF COMPONENT NO3

Method: ANIONS 08-24-20.mtw
Equation: $Q = 0.521293 \cdot A + 1.38462$
RSD: 2.594 %
Correlation coefficient: 0.999716




K3 = 0 K2 = 0 K1 = 0.521293 K0 = 1.38462
Base: Area
Ref.channel: Cond
ISTD:
Formula: Linear
Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File
1	0	0	0	0	0	No	
2	0.3353	9.097	0.25	20	16.5	Yes	
3	0.6623	17.44	0.5	20	16.5	Yes	
4	1.324	35.1	1	20	16.5	Yes	
5	3.391	88.96	2.5	20	16.5	Yes	
6	7.152	190.6	5	20	16.5	Yes	
7	9.309	237.6	6.25	20	16.5	Yes	

CALIBRATION OF COMPONENT HPO4

Method: ANIONS 08-24-20.mtw
 Equation: $Q = 1.22973 \cdot A - 7.80828$
 RSD: 4.291 %
 Correlation coefficient: 0.999221




K3 = 0 K2 = 0 K1 = 1.22973 K0 = -7.80828

Base: Area
 Ref.channel: Cond
 ISTD:
 Formula: Linear
 Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File
1	0	0	0	0	0	No	
2	0.2298	10.88	0.5	20	21.83	Yes	
3	0.474	22.05	1	20	21.83	Yes	
4	0.9268	41.7	2	20	21.83	Yes	
5	2.121	91.94	5	20	21.83	Yes	
6	3.944	165.5	10	20	21.83	Yes	
7	5.037	210.2	12.5	20	21.83	Yes	

CALIBRATION OF COMPONENT SO4

Method: ANIONS 08-24-20.mtw
 Equation: $Q = 1.78825 \cdot A + 7.33912$
 RSD: 3.203 %
 Correlation coefficient: 0.999566



K3 = 0 K2 = 0 K1 = 1.78825 K0 = 7.33912

Base: Area

Ref.channel: Cond

ISTD:

Formula: Linear

Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File
1	0	0	0	0	0		No
2	0.4184	17.33	1.5	20	25.33		Yes
3	0.7886	31.69	3	20	25.33		Yes
4	1.549	61.67	6	20	25.33		Yes
5	3.935	156.3	15	20	25.33		Yes
6	8.245	327.9	30	20	25.33		Yes
7	10.68	420.6	37.5	20	25.33		Yes

Report date: 8/26/2020 1:33:30 PM
Printed by: wet


Ident: STD1
Analysis from: 8/24/2020 10:22:44 AM
File: _2020-08-24_

Last save: 8/26/2020 1:33:04 PM

Method: ANIONS 08-24-20.mtw
Run operator: wet
Analysis number: 71256

Last save: 8/24/2020 1:37:02 PM

SAMPLE:
: AM/AP
Vial number: 2
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD

Report date: 8/26/2020 1:33:36 PM
Printed by: wet


Ident: STD2
Analysis from: 8/24/2020 10:55:38 AM
File: _2020-08-24_

Last save: 8/26/2020 1:33:04 PM

Method: ANIONS 08-24-20.mtw
Run operator: wet
Analysis number: 71257

Last save: 8/24/2020 1:37:02 PM

SAMPLE:
: AM/AP
Vial number: 3
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.74	0.562	0.10	4.38	4.301	6.96	0.
2	8.72	0.207	0.30	13.70	4.419	7.15	0.
3	10.53	0.248	0.55	24.77	9.628	15.58	0.
4	13.46	0.308	0.28	12.68	6.131	9.92	0.
5	15.50	0.376	0.33	15.11	9.097	14.72	0.
6	21.84	0.542	0.23	10.34	10.875	17.60	0.
7	25.35	0.487	0.42	18.88	17.333	28.05	0.
7	30.00	0.390	2.21	99.86	61.784	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 8/26/2020 1:33:42 PM
Printed by: wet


Ident: STD3
Analysis from: 8/24/2020 11:28:32 AM
File: _2020-08-24_

Last save: 8/26/2020 1:33:04 PM

Method: ANIONS 08-24-20.mtw
Run operator: wet
Analysis number: 71258

Last save: 8/24/2020 1:37:02 PM

SAMPLE:
: AM/AP
Vial number: 4
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.81	0.720	0.13	3.11	7.903	6.63	0.
2	8.73	0.207	0.60	13.99	8.965	7.52	0.
3	10.54	0.252	1.07	24.92	18.898	15.86	0.
4	13.46	0.307	0.57	13.16	12.206	10.24	0.
5	15.48	0.373	0.66	15.40	17.444	14.64	0.
6	21.85	0.529	0.47	11.00	22.051	18.51	0.
7	25.28	0.477	0.79	18.32	31.690	26.60	0.
7	30.00	0.409	4.30	99.91	119.157	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 8/26/2020 1:33:47 PM
Printed by: wet


Ident: STD4
Analysis from: 8/24/2020 12:01:26 PM
File: _2020-08-24_

Last save: 8/26/2020 1:33:04 PM

Method: ANIONS 08-24-20.mtw
Run operator: wet
Analysis number: 71259

Last save: 8/24/2020 1:37:02 PM

SAMPLE:
: AM/AP
Vial number: 5
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.81	0.696	0.29	3.40	14.985	6.41	0.
2	8.72	0.206	1.20	13.96	17.459	7.47	0.
3	10.52	0.256	2.15	25.03	38.271	16.37	0.
4	13.43	0.304	1.15	13.36	24.589	10.52	0.
5	15.42	0.379	1.32	15.41	35.105	15.02	0.
6	21.84	0.509	0.93	10.79	41.698	17.84	0.
7	25.26	0.471	1.55	18.03	61.674	26.38	0.
7	30.00	0.403	8.59	99.98	233.781	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 8/26/2020 1:33:55 PM
Printed by: wet


Ident: STD5
Analysis from: 8/24/2020 12:34:20 PM
File: _2020-08-24_

Last save: 8/26/2020 1:33:04 PM

Method: ANIONS 08-24-20.mtw
Run operator: wet
Analysis number: 71260

Last save: 8/24/2020 1:37:02 PM

SAMPLE:
: AM/AP
Vial number: 6
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.83	0.694	0.83	3.82	42.029	7.23	0.
2	8.71	0.202	3.04	14.00	42.733	7.35	0.
3	10.48	0.262	5.39	24.84	96.709	16.64	0.
4	13.38	0.297	2.99	13.79	62.674	10.78	0.
5	15.33	0.378	3.39	15.63	88.964	15.30	0.
6	21.85	0.502	2.12	9.77	91.939	15.82	0.
7	25.30	0.473	3.93	18.13	156.274	26.88	0.
7	30.00	0.401	21.69	99.98	581.320	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 8/26/2020 1:34:02 PM
Printed by: wet


Ident: STD6
Analysis from: 8/24/2020 1:07:13 PM
File: _2020-08-24_

Last save: 8/26/2020 1:33:04 PM

Method: ANIONS 08-24-20.mtw
Run operator: wet
Analysis number: 71261

Last save: 8/24/2020 1:37:02 PM

SAMPLE:
: AM/AP
Vial number: 7
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.86	0.660	1.60	3.58	77.941	6.56	0.
2	8.72	0.199	6.42	14.36	89.208	7.51	0.
3	10.48	0.277	10.99	24.58	202.928	17.08	0.
4	13.45	0.299	6.35	14.20	134.042	11.28	0.
5	15.41	0.387	7.15	16.00	190.560	16.04	0.
6	22.09	0.493	3.94	8.82	165.497	13.93	0.
7	25.55	0.480	8.24	18.45	327.930	27.60	0.
7	30.00	0.399	44.69	99.99	1188.105	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 8/26/2020 1:34:08 PM
Printed by: wet


Ident: STD7
Analysis from: 8/24/2020 1:40:07 PM
File: _2020-08-24_

Last save: 8/26/2020 1:33:04 PM

Method: ANIONS 08-24-20.mtw
Run operator: wet
Analysis number: 71262

Last save: 8/24/2020 1:37:02 PM

SAMPLE:
: AM/AP
Vial number: 8
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.85	0.653	2.13	3.70	101.436	6.69	0.
2	8.70	0.202	8.36	14.51	117.541	7.75	0.
3	10.45	0.284	13.92	24.15	261.268	17.23	0.
4	13.37	0.291	8.19	14.21	167.943	11.07	0.
5	15.26	0.372	9.31	16.15	237.569	15.66	0.
6	21.82	0.496	5.04	8.74	210.211	13.86	0.
7	25.29	0.482	10.68	18.53	420.599	27.73	0.
7	30.00	0.397	57.63	99.99	1516.568	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 8/26/2020 1:34:15 PM
Printed by: wet


Ident: ICV
Analysis from: 8/24/2020 2:20:13 PM
File: _2020-08-24_

Last save: 8/24/2020 2:50:02 PM

Method: ANIONS 08-24-20.mtw
Run operator: wet
Analysis number: 71263

Last save: 8/24/2020 2:09:56 PM

SAMPLE:
: AM/AP
Vial number: 9
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.99	0.667	0.91	4.22	43.993	7.56	0.
2	8.95	0.206	3.05	14.07	43.797	7.53	0.
3	10.77	0.273	5.29	24.42	98.718	16.97	0.
4	13.68	0.295	3.00	13.84	62.452	10.74	0.
5	15.63	0.373	3.40	15.70	87.893	15.11	0.
6	22.20	0.491	2.09	9.64	89.259	15.35	0.
7	25.66	0.474	3.92	18.10	155.536	26.74	0.
7	30.00	0.397	21.66	100.00	581.648	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 8/26/2020 1:34:22 PM
Printed by: wet


Ident: ICB
Analysis from: 8/24/2020 2:58:23 PM
File: _2020-08-24_

Last save: 8/24/2020 3:28:10 PM

Method: ANIONS 08-24-20.mtw
Run operator: wet
Analysis number: 71264

Last save: 8/24/2020 2:09:56 PM

SAMPLE:
: AM/AP
Vial number: 10
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD

Report date: 9/4/2020 2:35:51 PM
 Printed by: wet


Ident: CCV
 Analysis from: 9/4/2020 9:18:40 AM
 File: _2020-09-04_

Last save: 9/4/2020 9:48:28 AM

Method: ANIONS 08-24-20.mtw
 Run operator: wet
 Analysis number: 71339

Last save: 8/24/2020 2:09:56 PM

SAMPLE:
 : AM/AP
 Vial number: 2
 Volume: 20.0 µL
 Dilution: 1.00
 Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.82	0.710	0.81	3.54	42.331	7.23	0.
2	8.76	0.199	3.22	14.00	43.650	7.45	0.
3	10.61	0.262	5.62	24.48	97.976	16.73	0.
4	13.66	0.302	3.08	13.42	62.948	10.75	0.
5	15.70	0.384	3.45	15.03	88.839	15.17	0.
6	21.66	0.495	2.25	9.81	88.217	15.06	0.
7	25.07	0.478	4.53	19.71	161.714	27.61	0.
7	30.00	0.404	22.97	99.99	585.676	100.00	0.

This report has been created by IC Net
 METROHM LTD

Report date: 9/4/2020 2:35:58 PM
Printed by: wet


Ident: CCB
Analysis from: 9/4/2020 9:51:33 AM
File: _2020-09-04_

Last save: 9/4/2020 10:21:22 AM

Method: ANIONS 08-24-20.mtw
Run operator: wet
Analysis number: 71340

Last save: 8/24/2020 2:09:56 PM

SAMPLE:
: AM/AP
Vial number: 3
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD

Report date: 9/4/2020 2:36:05 PM
Printed by: wet


Ident: LB110830BLW
Analysis from: 9/4/2020 10:24:27 AM
File: _2020-09-04_

Last save: 9/4/2020 2:32:54 PM

Method: ANIONS 08-24-20.mtw
Run operator: wet
Analysis number: 71341

Last save: 8/24/2020 2:09:56 PM

SAMPLE:
: AM/AP
Vial number: 4
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD

Report date: 9/4/2020 2:36:11 PM
 Printed by: wet


Ident: LB110830BSW
 Analysis from: 9/4/2020 10:57:21 AM
 File: _2020-09-04_

Last save: 9/4/2020 2:32:54 PM

Method: ANIONS 08-24-20.mtw
 Run operator: wet
 Analysis number: 71342

Last save: 8/24/2020 2:09:56 PM

SAMPLE:
 : AM/AP
 Vial number: 5
 Volume: 20.0 µL
 Dilution: 1.00
 Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.90	0.641	0.89	3.73	41.989	7.07	0.
2	8.75	0.198	3.28	13.78	43.632	7.35	0.
3	10.51	0.257	5.78	24.28	97.873	16.48	0.
4	13.38	0.286	3.29	13.83	63.223	10.65	0.
5	15.31	0.361	3.73	15.65	89.338	15.04	0.
6	21.88	0.507	2.32	9.73	91.621	15.43	0.
7	25.40	0.499	4.52	18.99	166.207	27.99	0.
7	30.00	0.393	23.82	99.99	593.883	100.00	0.

This report has been created by IC Net
 METROHM LTD

Report date: 9/4/2020 2:36:42 PM
Printed by: wet


Ident: L3920-01
Analysis from: 9/4/2020 11:30:29 AM
File: _2020-09-04_

Last save: 9/4/2020 12:00:16 PM

Method: ANIONS 08-24-20.mtw
Run operator: wet
Analysis number: 71343

Last save: 8/24/2020 2:09:56 PM

SAMPLE:
: AM/AP
Vial number: 6
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.78	0.590	0.08	0.16	2.961	0.27	0.
2	8.69	0.194	30.82	60.69	403.729	36.15	0.
3	0.00	0.000	0.00	0.00	0.000	0.00	0.
4	0.00	0.000	0.00	0.00	0.000	0.00	0.
5	15.44	0.370	0.97	1.91	23.859	2.14	0.
6	0.00	0.000	0.00	0.00	0.000	0.00	0.
7	25.51	0.505	18.92	37.26	686.324	61.45	0.
7	30.00	0.237	50.79	100.01	1116.873	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 9/4/2020 2:36:54 PM
Printed by: wet


Ident: L3920-01DUP
Analysis from: 9/4/2020 12:03:22 PM
File: _2020-09-04_

Last save: 9/4/2020 12:33:10 PM

Method: ANIONS 08-24-20.mtw
Run operator: wet
Analysis number: 71344

Last save: 8/24/2020 2:09:56 PM

SAMPLE:
: AM/AP
Vial number: 7
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.84	0.607	0.09	0.17	3.260	0.29	0.
2	8.76	0.191	30.85	60.74	397.614	35.73	0.
3	0.00	0.000	0.00	0.00	0.000	0.00	0.
4	15.27	0.358	0.98	1.92	23.227	2.09	0.
5	0.00	0.000	0.00	0.00	0.000	0.00	0.
6	0.00	0.000	0.00	0.00	0.000	0.00	0.
7	25.44	0.509	18.87	37.16	688.679	61.89	0.
7	30.00	0.238	50.78	100.00	1112.779	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 9/4/2020 2:37:02 PM
 Printed by: wet


Ident: L3920-01MS
 Analysis from: 9/4/2020 12:36:16 PM
 File: _2020-09-04_

Last save: 9/4/2020 1:06:04 PM

Method: ANIONS 08-24-20.mtw
 Run operator: wet
 Analysis number: 71345

Last save: 8/24/2020 2:09:56 PM

SAMPLE:
 : AM/AP
 Vial number: 8
 Volume: 20.0 µL
 Dilution: 1.00
 Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.94	0.665	1.07	1.46	52.090	3.11	0.
2	8.78	0.188	32.94	45.19	415.680	24.85	0.
3	10.51	0.281	5.45	7.48	99.674	5.96	0.
4	13.32	0.279	3.53	4.84	65.205	3.90	0.
5	15.15	0.348	5.03	6.90	115.789	6.92	0.
6	22.16	0.558	2.32	3.18	99.685	5.96	0.
7	25.63	0.514	22.56	30.95	824.789	49.30	0.
7	30.00	0.405	72.90	100.00	1672.912	100.00	0.

This report has been created by IC Net
 METROHM LTD

Report date: 9/4/2020 2:37:09 PM
 Printed by: wet


Ident: L3920-01MSD
 Analysis from: 9/4/2020 1:09:09 PM
 File: _2020-09-04_

Last save: 9/4/2020 1:38:58 PM

Method: ANIONS 08-24-20.mtw
 Run operator: wet
 Analysis number: 71346

Last save: 8/24/2020 2:09:56 PM

SAMPLE:
 : AM/AP
 Vial number: 9
 Volume: 20.0 µL
 Dilution: 1.00
 Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.82	0.636	0.93	1.30	45.308	2.75	0.
2	8.66	0.190	32.74	45.83	418.387	25.43	0.
3	10.39	0.284	5.14	7.20	95.062	5.78	0.
4	13.25	0.288	3.30	4.62	63.139	3.84	0.
5	15.15	0.360	4.79	6.70	113.804	6.92	0.
6	22.09	0.547	2.25	3.16	95.708	5.82	0.
7	25.49	0.512	22.29	31.19	814.153	49.48	0.
7	30.00	0.402	71.45	99.99	1645.561	100.00	0.

This report has been created by IC Net
 METROHM LTD

Report date: 9/4/2020 2:37:37 PM
Printed by: wet


Ident: L3920-01DLX5
Analysis from: 9/4/2020 1:42:03 PM
File: _2020-09-04_

Last save: 9/4/2020 2:37:36 PM

Method: ANIONS 08-24-20.mtw
Run operator: wet
Analysis number: 71347

Last save: 8/24/2020 2:09:56 PM

SAMPLE:
: AM/AP
Vial number: 10
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	0.00	0.000	0.00	0.00	0.000	0.00	0.
2	8.85	0.197	4.88	58.95	65.687	35.29	0.
3	0.00	0.000	0.00	0.00	0.000	0.00	0.
4	15.32	0.353	0.19	2.35	4.619	2.48	0.
5	0.00	0.000	0.00	0.00	0.000	0.00	0.
6	0.00	0.000	0.00	0.00	0.000	0.00	0.
7	25.64	0.486	3.20	38.68	115.837	62.23	0.
7	30.00	0.148	8.27	99.98	186.143	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 9/4/2020 2:44:02 PM
Printed by: wet


Ident: CCV
Analysis from: 9/4/2020 2:14:56 PM
File: _2020-09-04_

Last save: 9/4/2020 2:44:02 PM

Method: ANIONS 08-24-20.mtw
Run operator: wet
Analysis number: 71348

Last save: 9/4/2020 2:43:42 PM

SAMPLE:
: AM/AP
Vial number: 2
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.88	0.621	0.90	3.71	40.937	6.90	0.
2	8.67	0.197	3.31	13.68	43.685	7.36	0.
3	10.40	0.255	5.85	24.21	98.175	16.55	0.
4	13.16	0.281	3.36	13.91	63.439	10.70	0.
5	15.03	0.350	3.84	15.89	89.635	15.11	0.
6	21.94	0.505	2.37	9.83	94.670	15.96	0.
7	25.41	0.482	4.53	18.76	162.612	27.41	0.
7	29.00	0.384	24.16	99.99	593.153	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 9/4/2020 3:41:37 PM
Printed by: wet


Ident: CCB
Analysis from: 9/4/2020 2:47:15 PM
File: _2020-09-04_

Last save: 9/4/2020 3:16:04 PM

Method: ANIONS 08-24-20.mtw
Run operator: wet
Analysis number: 71349

Last save: 9/4/2020 2:43:42 PM

SAMPLE:
: AM/AP
Vial number: 3
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD