

TC-1
300.0
10/13/2020
AM


Clear table

ident	concentra tion F-	concentrati on CL-	concentrati on NO2	concentrati on BR-	concentrati on NO3	concentrati on HPO4	concentrati on SO4	file name	date time	Initial wt/ Final Vol	Analyst
STD1	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	2020-10-05_	10/5/20 11:01		AM/AP
STD2	0.2320	0.3140	0.3500	1.2490	0.2920	0.2440	1.7660	2020-10-05_	10/5/20 12:22		AM/AP
STD3	0.4320	0.6110	0.6240	2.0990	0.5040	0.9760	3.0620	2020-10-05_	10/5/20 12:55		AM/AP
STD4	0.7460	1.1700	1.1950	4.0170	0.9870	2.1170	5.9760	2020-10-05_	10/5/20 13:28		AM/AP
STD5	1.9940	3.0130	2.9300	9.7380	2.4770	5.3290	14.6830	2020-10-05_	10/5/20 14:01		AM/AP
STD6	3.9510	5.9680	5.8990	19.2740	4.9160	9.9450	29.5650	2020-10-05_	10/5/20 14:33		AM/AP
STD7	5.0440	7.5230	7.6020	25.6230	6.3240	12.3900	37.9480	2020-10-05_	10/5/20 15:06		AM/AP
ICV	1.9070	2.9640	2.9620	9.8140	2.4670	5.2210	14.6030	2020-10-05_	10/5/20 15:39		AM/AP
ICB	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	2020-10-05_	10/5/20 16:12		AM/AP
CCV	2.0250	2.9800	2.8520	9.7330	2.4480	5.0670	14.6970	2020-10-12_	10/12/20 10:14		AM/AP
CCB	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	2020-10-12_	10/12/20 10:55		AM/AP
LB111441BLW	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	2020-10-12_	10/12/20 11:28		AM/AP
LB111441BSW	1.9730	2.9970	2.9540	9.8500	2.4790	5.5230	15.3140	2020-10-12_	10/12/20 12:31		AM/AP
L4378-01	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	2020-10-12_	10/12/20 15:15		AM/AP
L4378-01DUP	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	2020-10-12_	10/12/20 15:48		AM/AP
L4378-01MS	2.0460	3.0430	2.9260	9.8890	2.5840	5.4830	15.1900	2020-10-12_	10/12/20 16:21		AM/AP
L4378-01MSD	1.9820	3.0220	2.9320	9.8700	2.5730	5.4100	15.2380	2020-10-12_	10/12/20 16:54		AM/AP
CCV	1.9380	3.0090	2.9320	9.8300	2.4600	5.3980	15.3070	2020-10-12_	10/12/20 17:27		AM/AP
CCB	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	2020-10-12_	10/12/20 18:00		AM/AP

CALIBRATION OF COMPONENT F-

Method: ANIONS 10-05-20.mtw
 Equation: $Q = 0.943729 \cdot A - 0.811723$
 RSD: 2.339 %
 Correlation coefficient: 0.999769

IC-1
 300.0
 10/07/2020
 AM




K3 = 0 K2 = 0 K1 = 0.943729 K0 = -0.811723

Base: Area
 Ref.channel: Cond
 ISTD:
 Formula: Linear
 Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File
1	0	0	0	0	0	No	
2	0.1623	5.787	0.2	20	5.718	Yes	
3	0.3043	10.01	0.4	20	5.718	Yes	
4	0.8274	16.67	0.8	20	5.718	Yes	
5	1.924	43.12	2	20	5.718	Yes	
6	4.003	84.59	4	20	5.718	Yes	
7	5.681	107.8	5	20	5.718	Yes	

CALIBRATION OF COMPONENT CL-

Method: ANIONS 10-05-20.mtw
 Equation: $Q = 1.48188 \cdot A + 0.49609$
 RSD: 0.873 %
 Correlation coefficient: 0.999968




K3 = 0 K2 = 0 K1 = 1.48188 K0 = 0.49609
 Base: Area
 Ref.channel: Cond
 ISTD:
 Formula: Linear
 Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File
1	0	0	0	0	0		No
2	0.2195	3.908	0.3	20	8.798	Yes	
3	0.4262	7.91	0.6	20	8.798	Yes	
4	0.8486	15.46	1.2	20	8.798	Yes	
5	2.229	40.34	3	20	8.798	Yes	
6	4.497	80.22	6	20	8.798	Yes	
7	5.796	101.2	7.5	20	8.798	Yes	

CALIBRATION OF COMPONENT NO2

Method: ANIONS 10-05-20.mtw
 Equation: $Q = 0.643467 \cdot A + 1.67113$
 RSD: 2.721 %
 Correlation coefficient: 0.999687



K3 = 0 K2 = 0 K1 = 0.643467 K0 = 1.67113

Base: Area

Ref.channel: Cond

ISTD:


Formula: Linear

Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File
1	0	0	0	0	0		No
2	0.3767	8.278	0.3	20	10.57		Yes
3	0.75	16.81	0.6	20	10.57		Yes
4	1.537	34.54	1.2	20	10.57		Yes
5	3.923	88.47	3	20	10.57		Yes
6	7.695	180.8	6	20	10.57		Yes
7	9.86	233.7	7.5	20	10.57		Yes

CALIBRATION OF COMPONENT BR-

Method: ANIONS 10-05-20.mtw
 Equation: $Q = 3.27662 \cdot A + 8.15627$
 RSD: 4.971 %
 Correlation coefficient: 0.998955




K3 = 0 K2 = 0 K1 = 3.27662 K0 = 8.15627

Base: Area
 Ref.channel: Cond
 ISTD:
 Formula: Linear
 Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File
1	0	0	0	0	0		No
2	0.1879	5.134	1	20	13.6		Yes
3	0.3767	10.32	2	20	13.6		Yes
4	0.7886	22.03	4	20	13.6		Yes
5	2.093	56.95	10	20	13.6		Yes
6	4.307	115.2	20	20	13.6		Yes
7	5.648	153.9	25	20	13.6		Yes

CALIBRATION OF COMPONENT NO3

Method: ANIONS 10-05-20.mtw
 Equation: $Q = 0.594564 \cdot A + 0.939219$
 RSD: 2.372 %
 Correlation coefficient: 0.999762




K3 = 0 K2 = 0 K1 = 0.594564 K0 = 0.939219
 Base: Area
 Ref.channel: Cond
 ISTD:
 Formula: Linear
 Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File
1	0	0	0	0	0		No
2	0.2318	8.229	0.25	20	15.54	Yes	
3	0.4483	15.37	0.5	20	15.54	Yes	
4	0.913	31.63	1	20	15.54	Yes	
5	2.357	81.75	2.5	20	15.54	Yes	
6	4.743	163.8	5	20	15.54	Yes	
7	6.183	211.2	6.25	20	15.54	Yes	

CALIBRATION OF COMPONENT HPO4

Method: ANIONS 10-05-20.mtw
 Equation: $Q = 1.43959 \cdot A - 7.09881$
 RSD: 4.361 %
 Correlation coefficient: 0.999196



K3 = 0 K2 = 0 K1 = 1.43959 K0 = -7.09881

Base: Area

Ref.channel: Cond

ISTD:


Formula: Linear

Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File
1	0	0	0	0	0	No	
2	0.1581	8.317	0.5	20	21.75	Yes	
3	0.3635	18.49	1	20	21.75	Yes	
4	0.6548	34.34	2	20	21.75	Yes	
5	1.648	78.96	5	20	21.75	Yes	
6	3.063	143.1	10	20	21.75	Yes	
7	3.819	177.1	12.5	20	21.75	Yes	

CALIBRATION OF COMPONENT SO4

Method: ANIONS 10-05-20.mtw
 Equation: $Q = 1.99259 \cdot A + 5.55566$
 RSD: 2.425 %
 Correlation coefficient: 0.999752



K3 = 0 K2 = 0 K1 = 1.99259 K0 = 5.55566

Base: Area
 Ref.channel: Cond
 ISTD:
 Formula: Linear
 Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File
1	0	0	0	0	0		No
2	0.3169	14.94	1.5	20	25.43	Yes	
3	0.6019	27.95	3	20	25.43	Yes	
4	1.231	57.19	6	20	25.43	Yes	
5	3.146	144.6	15	20	25.43	Yes	
6	6.328	294	30	20	25.43	Yes	
7	8.145	378.1	37.5	20	25.43	Yes	

Report date: 10/7/2020 11:36:48 AM
Printed by: wet


Ident: STD1
Analysis from: 10/5/2020 11:01:32 AM
File: _2020-10-05_

Last save: 10/7/2020 11:36:28 AM

Method: ANIONS 10-05-20.mtw
Run operator: wet
Analysis number: 71718

Last save: 10/5/2020 3:03:44 PM

SAMPLE:
: AM/AP
Vial number: 2
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD

Report date: 10/7/2020 11:36:55 AM
Printed by: wet


Ident: STD2
Analysis from: 10/5/2020 12:22:20 PM
File: _2020-10-05_

Last save: 10/7/2020 11:36:28 AM

Method: ANIONS 10-05-20.mtw
Run operator: wet
Analysis number: 71719

Last save: 10/5/2020 3:03:44 PM

SAMPLE:
: AM/AP
Vial number: 3
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.74	0.305	0.16	9.80	5.787	10.60	0.
2	8.88	0.230	0.22	13.26	3.908	7.16	0.
3	10.78	0.283	0.38	22.76	8.278	15.16	0.
4	13.90	0.357	0.19	11.32	5.134	9.40	0.
5	16.07	0.437	0.23	14.01	8.229	15.07	0.
6	21.57	0.608	0.16	9.50	8.317	15.23	0.
7	25.07	0.559	0.32	19.11	14.936	27.36	0.
7	30.00	0.397	1.65	99.75	54.589	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 10/7/2020 11:37:01 AM
Printed by: wet


Ident: STD3
Analysis from: 10/5/2020 12:55:14 PM
File: _2020-10-05_

Last save: 10/7/2020 11:36:28 AM

Method: ANIONS 10-05-20.mtw
Run operator: wet
Analysis number: 71720

Last save: 10/5/2020 3:03:44 PM

SAMPLE:
: AM/AP
Vial number: 4
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.73	0.302	0.30	9.29	10.007	9.36	0.
2	8.87	0.234	0.43	13.01	7.910	7.40	0.
3	10.75	0.286	0.75	22.92	16.808	15.73	0.
4	13.91	0.354	0.38	11.50	10.322	9.66	0.
5	16.07	0.430	0.45	13.69	15.372	14.38	0.
6	21.65	0.597	0.36	11.08	18.494	17.31	0.
7	25.16	0.555	0.60	18.39	27.947	26.15	0.
7	30.00	0.394	3.27	99.87	106.859	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 10/7/2020 11:37:07 AM
Printed by: wet


Ident: STD4
Analysis from: 10/5/2020 1:28:08 PM
File: _2020-10-05_

Last save: 10/7/2020 11:36:28 AM

Method: ANIONS 10-05-20.mtw
Run operator: wet
Analysis number: 71721

Last save: 10/5/2020 3:03:44 PM

SAMPLE:
: AM/AP
Vial number: 5
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.73	0.256	0.83	12.16	16.675	7.87	0.
2	8.85	0.230	0.85	12.48	15.457	7.30	0.
3	10.72	0.288	1.54	22.59	34.539	16.30	0.
4	13.85	0.354	0.79	11.59	22.031	10.40	0.
5	15.96	0.432	0.91	13.43	31.630	14.93	0.
6	21.63	0.617	0.65	9.62	34.337	16.21	0.
7	25.17	0.553	1.23	18.09	57.192	26.99	0.
7	30.00	0.390	6.80	99.96	211.860	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 10/7/2020 11:37:12 AM
 Printed by: wet


Ident: STD5
 Analysis from: 10/5/2020 2:01:02 PM
 File: _2020-10-05_

Last save: 10/7/2020 11:36:28 AM

Method: ANIONS 10-05-20.mtw
 Run operator: wet
 Analysis number: 71722

Last save: 10/5/2020 3:03:44 PM

SAMPLE:
 : AM/AP
 Vial number: 6
 Volume: 20.0 µL
 Dilution: 1.00
 Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.73	0.254	1.92	11.11	43.124	8.07	0.
2	8.90	0.230	2.23	12.87	40.336	7.55	0.
3	10.77	0.293	3.92	22.65	88.475	16.56	0.
4	13.81	0.341	2.09	12.08	56.953	10.66	0.
5	15.89	0.434	2.36	13.61	81.754	15.30	0.
6	21.67	0.565	1.65	9.51	78.962	14.78	0.
7	25.21	0.548	3.15	18.16	144.592	27.07	0.
7	30.00	0.381	17.32	99.99	534.195	100.00	0.

This report has been created by IC Net
 METROHM LTD

Report date: 10/7/2020 11:37:17 AM
Printed by: wet


Ident: STD6
Analysis from: 10/5/2020 2:33:55 PM
File: _2020-10-05_

Last save: 10/7/2020 11:36:28 AM

Method: ANIONS 10-05-20.mtw
Run operator: wet
Analysis number: 71723

Last save: 10/5/2020 3:03:44 PM

SAMPLE:
: AM/AP
Vial number: 7
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.79	0.256	4.00	11.56	84.592	7.97	0.
2	8.92	0.225	4.50	12.98	80.217	7.56	0.
3	10.75	0.307	7.69	22.22	180.762	17.03	0.
4	13.80	0.332	4.31	12.44	115.156	10.85	0.
5	15.83	0.431	4.74	13.69	163.776	15.43	0.
6	21.75	0.556	3.06	8.84	143.094	13.48	0.
7	25.32	0.553	6.33	18.27	293.962	27.69	0.
7	30.00	0.380	34.63	99.99	1061.560	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 10/7/2020 11:37:23 AM
Printed by: wet


Ident: STD7
Analysis from: 10/5/2020 3:06:49 PM
File: _2020-10-05_

Last save: 10/7/2020 11:36:30 AM

Method: ANIONS 10-05-20.mtw
Run operator: wet
Analysis number: 71724

Last save: 10/5/2020 3:03:44 PM

SAMPLE:
: AM/AP
Vial number: 8
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.76	0.248	5.68	12.59	107.763	7.91	0.
2	8.86	0.220	5.80	12.84	101.197	7.43	0.
3	10.69	0.311	9.86	21.85	233.674	17.15	0.
4	13.79	0.338	5.65	12.51	153.907	11.29	0.
5	15.85	0.426	6.18	13.70	211.152	15.49	0.
6	21.80	0.552	3.82	8.46	177.062	12.99	0.
7	25.37	0.551	8.14	18.05	378.100	27.74	0.
7	30.00	0.378	45.13	99.99	1362.856	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 10/7/2020 11:37:30 AM
 Printed by: wet


Ident: ICV
 Analysis from: 10/5/2020 3:39:43 PM
 File: _2020-10-05_

Last save: 10/5/2020 4:09:30 PM

Method: ANIONS 10-05-20.mtw
 Run operator: wet
 Analysis number: 71725

Last save: 10/5/2020 3:36:36 PM

SAMPLE:
 : AM/AP
 Vial number: 9
 Volume: 20.0 µL
 Dilution: 1.00
 Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.76	0.255	1.87	10.88	41.271	7.78	0.
2	8.88	0.227	2.21	12.86	39.665	7.48	0.
3	10.72	0.294	3.91	22.78	89.456	16.86	0.
4	13.76	0.341	2.11	12.28	57.412	10.82	0.
5	15.81	0.428	2.37	13.82	81.404	15.35	0.
6	21.81	0.578	1.60	9.30	77.471	14.60	0.
7	25.36	0.552	3.10	18.08	143.787	27.11	0.
7	30.00	0.382	17.16	100.00	530.466	100.00	0.

This report has been created by IC Net
 METROHM LTD

Report date: 10/7/2020 11:37:37 AM
Printed by: wet


Ident: ICB
Analysis from: 10/5/2020 4:12:36 PM
File: _2020-10-05_

Last save: 10/5/2020 4:42:24 PM

Method: ANIONS 10-05-20.mtw
Run operator: wet
Analysis number: 71726

Last save: 10/5/2020 3:36:36 PM

SAMPLE:
: AM/AP
Vial number: 10
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD

Report date: 10/13/2020 2:15:01 PM

Printed by: wet

Ident: CCV

Analysis from: 10/12/2020 10:14:10 AM

File: _2020-10-12_

Last save: 10/12/2020 10:43:58 AM

Method: ANIONS 10-05-20.mtw

Last save: 10/8/2020 10:39:08 AM

Run operator: wet

Analysis number: 71813

SAMPLE:


: AM/AP

Vial number: 2

Volume: 20.0 µL

Dilution: 1.00

Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.82	0.312	1.82	11.92	43.784	8.30	0.
2	9.07	0.250	2.01	13.13	39.882	7.56	0.
3	11.03	0.340	3.37	22.03	86.039	16.31	0.
4	14.29	0.395	1.81	11.85	56.921	10.79	0.
5	16.52	0.502	2.03	13.26	80.759	15.31	0.
6	21.83	0.617	1.39	9.08	75.322	14.28	0.
7	25.79	0.586	2.86	18.71	144.733	27.44	0.
7	30.00	0.429	15.29	99.99	527.441	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 10/13/2020 2:15:10 PM
Printed by: wet


Ident: CCB
Analysis from: 10/12/2020 10:55:09 AM
File: _2020-10-12_

Last save: 10/12/2020 11:24:58 AM

Method: ANIONS 10-05-20.mtw
Run operator: wet
Analysis number: 71814

Last save: 10/8/2020 10:39:08 AM

SAMPLE:
: AM/AP
Vial number: 3
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD

Report date: 10/13/2020 2:15:22 PM
Printed by: wet


Ident: LB111441BLW
Analysis from: 10/12/2020 11:28:03 AM
File: _2020-10-12_

Last save: 10/13/2020 2:15:22 PM

Method: ANIONS 10-05-20.mtw
Run operator: wet
Analysis number: 71815

Last save: 10/8/2020 10:39:08 AM

SAMPLE:
: AM/AP
Vial number: 4
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD

Report date: 10/13/2020 2:15:36 PM
Printed by: wet


Ident: LB111441BSW
Analysis from: 10/12/2020 12:31:51 PM
File: _2020-10-12_

Last save: 10/12/2020 3:06:58 PM

Method: ANIONS 10-05-20.mtw
Run operator: wet
Analysis number: 71817

Last save: 10/8/2020 10:39:08 AM

SAMPLE:
: AM/AP
Vial number: 5
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.87	0.296	1.85	12.81	42.672	7.84	0.
2	9.00	0.362	1.81	12.53	40.120	7.37	0.
3	10.93	0.457	3.11	21.49	89.208	16.40	0.
4	14.09	0.571	1.68	11.65	57.631	10.59	0.
5	16.24	0.709	1.87	12.95	81.819	15.04	0.
6	21.99	0.934	1.39	9.61	81.655	15.01	0.
7	26.03	0.833	2.74	18.94	150.920	27.74	0.
7	29.00	0.594	14.46	99.99	544.026	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 10/13/2020 2:15:45 PM
Printed by: wet


Ident: L4378-01
Analysis from: 10/12/2020 3:15:42 PM
File: _2020-10-12_

Last save: 10/12/2020 3:45:30 PM

Method: ANIONS 10-05-20.mtw
Run operator: wet
Analysis number: 71822

Last save: 10/8/2020 10:39:08 AM

SAMPLE:
: AM/AP
Vial number: 9
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD

Report date: 10/13/2020 2:15:53 PM
Printed by: wet


Ident: L4378-01DUP
Analysis from: 10/12/2020 3:48:35 PM
File: _2020-10-12_

Last save: 10/12/2020 4:18:24 PM

Method: ANIONS 10-05-20.mtw
Run operator: wet
Analysis number: 71823

Last save: 10/8/2020 10:39:08 AM

SAMPLE:
: AM/AP
Vial number: 10
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD

Report date: 10/13/2020 2:16:04 PM
Printed by: wet


Ident: L4378-01MS
Analysis from: 10/12/2020 4:21:29 PM
File: _2020-10-12_

Last save: 10/12/2020 4:51:18 PM

Method: ANIONS 10-05-20.mtw
Run operator: wet
Analysis number: 71824

Last save: 10/8/2020 10:39:08 AM

SAMPLE:
: AM/AP
Vial number: 11
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.84	0.337	1.64	10.53	44.229	8.08	0.
2	9.04	0.332	2.04	13.10	40.738	7.44	0.
3	10.94	0.449	3.35	21.53	88.341	16.14	0.
4	14.12	0.522	1.84	11.83	57.871	10.57	0.
5	16.29	0.701	2.11	13.57	85.332	15.59	0.
6	21.98	0.597	1.54	9.93	81.107	14.82	0.
7	25.96	0.565	3.03	19.50	149.680	27.35	0.
7	30.00	0.500	15.55	99.98	547.299	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 10/13/2020 2:16:15 PM
 Printed by: wet


Ident: L4378-01MSD
 Analysis from: 10/12/2020 4:54:23 PM
 File: _2020-10-12_

Last save: 10/12/2020 5:24:12 PM

Method: ANIONS 10-05-20.mtw
 Run operator: wet
 Analysis number: 71825

Last save: 10/8/2020 10:39:08 AM

SAMPLE:
 : AM/AP
 Vial number: 12
 Volume: 20.0 µL
 Dilution: 1.00
 Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.82	0.324	1.71	10.87	42.872	7.87	0.
2	8.96	0.321	2.05	13.00	40.450	7.42	0.
3	10.86	0.443	3.39	21.47	88.539	16.25	0.
4	14.03	0.497	1.86	11.80	57.754	10.60	0.
5	16.19	0.676	2.13	13.54	84.969	15.60	0.
6	21.88	0.579	1.56	9.87	80.094	14.70	0.
7	25.85	0.562	3.06	19.42	150.162	27.56	0.
7	30.00	0.486	15.77	99.98	544.840	100.00	0.

This report has been created by IC Net
 METROHM LTD

Report date: 10/13/2020 4:38:12 PM
Printed by: wet


Ident: CCV
Analysis from: 10/12/2020 5:27:17 PM
File: _2020-10-12_

Last save: 10/12/2020 5:57:06 PM

Method: ANIONS 10-05-20.mtw
Run operator: wet
Analysis number: 71826

Last save: 10/8/2020 10:39:08 AM

SAMPLE:
: AM/AP
Vial number: 2
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.80	0.329	1.67	10.59	41.941	7.76	0.
2	8.94	0.302	2.04	12.89	40.274	7.46	0.
3	10.85	0.426	3.46	21.93	88.533	16.39	0.
4	14.02	0.452	1.88	11.91	57.510	10.65	0.
5	16.17	0.617	2.12	13.45	81.167	15.03	0.
6	21.82	0.576	1.55	9.82	79.925	14.80	0.
7	25.82	0.570	3.06	19.41	150.853	27.93	0.
7	30.00	0.468	15.79	99.99	540.203	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 10/13/2020 4:38:24 PM
Printed by: wet


Ident: CCB
Analysis from: 10/12/2020 6:00:11 PM
File: _2020-10-12_

Last save: 10/12/2020 6:29:58 PM

Method: ANIONS 10-05-20.mtw
Run operator: wet
Analysis number: 71827

Last save: 10/8/2020 10:39:08 AM

SAMPLE:
: AM/AP
Vial number: 3
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD