



PERCENT SOLID

Analyst Name: JIGNESH  
Date: 7/23/2017

OVENTEMP IN Celsius(°C): 108  
Time IN: 17:20  
In Date: 07/21/201  
Weight Check 1.0g: 1.00 g  
Weight Check 10g: 10.00 g  
OvenID: M Oven-1

OVENTEMP OUT Celsius(°C): 104  
Time OUT: 08:32  
Out Date: 07/22/201  
Weight Check 1.0g: 1.00 g  
Weight Check 10g: 10.00 g  
BalanceID: M SC-1

QC: LB88890

| Lab ID      | Client Sample ID      | Dish# | Dish Wt(g)<br>(A) | Dish +<br>Sample Wt(g)<br>(B) | Dish + Dry<br>Sample Wt(g)<br>(C) | % Solid |
|-------------|-----------------------|-------|-------------------|-------------------------------|-----------------------------------|---------|
| I4370-01    | E2-05-BASE-2          | 1     | 1.16              | 9.61                          | 6.39                              | 61.9    |
| I4370-02    | E2-N6-BASE            | 2     | 1.12              | 9.96                          | 8.75                              | 86.3    |
| I4370-03    | E2-N5-NWSW            | 3     | 1.18              | 9.71                          | 8.2                               | 82.3    |
| I4370-04    | E2-N5-SWSW            | 4     | 1.16              | 9.97                          | 8.2                               | 79.9    |
| I4370-05    | E2-N6-BASE            | 5     | 1.12              | 9.96                          | 8.75                              | 86.3    |
| I4370-06    | E2-N5-NWSW            | 6     | 1.18              | 9.71                          | 8.2                               | 82.3    |
| I4370-07    | E2-N5-SWSW            | 7     | 1.16              | 9.97                          | 8.2                               | 79.9    |
| I4371-05    | SVOC-GPC-BLANK        | 8     | 1.00              | 2.00                          | 2.00                              | 100     |
| I4371-06    | PEST-GPC-BLANK        | 9     | 1.00              | 2.00                          | 2.00                              | 100     |
| I4371-07    | PEST-GPC-BLANK-SPIKE  | 10    | 1.00              | 2.00                          | 2.00                              | 100     |
| I4371-08    | PCB-GPC-BLANK         | 11    | 1.00              | 2.00                          | 2.00                              | 100     |
| I4371-09    | PCB-GPC-SPIKE         | 12    | 1.00              | 2.00                          | 2.00                              | 100     |
| I4371-10    | SVOC-GPC2-BLANK       | 13    | 1.00              | 2.00                          | 2.00                              | 100     |
| I4371-11    | PEST-GPC2-BLANK       | 14    | 1.00              | 2.00                          | 2.00                              | 100     |
| I4371-12    | PEST-GPC2-BLANK-SPIKE | 15    | 1.00              | 2.00                          | 2.00                              | 100     |
| I4371-13    | PCB-GPC2-BLANK        | 16    | 1.00              | 2.00                          | 2.00                              | 100     |
| I4371-14    | PCB-GPC2-BLANKSPIKE   | 17    | 1.00              | 2.00                          | 2.00                              | 100     |
| I4380-01    | B3 (0-10) G           | 18    | 1.16              | 9.6                           | 8.29                              | 84.5    |
| I4380-02    | B3 (0-10) COMP        | 19    | 1.16              | 9.96                          | 9.48                              | 94.5    |
| I4391-01    | BU-02-072117-A        | 20    | 1.13              | 9.85                          | 9.35                              | 94.3    |
| I4391-02    | BU-02-072117-A        | 21    | 1.13              | 9.85                          | 9.35                              | 94.3    |
| I4391-04    | BU-02-072117-B        | 22    | 1.18              | 9.93                          | 9.05                              | 89.9    |
| I4391-05    | BU-02-072117-B        | 23    | 1.18              | 9.93                          | 9.05                              | 89.9    |
| I4397-01    | T-1A-14.5-15.0-072117 | 24    | 1.18              | 9.77                          | 9.11                              | 92.3    |
| I4397-02    | T-2A-14.5-15.0-072117 | 25    | 1.19              | 9.64                          | 8.92                              | 91.5    |
| I4397-03    | P-1A-4.0-4.5-072117   | 26    | 1.14              | 9.98                          | 9.33                              | 92.6    |
| I4397-04    | T-1B-14.5-15.0-072117 | 27    | 1.19              | 9.94                          | 9.27                              | 92.3    |
| I4397-05    | T-2B-14.5-15.0-072117 | 28    | 1.13              | 9.85                          | 8.8                               | 88      |
| I4397-06    | T-1C-14.5-15.0-072117 | 29    | 1.17              | 9.61                          | 8.91                              | 91.7    |
| I4397-07    | T-2C-14.5-15.0-072117 | 30    | 1.14              | 9.69                          | 8.95                              | 91.3    |
| I4398-01    | SEDIMENT-1            | 31    | 1.15              | 9.98                          | 6.69                              | 62.7    |
| I4399-01    | E2-N7-BASE            | 32    | 1.14              | 9.88                          | 5.53                              | 50.2    |
| I4399-02    | E2-N7-BASE            | 33    | 1.14              | 9.88                          | 5.53                              | 50.2    |
| I4399-03    | E2-HS4-WSW            | 34    | 1.16              | 9.85                          | 9.16                              | 92.1    |
| I4399-04    | E2-HS4-SSW            | 35    | 1.11              | 9.88                          | 8.31                              | 82.1    |
| I4399-05    | E2-HS4-ESW            | 36    | 1.17              | 9.98                          | 8.9                               | 87.7    |
| I4399-06    | E2-HS4-NSW            | 37    | 1.15              | 9.96                          | 8.66                              | 85.2    |
| I4399-07    | E2-HS4-BASE           | 38    | 1.12              | 9.95                          | 8.44                              | 82.9    |
| I4399-07DUP | E2-HS4-BASEDUP        | 39    | 1.13              | 9.97                          | 8.44                              | 82.7    |



2088890

## WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-072117

WorkList ID : 100920

Date : 7/21/2017 8:17:24 AM

| Due Date   | Matrix | Sample   | Test           | Preservative | Customer | Storage Location | Customer Sample       | Collect Date | Method       |
|------------|--------|----------|----------------|--------------|----------|------------------|-----------------------|--------------|--------------|
| 07/24/2017 | Solid  | I4370-01 | Percent Solids | Cool 4 deg C | E2PR01   | H13              | E2-05-BASE-2          | 07/19/2017   | Chemtech -SO |
| 07/24/2017 | Solid  | I4370-02 | Percent Solids | Cool 4 deg C | E2PR01   | H13              | E2-N6-BASE            | 07/20/2017   | Chemtech -SO |
| 07/24/2017 | Solid  | I4370-03 | Percent Solids | Cool 4 deg C | E2PR01   | H13              | E2-N5-NWSW            | 07/20/2017   | Chemtech -SO |
| 07/24/2017 | Solid  | I4370-04 | Percent Solids | Cool 4 deg C | E2PR01   | H13              | E2-N5-SWSW            | 07/20/2017   | Chemtech -SO |
| 07/25/2017 | Solid  | I4370-05 | Percent Solids | Cool 4 deg C | E2PR01   | H13              | E2-N6-BASE            | 07/20/2017   | Chemtech -SO |
| 07/25/2017 | Solid  | I4370-06 | Percent Solids | Cool 4 deg C | E2PR01   | H13              | E2-N5-NWSW            | 07/20/2017   | Chemtech -SO |
| 07/25/2017 | Solid  | I4370-07 | Percent Solids | Cool 4 deg C | E2PR01   | H13              | E2-N5-SWSW            | 07/20/2017   | Chemtech -SO |
|            | Solid  | I4371-05 | Percent Solids | Cool 4 deg C | CHEM02   |                  | SVOC-GPC-BLANK        | 07/14/2017   | Chemtech -SO |
|            | Solid  | I4371-06 | Percent Solids | Cool 4 deg C | CHEM02   |                  | PEST-GPC-BLANK        | 07/14/2017   | Chemtech -SO |
|            | Solid  | I4371-07 | Percent Solids | Cool 4 deg C | CHEM02   |                  | PEST-GPC-BLANK-SPIKE  | 07/14/2017   | Chemtech -SO |
|            | Solid  | I4371-08 | Percent Solids | Cool 4 deg C | CHEM02   |                  | PCB-GPC-BLANK         | 07/14/2017   | Chemtech -SO |
|            | Solid  | I4371-09 | Percent Solids | Cool 4 deg C | CHEM02   |                  | PCB-GPC-SPIKE         | 07/14/2017   | Chemtech -SO |
|            | Solid  | I4371-10 | Percent Solids | Cool 4 deg C | CHEM02   |                  | SVOC-GPC2-BLANK       | 07/14/2017   | Chemtech -SO |
|            | Solid  | I4371-11 | Percent Solids | Cool 4 deg C | CHEM02   |                  | PEST-GPC2-BLANK       | 07/14/2017   | Chemtech -SO |
|            | Solid  | I4371-12 | Percent Solids | Cool 4 deg C | CHEM02   |                  | PEST-GPC2-BLANK-SPIKE | 07/14/2017   | Chemtech -SO |
|            | Solid  | I4371-13 | Percent Solids | Cool 4 deg C | CHEM02   |                  | PCB-GPC2-BLANK        | 07/14/2017   | Chemtech -SO |
|            | Solid  | I4371-14 | Percent Solids | Cool 4 deg C | CHEM02   |                  | PCB-GPC2-BLANKSPIKE   | 07/14/2017   | Chemtech -SO |
|            | Solid  | I4380-01 | Percent Solids | Cool 4 deg C | WSPO01   | H32              | B3(0-10)G             | 07/21/2017   | Chemtech -SO |
|            | Solid  | I4380-02 | Percent Solids | Cool 4 deg C | WSPO01   | H32              | B3(0-10)COMP          | 07/21/2017   | Chemtech -SO |
| 07/26/2017 | Solid  | I4391-01 | Percent Solids | Cool 4 deg C | PSEG05   | H42              | BU-02-072117-A        | 07/21/2017   | Chemtech -SO |
| 07/26/2017 | Solid  | I4391-02 | Percent Solids | Cool 4 deg C | PSEG05   | H42              | BU-02-072117-A        | 07/21/2017   | Chemtech -SO |

Date/Time 07/21/17 8:13 PM

Received by: JA

Relinquished by:

Date/Time 07/21/17 8:13 PM

Received by: CP

Relinquished by: JD

# WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-072117

WorkList ID : 100920

Date : 7/21/2017 8:17:24 AM

| Due Date   | Matrix | Sample   | Test           | Preservative | Customer | Storage Location | Customer Sample       | Collect Date | Method       |
|------------|--------|----------|----------------|--------------|----------|------------------|-----------------------|--------------|--------------|
| 07/26/2017 | Solid  | I4391-04 | Percent Solids | Cool 4 deg C | PSEG05   | H42              | BU-02-072117-B        | 07/21/2017   | Chemtech -SO |
| 07/26/2017 | Solid  | I4391-05 | Percent Solids | Cool 4 deg C | PSEG05   | H42              | BU-02-072117-B        | 07/21/2017   | Chemtech -SO |
|            | Solid  | I4397-01 | Percent Solids | Cool 4 deg C | POWE02   | H22              | T-1A-14.5-15.0-072117 | 07/21/2017   | Chemtech -SO |
|            | Solid  | I4397-02 | Percent Solids | Cool 4 deg C | POWE02   | H22              | T-2A-14.5-15.0-072117 | 07/21/2017   | Chemtech -SO |
|            | Solid  | I4397-03 | Percent Solids | Cool 4 deg C | POWE02   | H22              | P-1A-4.0-4.5-072117   | 07/21/2017   | Chemtech -SO |
|            | Solid  | I4397-04 | Percent Solids | Cool 4 deg C | POWE02   | H22              | T-1B-14.5-15.0-072117 | 07/21/2017   | Chemtech -SO |
|            | Solid  | I4397-05 | Percent Solids | Cool 4 deg C | POWE02   | H22              | T-2B-14.5-15.0-072117 | 07/21/2017   | Chemtech -SO |
|            | Solid  | I4397-06 | Percent Solids | Cool 4 deg C | POWE02   | H22              | T-1C-14.5-15.0-072117 | 07/21/2017   | Chemtech -SO |
|            | Solid  | I4397-07 | Percent Solids | Cool 4 deg C | POWE02   | H22              | T-2C-14.5-15.0-072117 | 07/21/2017   | Chemtech -SO |
|            | Solid  | I4398-01 | Percent Solids | Cool 4 deg C | LABE01   | H32              | SEDIMENT-1            | 07/20/2017   | Chemtech -SO |
|            | Solid  | I4399-01 | Percent Solids | Cool 4 deg C | E2PR01   | H41              | E2-N7-BASE            | 07/20/2017   | Chemtech -SO |
|            | Solid  | I4399-02 | Percent Solids | Cool 4 deg C | E2PR01   | H41              | E2-N7-BASE            | 07/20/2017   | Chemtech -SO |
|            | Solid  | I4399-03 | Percent Solids | Cool 4 deg C | E2PR01   | H41              | E2-HS4-WSW            | 07/21/2017   | Chemtech -SO |
|            | Solid  | I4399-04 | Percent Solids | Cool 4 deg C | E2PR01   | H41              | E2-HS4-SSW            | 07/21/2017   | Chemtech -SO |
|            | Solid  | I4399-05 | Percent Solids | Cool 4 deg C | E2PR01   | H41              | E2-HS4-ESW            | 07/21/2017   | Chemtech -SO |
|            | Solid  | I4399-06 | Percent Solids | Cool 4 deg C | E2PR01   | H41              | E2-HS4-NSW            | 07/21/2017   | Chemtech -SO |
|            | Solid  | I4399-07 | Percent Solids | Cool 4 deg C | E2PR01   | H41              | E2-HS4-BASE           | 07/21/2017   | Chemtech -SO |

Date/Time

Received by:

Relinquished by:

07/21/17 11:00 AM

JP

JP

Date/Time

Received by:

Relinquished by:

07/21/17 5:15 PM

JP

JP