



Instrument ID : KONELAB

284 Sheffield Street, Mountainside, New Jersey 07092 Phone : 908 789 8900 Fax : 908 789 8922

Daily Analysis Runlog For Sequence/QC Batch ID # LB92416

Review By		Review On				
SubDirectory		LB92416		Test : Reactive Cyanide		
STD. NAME		STD REF.#				
ICAL Standard		WP60621,WP60623,WP60624,WP60625,WP60626,WP60627,WP60628				
ICV Standard		WP60630				
CCV Standard		WP60629				
ICSA Standard		N/A				
CRI Standard		N/A				
LCS Standard		N/A				
Chk Standard		WP60631,WP59958,WP60150				

Sr#	SampleID	ClientID	QcType	Date	Comment	Status
1	0.0PPBCN	0.0PPBCN	CAL1	12/28/17 10:58		OK
2	5.0PPBCN	5.0PPBCN	CAL2	12/28/17 10:58		OK
3	10PPBCN	10PPBCN	CAL3	12/28/17 10:58		OK
4	50PPBCN	50PPBCN	CAL4	12/28/17 10:58		OK
5	100PPBCN	100PPBCN	CAL5	12/28/17 10:58		OK
6	250PPBCN	250PPBCN	CAL6	12/28/17 10:58		OK
7	500PPBCN	500PPBCN	CAL7	12/28/17 10:58		OK
8	ICV1	ICV1	ICV	12/28/17 11:24		OK
9	ICB1	ICB1	ICB	12/28/17 11:24		OK
10	CCV1	CCV1	CCV	12/28/17 11:24		OK
11	CCB1	CCB1	CCB	12/28/17 11:24		OK
12	PB105384BL	PB105384BL	MB	12/28/17 11:24		OK
13	I7082-01	OWS-1	SAM	12/28/17 11:24		OK
14	I7082-01DUP	OWS-1DUP	DUP	12/28/17 11:24		OK
15	I7083-01	OWS-3	SAM	12/28/17 11:28		OK
16	I7083-02	OWS-2	SAM	12/28/17 11:28		OK
17	I7083-03	OWS-1	SAM	12/28/17 11:28		OK
18	CCV2	CCV2	CCV	12/28/17 11:28		OK
19	CCB2	CCB2	CCB	12/28/17 11:28		OK



284 Sheffield Street, Mountainside NJ 07092 (908)-789-8900 Fax : 908 789 8922

Report of Analysis

Client:		Date Collected:	12/26/2017 12:00:00 AM
Project:	LB92416	Date Received:	12/27/2017 12:00:00 AM
Client Sample ID:	OWS-1	SDG No.:	LB92416
Lab Sample ID:	I7082-01	Matrix:	Solid
Level (low/med):	low	% Solid:	100

Cas	Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
	Reactive Cyanide	-0.0001	U	1	0.025		0.05	mg/Kg	12/28/2017	12/28/2017	9012B



284 Sheffield Street, Mountainside NJ 07092 (908)-789-8900 Fax : 908 789 8922

Report of Analysis

Client:		Date Collected:	12/27/2017 12:00:00 AM
Project:	LB92416	Date Received:	12/27/2017 12:00:00 AM
Client Sample ID:	OWS-3	SDG No.:	LB92416
Lab Sample ID:	I7083-01	Matrix:	Solid
Level (low/med):	low	% Solid:	100

Cas	Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
	Reactive Cyanide	-0.0016	U	1	0.025		0.05	mg/Kg	12/28/2017	12/28/2017	9012B



284 Sheffield Street, Mountainside NJ 07092 (908)-789-8900 Fax : 908 789 8922

Report of Analysis

Client:		Date Collected:	12/27/2017 12:00:00 AM
Project:	LB92416	Date Received:	12/27/2017 12:00:00 AM
Client Sample ID:	OWS-2	SDG No.:	LB92416
Lab Sample ID:	I7083-02	Matrix:	Solid
Level (low/med):	low	% Solid:	100

Cas	Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
	Reactive Cyanide	-0.0031	U	1	0.025		0.05	mg/Kg	12/28/2017	12/28/2017	9012B



284 Sheffield Street, Mountainside NJ 07092 (908)-789-8900 Fax : 908 789 8922

Report of Analysis

Client:		Date Collected:	12/27/2017 12:00:00 AM
Project:	LB92416	Date Received:	12/27/2017 12:00:00 AM
Client Sample ID:	OWS-1	SDG No.:	LB92416
Lab Sample ID:	I7083-03	Matrix:	Solid
Level (low/med):	low	% Solid:	100

Cas	Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
	Reactive Cyanide	0.00019	U	1	0.025		0.05	mg/Kg	12/28/2017	12/28/2017	9012B



284 Sheffield Street, Mountainside NJ 07092 (908)-789-8900 Fax : 908 789 8922

Report of Analysis

Client:		Date Collected:	12/27/2017 12:00:00 AM
Project:	LB92416	Date Received:	12/27/2017 12:00:00 AM
Client Sample ID:	OWS-1	SDG No.:	LB92416
Lab Sample ID:	I7083-03	Matrix:	Solid
Level (low/med):	low	% Solid:	100

Cas	Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
-----	-----------	-------	------	----	-----	-----	------------	-------	-----------	-----------	----------

Color Before:

Clarity Before:

Texture:

Color After:

Clarity After:

Artifacts:

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits



GENCHEM

- 2a -

INITIAL AND CONTINUING CALIBRATION VERIFICATION

Client: LB92416

SDG No.: LB92416

Contract: _____

Lab Code: CHEM

Case No.: LB92416

SAS No.: LB92416

Initial Calibration Source: _____

Continuing Calibration Source: _____

Sample ID	Analyte	Result mg/L	True Value	% Recovery	% RSD	Acceptance Window (%R)	M	Analysis Date	Analysis Time	Run Number
ICV1	Reactive Cyanide	0.096	0.099	97	0	85 - 115		12/28/2017	11:24	lb92416



GENCHEM

- 2a -

INITIAL AND CONTINUING CALIBRATION VERIFICATION

Client: LB92416

SDG No.: LB92416

Contract: _____ Lab Code: CHEM

Case No.: LB92416

SAS No.: LB92416

Initial Calibration Source: _____

Continuing Calibration Source: _____

Sample ID	Analyte	Result mg/L	True Value	% Recovery	% RSD	Acceptance Window (%R)	M	Analysis Date	Analysis Time	Run Number
CCV1	Reactive Cyanide	0.24	0.25	96	0	90 - 110		12/28/2017	11:24	lb92416
CCV2	Reactive Cyanide	0.25	0.25	100	0	90 - 110		12/28/2017	11:28	lb92416



GENCHEM

- 3a -

INITIAL AND CONTINUING CALIBRATION BLANK SUMMARY

Client: LB92416

SDG No.: LB92416

Contract:

Lab Code: CHEM

Case No.: LB92416

SAS No.: LB92416

Sample ID	Analyte	Result mg/L	Acceptance Limit	Conc Qual	LOD	CRQL	M	Analysis Date	Analysis Time	Run Number
ICB1	Reactive Cyanide	-0.0001	+/-0.005	U		0.005		12/28/2017	11:24	1b92416

Sample ID	Analyte	Result mg/L	Acceptance Limit	Conc Qual	LOD	CRQL	M	Analysis Date	Analysis Time	Run Number
CCB1	Reactive Cyanide	-0	+/-0.005	U		0.005		12/28/2017	11:24	lb92416
CCB2	Reactive Cyanide	-0	+/-0.005	U		0.005		12/28/2017	11:28	lb92416



GENCHEM

- 3a -

INITIAL AND CONTINUING CALIBRATION BLANK SUMMARY

Client: LB92416

SDG No.: LB92416

Contract: Lab Code: CHEM

Case No.: LB92416

SAS No.: LB92416

Sample ID	Analyte	Result mg/L	Acceptance Limit	Conc Qual	LOD	CRQL	M	Analysis Date	Analysis Time	Run Number
-----------	---------	----------------	---------------------	--------------	-----	------	---	------------------	------------------	---------------



GENCHEM
- 3b -
PREPARATION BLANK SUMMARY

Client: LB92416

SDG No.: LB92416

Instrument: Konelab 20

Sample ID	Analyte	Result (mg/Kg)	Acceptance Limit	Conc Qual	LOD mg/Kg	CRQL mg/Kg	M	Analysis Date	Analysis Time	Run
PB105384BL		SOLID		Batch Number:		PB105384		Prep Date:	12/28/2017	
	Reactive Cyanide	0.00065	<0.05	U		0.05		12/28/2017	11:24	lb92416

GENCHEM

- 6 -

DUPLICATE SAMPLE SUMMARY

Client: LB92416 **Level:** LOW **SDG No.:** LB92416
Contract: **Lab Code:** CHEM **Case No.:** LB92416 **SAS No.:** LB92416
Matrix: Solid **Sample ID:** I7082-01 **Client ID:** OWS-1DUP
Percent Solids for Sample: 100 **Duplicate ID** I7082-01DUP **Percent Solids for Spike Sample:** 100

Analyte	Units	Acceptance Limit	Sample Result	C	Duplicate Result	C	RPD	Qual	M
Reactive Cyanide	mg/Kg	20	0.025	U	-0.002	U			