

Clear table


ident	concentrati on F-	concentrati on CL-	concentrati on NO2	concentrati on BR-	concentrati on NO3	concentrati on HPO4	concentrati on SO4	file name	date time
STD1	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	2018-01-22_	1/22/18 12:09
STD2	0.2270	0.2800	0.2580	0.8540	0.2160	-0.1940	1.4630	2018-01-22_	1/22/18 12:39
STD3	0.4510	0.6720	0.6480	2.1500	0.5510	0.8190	3.3420	2018-01-22_	1/22/18 13:10
STD4	0.8150	1.2150	1.1880	4.0000	1.0040	2.3170	6.0050	2018-01-22_	1/22/18 13:41
STD5	1.9840	2.9040	2.8610	9.5780	2.3870	5.3630	14.2470	2018-01-22_	1/22/18 14:12
STD6	3.9200	5.8420	5.9080	19.7140	4.9260	9.9480	29.8630	2018-01-22_	1/22/18 14:43
STD7	4.9780	7.5960	7.6080	25.4540	6.3600	12.3270	38.0480	2018-01-22_	1/22/18 15:14
ICV	1.9000	2.8170	2.8100	9.2970	2.3200	4.6260	13.9580	2018-01-23_	1/23/18 10:45
ICB	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	2018-01-23_	1/23/18 11:23
CCV	2.0140	2.9580	2.8500	9.7060	2.4290	4.5210	14.3560	2018-02-05_	2/5/18 12:09
CCB	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	2018-02-05_	2/5/18 12:42
LB93101BLS	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	2018-02-05_	2/5/18 13:25
LB93101BSS	1.9250	2.8030	2.7710	9.3740	2.3090	5.2330	14.5430	2018-02-05_	2/5/18 13:56
J1192-05	11.0140	45.6180	0.0000	3.6040	4.7790	0.6190	73.1060	2018-02-05_	2/5/18 14:27
J1192-05DLX5	1.7990	7.4760	0.0000	1.0290	0.8940	0.0000	12.8420	2018-02-05_	2/5/18 14:58
CCV	2.0220	2.9740	2.8800	9.7520	2.3970	5.4070	14.2820	2018-02-05_	2/5/18 15:59
CCB	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	2018-02-05_	2/5/18 16:50

LC-1 9056
2-6-18 AK

IC-1 cal
1-22-18 AK

CALIBRATION OF COMPONENT F-

Method: ANIONS 01-22-18.mtw
Equation: $Q = 0.888792 \cdot A + 1.72329$
RSD: 1.957 %
Correlation coefficient: 0.999844




K3 = 0 K2 = 0 K1 = 0.888792 K0 = 1.72329
Base: Area
Ref.channel: Cond
ISTD:
Formula: Linear
Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File	
1	0	0	0	0	0			No
2	0.07393	1.441	0.1	20	5.921			Yes
3	0.3473	6.589	0.4	20	5.921			Yes
4	0.785	15.21	0.8	20	5.921			Yes
5	2.17	42.89	2	20	5.921			Yes
6	4.625	88.94	4	20	5.921			Yes
7	5.995	110.1	5	20	5.921			Yes

CALIBRATION OF COMPONENT CL-

Method: ANIONS 01-22-18.mtw
 Equation: $Q = 1.23947 \cdot A + 1.59291$
 RSD: 2.896 %
 Correlation coefficient: 0.999658




K3 = 0 K2 = 0 K1 = 1.23947 K0 = 1.59291

Base: Area
 Ref.channel: Cond
 ISTD:
 Formula: Linear
 Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File	
1	0	0	0	0	0			No
2	0.1373	2.334	0.15	20	8.982			Yes
3	0.5373	8.835	0.6	20	8.982			Yes
4	1.088	17.72	1.2	20	8.982			Yes
5	2.788	45.51	3	20	8.982			Yes
6	5.877	94.31	6	20	8.982			Yes
7	7.609	121.3	7.5	20	8.982			Yes

CALIBRATION OF COMPONENT NO2

Method: ANIONS 01-22-18.mtw
 Equation: $Q = 0.529462 \cdot A + 2.48671$
 RSD: 3.583 %
 Correlation coefficient: 0.999476



K3 = 0 K2 = 0 K1 = 0.529462 K0 = 2.48671


Base: Area
 Ref.channel: Cond
 ISTD:
 Formula: Linear
 Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File
1	0	0	0	0	0		No
2	0.2217	4.571	0.15	20	10.72		Yes
3	1.016	19.44	0.6	20	10.72		Yes
4	2.09	39.61	1.2	20	10.72		Yes
5	5.464	103.3	3	20	10.72		Yes
6	11.48	219.2	6	20	10.72		Yes
7	14.71	282.7	7.5	20	10.72		Yes

±□□

CALIBRATION OF COMPONENT BR-

Method: ANIONS 01-22-18.mtw
 Equation: $Q = 2.75892 \cdot A + 8.44356$
 RSD: 4.139 %
 Correlation coefficient: 0.999301




K3 = 0 K2 = 0 K1 = 2.75892 K0 = 8.44356

Base: Area
 Ref.channel: Cond
 ISTD:
 Formula: Linear
 Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File
1	0	0	0	0	0		No
2	0.158	3.013	0.5	20	13.6		Yes
3	0.6656	12.32	2	20	13.6		Yes
4	1.39	25.58	4	20	13.6		Yes
5	3.626	65.8	10	20	13.6		Yes
6	7.665	139.3	20	20	13.6		Yes
7	9.875	181.5	25	20	13.6		Yes

CALIBRATION OF COMPONENT NO3

Method: ANIONS 01-22-18.mtw
 Equation: $Q = 0.48854 \cdot A + 2.28868$
 RSD: 4.105 %
 Correlation coefficient: 0.999312



K3 = 0 K2 = 0 K1 = 0.48854 K0 = 2.28868


Base: Area
 Ref.channel: Cond
 ISTD:
 Formula: Linear
 Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File
1	0	0	0	0	0		No
2	0.1708	3.741	0.125	20	15.49	Yes	
3	0.8031	17.29	0.5	20	15.49	Yes	
4	1.667	35.75	1	20	15.49	Yes	
5	4.409	92.29	2.5	20	15.49	Yes	
6	9.547	196.6	5	20	15.49	Yes	
7	12.49	255.7	6.25	20	15.49	Yes	

±□□

CALIBRATION OF COMPONENT HPO4

Method: ANIONS 01-22-18.mtw
 Equation: $Q = 0.853465 \cdot A - 5.94487$
 RSD: 5.937 %
 Correlation coefficient: 0.998560




K3 = 0 K2 = 0 K1 = 0.853465 K0 = -5.94487

Base: Area
 Ref.channel: Cond
 ISTD:
 Formula: Linear
 Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File
1	0	0	0	0	0	No	
2	0.1515	5.784	0.25	20	22.72	Yes	
3	0.6628	26.71	1	20	22.72	Yes	
4	1.539	61.21	2	20	22.72	Yes	
5	3.52	132.4	5	20	22.72	Yes	
6	6.868	240.4	10	20	22.72	Yes	
7	8.595	295.8	12.5	20	22.72	Yes	

CALIBRATION OF COMPONENT SO4

Method: ANIONS 01-22-18.mtw
 Equation: $Q = 1.5477 \cdot A + 13.4127$
 RSD: 4.313 %
 Correlation coefficient: 0.999241



K3 = 0 K2 = 0 K1 = 1.5477 K0 = 13.4127

Base: Area
 Ref.channel: Cond
 ISTD:
 Formula: Linear
 Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File
1	0	0	0	0	0		No
2	0.2813	8.819	0.75	20	25.7		Yes
3	1.102	32.92	3	20	25.7		Yes
4	2.266	67.29	6	20	25.7		Yes
5	5.971	172.5	15	20	25.7		Yes
6	12.91	375.6	30	20	25.7		Yes
7	16.83	483	37.5	20	25.7		Yes

Report date: 1/25/2018 10:17:15 AM
Printed by: wet


Ident: STD1
Analysis from: 1/22/2018 12:09:05 PM
File: _2018-01-22_

Last save: 1/25/2018 10:17:12 AM

Method: ANIONS 01-22-18.mtw
Run operator: wet
Analysis number: 60769

Last save: 1/22/2018 10:34:24 AM

SAMPLE:
: AP/AK
Vial number: 2
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD

Report date: 1/25/2018 10:17:40 AM
Printed by: wet


Ident: STD2
Analysis from: 1/22/2018 12:39:59 PM
File: _2018-01-22_

Last save: 1/22/2018 1:07:48 PM

Method: ANIONS 01-22-18.mtw
Run operator: wet
Analysis number: 60770

Last save: 1/22/2018 12:36:54 PM

SAMPLE:
: AP/AK
Vial number: 3
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.73	0.290	0.07	5.73	1.441	4.40	0.
2	8.72	0.255	0.14	10.67	2.334	7.13	0.
3	10.49	0.291	0.22	17.25	4.571	13.95	0.
4	13.43	0.292	0.16	12.27	3.013	9.20	0.
5	15.39	0.328	0.17	13.30	3.741	11.42	0.
6	22.06	0.520	0.15	11.74	5.784	17.65	0.
7	25.29	0.461	0.28	21.88	8.819	26.92	0.
7	28.00	0.348	1.19	92.84	29.703	90.66	0.

This report has been created by IC Net
METROHM LTD

Report date: 1/25/2018 10:17:52 AM
Printed by: wet


Ident: STD3
Analysis from: 1/22/2018 1:10:54 PM
File: _2018-01-22_

Last save: 1/22/2018 1:38:42 PM

Method: ANIONS 01-22-18.mtw
Run operator: wet
Analysis number: 60771

Last save: 1/22/2018 1:07:48 PM

SAMPLE:
: AP/AK
Vial number: 4
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.73	0.282	0.35	6.65	6.589	5.19	0.
2	8.68	0.246	0.54	10.29	8.835	6.95	0.
3	10.40	0.283	1.02	19.45	19.438	15.30	0.
4	13.24	0.279	0.67	12.74	12.321	9.70	0.
5	15.14	0.319	0.80	15.37	17.288	13.61	0.
6	21.77	0.515	0.66	12.69	26.709	21.02	0.
7	25.00	0.450	1.10	21.09	32.915	25.91	0.
7	28.00	0.339	5.13	98.27	124.094	97.67	0.

This report has been created by IC Net
METROHM LTD

Report date: 1/25/2018 10:18:15 AM
Printed by: wet


Ident: STD4
Analysis from: 1/22/2018 1:41:48 PM
File: _2018-01-22_

Last save: 1/22/2018 2:09:38 PM

Method: ANIONS 01-22-18.mtw
Run operator: wet
Analysis number: 60772

Last save: 1/22/2018 1:38:42 PM

SAMPLE:
: AP/AK
Vial number: 5
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.71	0.273	0.78	7.18	15.215	5.73	0.
2	8.66	0.244	1.09	9.96	17.721	6.67	0.
3	10.37	0.280	2.09	19.13	39.605	14.91	0.
4	13.19	0.277	1.39	12.71	25.580	9.63	0.
5	15.06	0.318	1.67	15.26	35.745	13.46	0.
6	21.74	0.506	1.54	14.09	61.208	23.05	0.
7	24.97	0.450	2.27	20.75	67.285	25.34	0.
7	28.00	0.335	10.82	99.08	262.359	98.80	0.

This report has been created by IC Net
METROHM LTD

Report date: 1/25/2018 10:18:26 AM
Printed by: wet


Ident: STD5
Analysis from: 1/22/2018 2:12:43 PM
File: _2018-01-22_

Last save: 1/22/2018 2:40:32 PM

Method: ANIONS 01-22-18.mtw
Run operator: wet
Analysis number: 60773

Last save: 1/22/2018 2:14:14 PM

SAMPLE:
: AP/AK
Vial number: 6
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.70	0.269	2.17	7.74	42.894	6.52	0.
2	8.63	0.242	2.79	9.94	45.512	6.92	0.
3	10.33	0.279	5.46	19.49	103.253	15.70	0.
4	13.13	0.272	3.63	12.93	65.804	10.00	0.
5	14.97	0.307	4.41	15.72	92.287	14.03	0.
6	21.66	0.486	3.52	12.55	132.423	20.13	0.
7	24.91	0.436	5.97	21.29	172.496	26.23	0.
7	28.00	0.327	27.95	99.66	654.668	99.54	0.

This report has been created by IC Net
METROHM LTD

Report date: 1/25/2018 10:18:59 AM
Printed by: wet


Ident: STD6
Analysis from: 1/22/2018 2:43:37 PM
File: _2018-01-22_

Last save: 1/22/2018 3:11:26 PM

Method: ANIONS 01-22-18.mtw
Run operator: wet
Analysis number: 60774

Last save: 1/22/2018 2:40:32 PM

SAMPLE:
: AP/AK
Vial number: 7
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.70	0.259	4.62	7.83	88.940	6.55	0.
2	8.62	0.238	5.88	9.95	94.308	6.95	0.
3	10.31	0.283	11.48	19.44	219.195	16.15	0.
4	13.11	0.272	7.66	12.98	139.288	10.26	0.
5	14.90	0.301	9.55	16.16	196.588	14.49	0.
6	21.61	0.461	6.87	11.63	240.416	17.72	0.
7	24.90	0.439	12.91	21.85	375.576	27.68	0.
7	28.00	0.322	58.97	99.85	1354.311	99.80	0.

This report has been created by IC Net
METROHM LTD

Report date: 1/25/2018 10:19:28 AM
Printed by: wet


Ident: STD7
Analysis from: 1/22/2018 3:14:32 PM
File: _2018-01-22_

Last save: 1/22/2018 3:42:20 PM

Method: ANIONS 01-22-18.mtw
Run operator: wet
Analysis number: 60775

Last save: 1/22/2018 3:11:26 PM

SAMPLE:
: AK/AP
Vial number: 8
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.70	0.259	5.99	7.87	110.069	6.35	0.
2	8.63	0.237	7.61	9.99	121.286	7.00	0.
3	10.31	0.286	14.71	19.31	282.692	16.32	0.
4	13.13	0.276	9.87	12.96	181.458	10.47	0.
5	14.91	0.299	12.49	16.39	255.669	14.76	0.
6	21.62	0.456	8.59	11.28	295.846	17.08	0.
7	24.91	0.433	16.83	22.09	483.006	27.88	0.
7	28.00	0.321	76.11	99.89	1730.027	99.85	0.

This report has been created by IC Net
METROHM LTD

Report date: 1/25/2018 10:20:00 AM
Printed by: wet


Ident: ICV
Analysis from: 1/23/2018 10:45:18 AM
File: _2018-01-23_

Last save: 1/23/2018 11:13:08 AM

Method: ANIONS 01-22-18.mtw
Run operator: wet
Analysis number: 60782

Last save: 1/22/2018 3:42:20 PM

SAMPLE:
: AK/AP
Vial number: 11
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.72	0.273	2.06	7.81	40.809	6.47	0.
2	8.72	0.248	2.66	10.06	44.165	7.00	0.
3	10.47	0.286	5.26	19.91	101.449	16.07	0.
4	13.39	0.283	3.39	12.83	64.335	10.19	0.
5	15.30	0.323	4.10	15.53	90.282	14.31	0.
6	21.56	0.485	3.09	11.69	115.379	18.28	0.
7	24.79	0.449	5.76	21.83	171.705	27.21	0.
7	28.00	0.335	26.31	99.66	628.124	99.53	0.

This report has been created by IC Net
METROHM LTD

Report date: 1/25/2018 10:20:11 AM
Printed by: wet


Ident: ICB
Analysis from: 1/23/2018 11:23:25 AM
File: _2018-01-23_

Last save: 1/23/2018 12:44:36 PM

Method: ANIONS 01-22-18.mtw
Run operator: wet
Analysis number: 60783

Last save: 1/22/2018 3:42:20 PM

SAMPLE:
: AK/AP
Vial number: 12
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD

Report date: 2/5/2018 4:15:37 PM
Printed by: wet


Ident: CCV
Analysis from: 2/5/2018 12:09:30 PM
File: _2018-02-05_

Last save: 2/5/2018 12:37:18 PM

Method: ANIONS 01-22-18.mtw
Run operator: wet
Analysis number: 60879

Last save: 1/22/2018 3:42:20 PM

SAMPLE:
: AK/AP
Vial number: 2
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.75	0.255	2.34	8.68	43.392	6.73	0.
2	8.78	0.242	2.81	10.40	46.444	7.21	0.
3	10.51	0.290	5.21	19.30	102.962	15.97	0.
4	13.45	0.282	3.54	13.10	67.298	10.44	0.
5	15.38	0.321	4.32	15.97	94.740	14.70	0.
6	21.93	0.485	2.96	10.96	112.907	17.52	0.
7	25.86	0.456	5.83	21.58	176.846	27.44	0.
7	28.00	0.333	27.02	99.99	644.588	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 2/5/2018 4:16:02 PM
Printed by: wet


Ident: CCB
Analysis from: 2/5/2018 12:42:11 PM
File: _2018-02-05_

Last save: 2/5/2018 4:15:52 PM

Method: ANIONS 01-22-18.mtw
Run operator: wet
Analysis number: 60880

Last save: 1/22/2018 3:42:20 PM

SAMPLE:
: AK/AP
Vial number: 3
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD

Report date: 2/5/2018 4:16:09 PM
Printed by: wet


Ident: LB93101BLS
Analysis from: 2/5/2018 1:25:17 PM
File: _2018-02-05_

Last save: 2/5/2018 4:15:52 PM

Method: ANIONS 01-22-18.mtw
Run operator: wet
Analysis number: 60881

Last save: 1/22/2018 3:42:20 PM

SAMPLE: 5.01g
: AK/AP
Vial number: 4
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD

Report date: 2/5/2018 4:16:15 PM
Printed by: wet


Ident: LB93101BSS
Analysis from: 2/5/2018 1:56:11 PM
File: _2018-02-05_

Last save: 2/5/2018 4:15:26 PM

Method: ANIONS 01-22-18.mtw
Run operator: wet
Analysis number: 60882

Last save: 1/22/2018 3:42:20 PM

SAMPLE: 5.00g
: AK/AP
Vial number: 5
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.76	0.255	2.26	8.29	41.382	6.35	0.
2	8.73	0.240	2.69	9.89	43.937	6.74	0.
3	10.43	0.286	5.13	18.82	99.961	15.33	0.
4	13.27	0.277	3.48	12.77	64.892	9.95	0.
5	15.13	0.309	4.25	15.61	89.835	13.78	0.
6	22.02	0.482	3.40	12.50	129.602	19.88	0.
7	25.97	0.454	5.94	21.79	179.264	27.50	0.
7	28.00	0.329	27.15	99.67	648.874	99.53	0.

This report has been created by IC Net
METROHM LTD

Report date: 2/5/2018 4:18:29 PM
Printed by: wet


Ident: J1192-05
Analysis from: 2/5/2018 2:27:06 PM
File: _2018-02-05_

Last save: 2/5/2018 4:18:26 PM

Method: ANIONS 01-22-18.mtw
Run operator: wet
Analysis number: 60883

Last save: 1/22/2018 3:42:20 PM

SAMPLE: 5.00g
: AK/AP
Vial number: 6
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.79	0.254	13.18	12.87	245.905	11.40	0.
2	8.75	0.235	46.46	45.37	734.802	34.07	0.
3	0.00	0.000	0.00	0.00	0.000	0.00	0.
4	13.31	0.273	1.26	1.23	23.067	1.07	0.
5	15.11	0.297	9.36	9.14	190.939	8.85	0.
6	22.11	0.588	0.44	0.43	21.482	1.00	0.
7	25.90	0.445	31.58	30.84	936.043	43.40	0.
7	28.00	0.299	102.29	99.87	2152.237	99.80	0.

This report has been created by IC Net
METROHM LTD

Report date: 2/5/2018 4:16:49 PM
Printed by: wet


Ident: J1192-05DLX5
Analysis from: 2/5/2018 2:58:00 PM
File: _2018-02-05_

Last save: 2/5/2018 4:16:50 PM

Method: ANIONS 01-22-18.mtw
Run operator: wet
Analysis number: 60884

Last save: 1/22/2018 3:42:20 PM

SAMPLE: 5.00g
: AK/AP
Vial number: 7
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.74	0.252	2.05	12.51	38.546	10.97	0.
2	8.71	0.234	7.48	45.56	119.348	33.96	0.
3	0.00	0.000	0.00	0.00	0.000	0.00	0.
4	13.27	0.286	0.23	1.41	4.401	1.25	0.
5	15.14	0.318	1.48	9.04	31.906	9.08	0.
6	0.00	0.000	0.00	0.00	0.000	0.00	0.
7	25.96	0.457	5.16	31.46	157.283	44.75	0.
7	28.00	0.221	16.41	99.99	351.485	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 2/6/2018 1:27:42 PM
 Printed by: wet


Ident: CCV
 Analysis from: 2/5/2018 3:59:49 PM
 File: _2018-02-05_

Last save: 2/5/2018 4:27:38 PM

Method: ANIONS 01-22-18.mtw
 Run operator: wet
 Analysis number: 60886

Last save: 1/22/2018 3:42:20 PM

SAMPLE:
 : AK/AP
 Vial number: 2
 Volume: 20.0 µL
 Dilution: 1.00
 Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.75	0.250	2.37	8.40	43.565	6.52	0.
2	8.71	0.242	2.86	10.15	46.710	6.99	0.
3	10.39	0.285	5.35	19.00	104.080	15.58	0.
4	13.21	0.275	3.66	12.98	67.630	10.13	0.
5	15.06	0.307	4.47	15.85	93.440	13.99	0.
6	22.04	0.484	3.50	12.41	133.671	20.01	0.
7	25.98	0.449	5.89	20.89	175.891	26.34	0.
7	28.00	0.328	28.08	99.68	664.987	99.57	0.

This report has been created by IC Net
 METROHM LTD

Report date: 2/6/2018 1:27:52 PM
Printed by: wet


Ident: CCB
Analysis from: 2/5/2018 4:50:47 PM
File: _2018-02-05_

Last save: 2/5/2018 5:18:36 PM

Method: ANIONS 01-22-18.mtw
Run operator: wet
Analysis number: 60887

Last save: 1/22/2018 3:42:20 PM

SAMPLE:
: AK/AP
Vial number: 3
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD