

TC-1

300.0

7-31-18 AL

Clear table

ident	concentrati on F-	concentrati on CL-	concentrati on NO2	concentrati on BR-	concentrati on NO3	concentrati on HPO4	concentrati on SO4	file name	date time	Initial wt/ Final	Analyst
STD1	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	_2018-07-10_	7/10/18 11:25		AK/AP
STD2	0.1380	0.2130	0.2440	0.8130	0.2040	-0.0360	1.2970	_2018-07-10_	7/10/18 11:55		AK/AP
STD3	0.3780	0.6330	0.6190	2.1000	0.5280	1.0550	3.2160	_2018-07-10_	7/10/18 12:25		AK/AP
STD4	0.7870	1.1720	1.1820	3.9410	0.9890	2.2350	5.8880	_2018-07-10_	7/10/18 12:55		AK/AP
STD5	1.9960	2.9180	2.8730	9.6400	2.3960	5.1480	14.2360	_2018-07-10_	7/10/18 13:25		AK/AP
STD6	3.9850	5.9210	5.9360	19.4910	4.8790	9.8020	29.3500	_2018-07-10_	7/10/18 13:54		AK/AP
STD7	5.0160	7.5930	7.5960	25.5150	6.3780	12.5470	38.2630	_2018-07-10_	7/10/18 14:24		AK/AP
ICV	2.1030	3.0380	3.0310	10.0260	2.4970	5.3620	14.9820	_2018-07-10_	7/10/18 17:39		AK/AP
ICB	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	_2018-07-10_	7/10/18 18:09		AK/AP
CCV	2.1030	2.8820	2.9310	9.4980	2.3800	4.6420	14.2140	_2018-07-27_	7/27/18 7:49		AK/AP
CCB	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	_2018-07-27_	7/27/18 8:18		AK/AP
LB96932BLW	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	_2018-07-27_	7/27/18 8:47		AK/AP
LB96932BSW	1.9510	2.8220	2.9350	9.3240	2.3480	4.8400	14.0150	_2018-07-27_	7/27/18 9:16		AK/AP
J4216-01	0.0000	0.0000	0.1610	0.0000	0.4090	0.0000	0.0000	_2018-07-27_	7/27/18 12:42		AK/AP
J4216-02	0.0000	0.0000	0.0000	0.0000	0.3310	0.0000	0.0000	_2018-07-27_	7/27/18 13:11		AK/AP
J4216-03	0.0000	0.0000	0.0000	0.0000	0.2050	0.0000	0.0000	_2018-07-27_	7/27/18 13:40		AK/AP
J4216-03DUP	0.0000	0.0000	0.0000	0.0000	0.2020	0.0000	0.0000	_2018-07-27_	7/27/18 14:09		AK/AP
J4182-01	0.0000	0.0000	0.0000	0.0000	0.2860	0.0000	0.0000	_2018-07-27_	7/27/18 14:38		AK/AP
J4181-01	0.0000	0.1490	0.0000	0.0000	0.3440	0.0000	0.0000	_2018-07-27_	7/27/18 15:07		AK/AP
J4216-03MS	2.1280	3.0130	3.0040	9.8170	2.5860	4.8710	15.4210	_2018-07-27_	7/27/18 15:35		AK/AP
J4216-03MSD	2.1850	3.1120	3.1050	10.2220	2.6930	5.0840	16.0600	_2018-07-27_	7/27/18 16:04		AK/AP
CCV	1.9280	2.8410	2.8610	9.4090	2.3570	4.8310	14.0950	_2018-07-27_	7/27/18 16:33		AK/AP
CCB	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	_2018-07-27_	7/27/18 17:02		AK/AP


CALIBRATION OF COMPONENT F-

Method: ANIONS 07-10-18.mtw
 Equation: $Q = 0.867486 \cdot A + 1.63054$
 RSD: 1.243 %
 Correlation coefficient: 0.999937

IC-1 Cal

7-10-18

AK




K3 = 0 K2 = 0 K1 = 0.867486 K0 = 1.63054

Base: Area
 Ref.channel: Cond
 ISTD:
 Formula: Linear
 Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File
1	0	0	0	0	0		No
2	0.06512	1.296	0.1	20	5.913		Yes
3	0.3355	6.836	0.4	20	5.913		Yes
4	0.7856	16.26	0.8	20	5.913		Yes
5	2.171	44.15	2	20	5.913		Yes
6	4.67	89.99	4	20	5.913		Yes
7	6.159	113.8	5	20	5.913		Yes

CALIBRATION OF COMPONENT CL-

Method: ANIONS 07-10-18.mtw
 Equation: $Q = 1.27877 \cdot A + 1.39557$
 RSD: 2.686 %
 Correlation coefficient: 0.999706



K3 = 0 K2 = 0 K1 = 1.27877 K0 = 1.39557

Base: Area

Ref.channel: Cond

ISTD:


Formula: Linear

Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File	
1	0	0	0	0	0			No
2	0.1263	2.234	0.15	20	8.858			Yes
3	0.4844	8.811	0.6	20	8.858			Yes
4	0.9851	17.24	1.2	20	8.858			Yes
5	2.553	44.55	3	20	8.858			Yes
6	5.299	91.51	6	20	8.858			Yes
7	6.921	117.7	7.5	20	8.858			Yes

CALIBRATION OF COMPONENT NO2

Method: ANIONS 07-10-18.mtw
 Equation: $Q = 0.543732 \cdot A + 2.60958$
 RSD: 3.217 %
 Correlation coefficient: 0.999578




K3 = 0 K2 = 0 K1 = 0.543732 K0 = 2.60958

Base: Area
 Ref.channel: Cond
 ISTD:
 Formula: Linear
 Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File	
1	0	0	0	0	0			No
2	0.2037	4.19	0.15	20	10.65			Yes
3	0.9115	17.96	0.6	20	10.65			Yes
4	1.942	38.67	1.2	20	10.65			Yes
5	5.085	100.9	3	20	10.65			Yes
6	10.53	213.6	6	20	10.65			Yes
7	13.68	274.6	7.5	20	10.65			Yes

CALIBRATION OF COMPONENT BR-

Method: ANIONS 07-10-18.mtw
 Equation: $Q = 2.83091 \cdot A + 8.63311$
 RSD: 4.266 %
 Correlation coefficient: 0.999257



K3 = 0 K2 = 0 K1 = 2.83091 K0 = 8.63311

Base: Area

Ref.channel: Cond

ISTD:


Formula: Linear

Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File	
1	0	0	0	0	0			No
2	0.1295	2.691	0.5	20	13.72			Yes
3	0.5576	11.78	2	20	13.72			Yes
4	1.175	24.79	4	20	13.72			Yes
5	3.06	65.06	10	20	13.72			Yes
6	6.308	134.7	20	20	13.72			Yes
7	8.151	177.2	25	20	13.72			Yes

CALIBRATION OF COMPONENT NO3

Method: ANIONS 07-10-18.mtw
 Equation: $Q = 0.503217 \cdot A + 2.13495$
 RSD: 4.315 %
 Correlation coefficient: 0.999240




K3 = 0 K2 = 0 K1 = 0.503217 K0 = 2.13495

Base: Area
 Ref.channel: Cond
 ISTD:
 Formula: Linear
 Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File	
1	0	0	0	0	0			No
2	0.1516	3.851	0.125	20	15.65			Yes
3	0.6833	16.76	0.5	20	15.65			Yes
4	1.436	35.08	1	20	15.65			Yes
5	3.782	90.98	2.5	20	15.65			Yes
6	8.07	189.7	5	20	15.65			Yes
7	10.69	249.3	6.25	20	15.65			Yes

CALIBRATION OF COMPONENT HPO4

Method: ANIONS 07-10-18.mtw
 Equation: $Q = 1.00998 \cdot A - 6.0804$
 RSD: 4.400 %
 Correlation coefficient: 0.999210




K3 = 0 K2 = 0 K1 = 1.00998 K0 = -6.0804

Base: Area
 Ref.channel: Cond
 ISTD:
 Formula: Linear
 Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File	
1	0	0	0	0	0			No
2	0.1271	5.298	0.25	20	21.48			Yes
3	0.657	26.91	1	20	21.48			Yes
4	1.266	50.28	2	20	21.48			Yes
5	2.835	108	5	20	21.48			Yes
6	5.401	200.1	10	20	21.48			Yes
7	6.915	254.5	12.5	20	21.48			Yes

CALIBRATION OF COMPONENT SO4

Method: ANIONS 07-10-18.mtw
 Equation: $Q = 1.59883 \cdot A + 12.249$
 RSD: 4.537 %
 Correlation coefficient: 0.999159



K3 = 0 K2 = 0 K1 = 1.59883 K0 = 12.249

Base: Area
 Ref.channel: Cond
 ISTD:
 Formula: Linear
 Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File	
1	0	0	0	0	0			No
2	0.2536	8.562	0.75	20	25.17			Yes
3	0.9879	32.56	3	20	25.17			Yes
4	2.03	65.99	6	20	25.17			Yes
5	5.347	170.4	15	20	25.17			Yes
6	11.34	359.5	30	20	25.17			Yes
7	14.92	471	37.5	20	25.17			Yes

Report date: 7/11/2018 7:58:50 AM
Printed by: wet


Ident: STD1
Analysis from: 7/10/2018 11:25:20 AM
File: _2018-07-10_

Last save: 7/11/2018 7:58:48 AM

Method: ANIONS 07-10-18.mtw
Run operator: wet
Analysis number: 63112

Last save: 7/10/2018 9:30:04 AM

SAMPLE:
: AK/AP
Vial number: 2
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD

Report date: 7/11/2018 7:59:00 AM
Printed by: wet


Ident: STD2
Analysis from: 7/10/2018 11:55:15 AM
File: _2018-07-10_

Last save: 7/10/2018 12:22:04 PM

Method: ANIONS 07-10-18.mtw
Run operator: wet
Analysis number: 63113

Last save: 7/10/2018 12:14:44 PM

SAMPLE:
: AK/AP
Vial number: 3
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.70	0.307	0.06	5.65	1.296	4.24	0.
2	8.70	0.263	0.13	11.18	2.234	7.31	0.
3	10.46	0.299	0.20	18.01	4.190	13.70	0.
4	13.48	0.325	0.13	11.43	2.691	8.80	0.
5	15.46	0.376	0.15	13.42	3.851	12.59	0.
6	20.83	0.578	0.13	11.18	5.298	17.33	0.
7	23.93	0.518	0.25	22.47	8.562	28.00	0.
7	27.00	0.381	1.05	93.35	28.122	91.96	0.

This report has been created by IC Net
METROHM LTD

Report date: 7/11/2018 7:59:12 AM
Printed by: wet


Ident: STD3
Analysis from: 7/10/2018 12:25:11 PM
File: _2018-07-10_

Last save: 7/10/2018 12:52:00 PM

Method: ANIONS 07-10-18.mtw
Run operator: wet
Analysis number: 63114

Last save: 7/10/2018 12:22:04 PM

SAMPLE:
: AK/AP
Vial number: 4
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.68	0.283	0.34	7.15	6.836	5.51	0.
2	8.65	0.272	0.48	10.31	8.811	7.10	0.
3	10.42	0.296	0.91	19.41	17.960	14.47	0.
4	13.41	0.325	0.56	11.88	11.783	9.49	0.
5	15.37	0.370	0.68	14.56	16.759	13.50	0.
6	20.81	0.552	0.66	14.00	26.913	21.69	0.
7	23.93	0.504	0.99	21.06	32.565	26.24	0.
7	27.00	0.372	4.61	98.37	121.627	98.01	0.

This report has been created by IC Net
METROHM LTD

Report date: 7/11/2018 7:59:20 AM
Printed by: wet


Ident: STD4
Analysis from: 7/10/2018 12:55:06 PM
File: _2018-07-10_

Last save: 7/10/2018 1:21:56 PM

Method: ANIONS 07-10-18.mtw
Run operator: wet
Analysis number: 63115

Last save: 7/10/2018 12:52:00 PM

SAMPLE:
: AK/AP
Vial number: 5
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.67	0.279	0.79	8.10	16.263	6.48	0.
2	8.64	0.263	0.98	10.15	17.239	6.87	0.
3	10.38	0.295	1.94	20.02	38.668	15.42	0.
4	13.33	0.322	1.17	12.11	24.792	9.88	0.
5	15.27	0.367	1.44	14.81	35.084	13.99	0.
6	20.78	0.539	1.27	13.05	50.278	20.04	0.
7	23.91	0.498	2.03	20.93	65.988	26.31	0.
7	27.00	0.366	9.62	99.17	248.314	98.99	0.

This report has been created by IC Net
METROHM LTD

Report date: 7/11/2018 7:59:26 AM
 Printed by: wet


Ident: STD5
 Analysis from: 7/10/2018 1:25:01 PM
 File: _2018-07-10_

Last save: 7/10/2018 1:51:50 PM

Method: ANIONS 07-10-18.mtw
 Run operator: wet
 Analysis number: 63116

Last save: 7/10/2018 1:21:56 PM

SAMPLE:
 : AK/AP
 Vial number: 6
 Volume: 20.0 µL
 Dilution: 1.00
 Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.68	0.270	2.17	8.71	44.146	7.05	0.
2	8.66	0.261	2.55	10.25	44.552	7.11	0.
3	10.40	0.294	5.08	20.41	100.862	16.10	0.
4	13.37	0.323	3.06	12.28	65.057	10.39	0.
5	15.28	0.359	3.78	15.18	90.983	14.52	0.
6	20.83	0.520	2.83	11.38	107.956	17.23	0.
7	23.97	0.487	5.35	21.46	170.424	27.21	0.
7	27.00	0.359	24.83	99.67	623.980	99.61	0.

This report has been created by IC Net
 METROHM LTD

Report date: 7/11/2018 7:59:37 AM
Printed by: wet


Ident: STD6
Analysis from: 7/10/2018 1:54:56 PM
File: _2018-07-10_

Last save: 7/10/2018 2:21:46 PM

Method: ANIONS 07-10-18.mtw
Run operator: wet
Analysis number: 63117

Last save: 7/10/2018 1:51:50 PM

SAMPLE:
: AK/AP
Vial number: 7
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.70	0.265	4.67	9.03	89.986	7.02	0.
2	8.68	0.258	5.30	10.25	91.515	7.14	0.
3	10.40	0.300	10.53	20.37	213.556	16.67	0.
4	13.36	0.325	6.31	12.20	134.655	10.51	0.
5	15.21	0.349	8.07	15.61	189.683	14.81	0.
6	20.83	0.510	5.40	10.45	200.128	15.62	0.
7	23.99	0.485	11.34	21.93	359.480	28.06	0.
7	27.00	0.356	51.62	99.85	1279.004	99.83	0.

This report has been created by IC Net
METROHM LTD

Report date: 7/11/2018 7:59:46 AM
Printed by: wet


Ident: STD7
Analysis from: 7/10/2018 2:24:52 PM
File: _2018-07-10_

Last save: 7/10/2018 2:51:42 PM

Method: ANIONS 07-10-18.mtw
Run operator: wet
Analysis number: 63118

Last save: 7/10/2018 2:21:46 PM

SAMPLE:
: AK/AP
Vial number: 8
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.69	0.257	6.16	9.12	113.773	6.85	0.
2	8.65	0.254	6.92	10.25	117.658	7.09	0.
3	10.36	0.299	13.68	20.26	274.611	16.54	0.
4	13.31	0.332	8.15	12.07	177.214	10.68	0.
5	15.14	0.345	10.69	15.84	249.253	15.01	0.
6	20.78	0.511	6.92	10.24	254.475	15.33	0.
7	23.96	0.481	14.92	22.10	470.982	28.37	0.
7	27.00	0.354	67.44	99.89	1657.965	99.87	0.

This report has been created by IC Net
METROHM LTD

Report date: 7/11/2018 8:01:22 AM
Printed by: wet


Ident: ICV
Analysis from: 7/10/2018 5:39:13 PM
File: _2018-07-10_

Last save: 7/11/2018 7:45:32 AM

Method: ANIONS 07-10-18.mtw
Run operator: wet
Analysis number: 63123

Last save: 7/10/2018 2:51:42 PM

SAMPLE:
: AK/AP
Vial number: 11
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.70	0.269	2.28	8.63	46.594	7.09	0.
2	8.67	0.258	2.69	10.16	46.424	7.07	0.
3	10.40	0.293	5.40	20.42	106.700	16.24	0.
4	13.36	0.317	3.25	12.30	67.782	10.32	0.
5	15.25	0.353	4.03	15.22	95.015	14.46	0.
6	20.81	0.512	3.00	11.33	112.202	17.08	0.
7	23.97	0.480	5.72	21.64	179.753	27.36	0.
7	27.00	0.355	26.38	99.69	654.470	99.61	0.

This report has been created by IC Net
METROHM LTD

Report date: 7/11/2018 8:01:37 AM
Printed by: wet


Ident: ICB
Analysis from: 7/10/2018 6:09:08 PM
File: _2018-07-10_

Last save: 7/11/2018 8:01:36 AM

Method: ANIONS 07-10-18.mtw
Run operator: wet
Analysis number: 63124

Last save: 7/10/2018 2:51:42 PM

SAMPLE:
:
Vial number: 12
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD

Report date: 7/31/2018 12:30:33 PM
Printed by: wet


Ident: CCV
Analysis from: 7/27/2018 7:49:43 AM
File: _2018-07-27_

Last save: 7/27/2018 8:15:34 AM

Method: ANIONS 07-10-18.mtw
Run operator: wet
Analysis number: 63305

Last save: 7/13/2018 8:43:04 AM

SAMPLE:
: AK/AP
Vial number: 2
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.76	0.316	1.96	8.04	46.612	7.57	0.
2	8.81	0.263	2.50	10.26	43.984	7.14	0.
3	10.60	0.302	5.06	20.82	103.016	16.72	0.
4	13.70	0.330	2.95	12.13	64.055	10.40	0.
5	15.68	0.371	3.63	14.95	90.357	14.67	0.
6	20.86	0.495	2.69	11.06	97.944	15.90	0.
7	24.03	0.468	5.53	22.73	170.139	27.62	0.
7	26.00	0.363	24.32	100.00	616.107	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 7/31/2018 12:30:55 PM
Printed by: wet


Ident: CCB
Analysis from: 7/27/2018 8:18:39 AM
File: _2018-07-27_

Last save: 7/31/2018 12:30:54 PM

Method: ANIONS 07-10-18.mtw
Run operator: wet
Analysis number: 63306

Last save: 7/13/2018 8:43:04 AM

SAMPLE:
: AK/AP
Vial number: 3
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD

Report date: 7/31/2018 12:31:18 PM
Printed by: wet


Ident: LB96932BLW
Analysis from: 7/27/2018 8:47:34 AM
File: _2018-07-27_

Last save: 7/31/2018 12:31:18 PM

Method: ANIONS 07-10-18.mtw
Run operator: wet
Analysis number: 63307

Last save: 7/13/2018 8:43:04 AM

SAMPLE:
: AK/AP
Vial number: 4
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD

Report date: 7/31/2018 12:31:54 PM
Printed by: wet


Ident: LB96932BSW
Analysis from: 7/27/2018 9:16:30 AM
File: _2018-07-27_

Last save: 7/31/2018 12:30:22 PM

Method: ANIONS 07-10-18.mtw
Run operator: wet
Analysis number: 63308

Last save: 7/13/2018 8:43:04 AM

SAMPLE:
: AK/AP
Vial number: 5
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.72	0.306	1.89	7.69	43.104	7.03	0.
2	8.69	0.259	2.49	10.15	43.046	7.02	0.
3	10.44	0.302	5.10	20.73	103.160	16.82	0.
4	13.45	0.321	2.98	12.13	62.826	10.24	0.
5	15.38	0.358	3.71	15.09	89.079	14.52	0.
6	20.88	0.492	2.80	11.39	101.855	16.60	0.
7	24.05	0.462	5.52	22.47	167.650	27.33	0.
7	26.00	0.357	24.49	99.65	610.720	99.56	0.

This report has been created by IC Net
METROHM LTD

Report date: 7/31/2018 12:34:12 PM
Printed by: wet


Ident: J4216-01
Analysis from: 7/27/2018 12:42:23 PM
File: _2018-07-27_

Last save: 7/31/2018 12:34:12 PM

Method: ANIONS 07-10-18.mtw
Run operator: wet
Analysis number: 63310

Last save: 7/13/2018 8:43:04 AM

SAMPLE:
: AK/AP
Vial number: 6
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	0.00	0.000	0.00	0.00	0.000	0.00	0.
2	0.00	0.000	0.00	0.00	0.000	0.00	0.
3	10.84	0.269	0.07	9.90	1.139	6.69	0.
4	0.00	0.000	0.00	0.00	0.000	0.00	0.
5	16.14	0.378	0.48	68.45	12.018	70.60	0.
6	0.00	0.000	0.00	0.00	0.000	0.00	0.
7	0.00	0.000	0.00	0.00	0.000	0.00	0.
7	26.00	0.093	0.55	78.35	13.157	77.29	0.

This report has been created by IC Net
METROHM LTD

Report date: 7/31/2018 12:34:52 PM
Printed by: wet


Ident: J4216-02
Analysis from: 7/27/2018 1:11:19 PM
File: _2018-07-27_

Last save: 7/31/2018 12:34:46 PM

Method: ANIONS 07-10-18.mtw
Run operator: wet
Analysis number: 63311

Last save: 7/13/2018 8:43:04 AM

SAMPLE:
: AK/AP
Vial number: 7
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	0.00	0.000	0.00	0.00	0.000	0.00	0.
2	0.00	0.000	0.00	0.00	0.000	0.00	0.
3	0.00	0.000	0.00	0.00	0.000	0.00	0.
4	0.00	0.000	0.00	0.00	0.000	0.00	0.
5	15.57	0.369	0.36	99.81	8.894	100.00	0.
6	0.00	0.000	0.00	0.00	0.000	0.00	0.
7	0.00	0.000	0.00	0.00	0.000	0.00	0.
7	26.00	0.053	0.36	99.81	8.894	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 7/31/2018 12:35:21 PM
 Printed by: wet


Ident: J4216-03
 Analysis from: 7/27/2018 1:40:14 PM
 File: _2018-07-27_

Last save: 7/31/2018 12:35:22 PM

Method: ANIONS 07-10-18.mtw
 Run operator: wet
 Analysis number: 63312

Last save: 7/13/2018 8:43:04 AM

SAMPLE:
 : AK/AP
 Vial number: 8
 Volume: 20.0 µL
 Dilution: 1.00
 Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	0.00	0.000	0.00	0.00	0.000	0.00	0.
2	0.00	0.000	0.00	0.00	0.000	0.00	0.
3	0.00	0.000	0.00	0.00	0.000	0.00	0.
4	0.00	0.000	0.00	0.00	0.000	0.00	0.
5	15.50	0.370	0.16	99.60	3.896	100.00	0.
6	0.00	0.000	0.00	0.00	0.000	0.00	0.
7	0.00	0.000	0.00	0.00	0.000	0.00	0.
7	26.00	0.053	0.16	99.60	3.896	100.00	0.

This report has been created by IC Net
 METROHM LTD

Report date: 7/31/2018 12:35:31 PM
Printed by: wet


Ident: J4216-03DUP
Analysis from: 7/27/2018 2:09:10 PM
File: _2018-07-27_

Last save: 7/27/2018 2:35:00 PM

Method: ANIONS 07-10-18.mtw
Run operator: wet
Analysis number: 63313

Last save: 7/13/2018 8:43:04 AM

SAMPLE:
: AK/AP
Vial number: 9
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	0.00	0.000	0.00	0.00	0.000	0.00	0.
2	0.00	0.000	0.00	0.00	0.000	0.00	0.
3	0.00	0.000	0.00	0.00	0.000	0.00	0.
4	0.00	0.000	0.00	0.00	0.000	0.00	0.
5	15.60	0.368	0.16	99.31	3.805	100.00	0.
6	0.00	0.000	0.00	0.00	0.000	0.00	0.
7	0.00	0.000	0.00	0.00	0.000	0.00	0.
7	26.00	0.053	0.16	99.31	3.805	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 7/31/2018 12:35:49 PM
Printed by: wet


Ident: J4182-01
Analysis from: 7/27/2018 2:38:06 PM
File: _2018-07-27_

Last save: 7/27/2018 3:03:56 PM

Method: ANIONS 07-10-18.mtw
Run operator: wet
Analysis number: 63314

Last save: 7/13/2018 8:43:04 AM

SAMPLE:
: AK/AP
Vial number: 12
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	0.00	0.000	0.00	0.00	0.000	0.00	0.
2	0.00	0.000	0.00	0.00	0.000	0.00	0.
3	0.00	0.000	0.00	0.00	0.000	0.00	0.
4	0.00	0.000	0.00	0.00	0.000	0.00	0.
5	15.38	0.360	0.30	100.02	7.129	100.00	0.
6	0.00	0.000	0.00	0.00	0.000	0.00	0.
7	0.00	0.000	0.00	0.00	0.000	0.00	0.
7	26.00	0.051	0.30	100.02	7.129	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 7/31/2018 12:36:36 PM
Printed by: wet


Ident: J4181-01
Analysis from: 7/27/2018 3:07:01 PM
File: _2018-07-27_

Last save: 7/31/2018 12:36:34 PM

Method: ANIONS 07-10-18.mtw
Run operator: wet
Analysis number: 63315

Last save: 7/13/2018 8:43:04 AM

SAMPLE:
: AK/AP
Vial number: 13
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	0.00	0.000	0.00	0.00	0.000	0.00	0.
2	8.85	0.269	0.07	15.30	1.243	11.64	0.
3	0.00	0.000	0.00	0.00	0.000	0.00	0.
4	0.00	0.000	0.00	0.00	0.000	0.00	0.
5	15.69	0.370	0.38	84.32	9.434	88.36	0.
6	0.00	0.000	0.00	0.00	0.000	0.00	0.
7	0.00	0.000	0.00	0.00	0.000	0.00	0.
7	26.00	0.091	0.45	99.62	10.677	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 7/31/2018 12:36:48 PM
Printed by: wet


Ident: J4216-03MS
Analysis from: 7/27/2018 3:35:57 PM
File: _2018-07-27_

Last save: 7/27/2018 4:01:46 PM

Method: ANIONS 07-10-18.mtw
Run operator: wet
Analysis number: 63316

Last save: 7/13/2018 8:43:04 AM

SAMPLE:
: AK/AP
Vial number: 10
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.79	0.302	2.03	7.56	47.174	7.21	0.
2	8.75	0.254	2.70	10.06	46.039	7.04	0.
3	10.48	0.288	5.43	20.20	105.704	16.16	0.
4	13.43	0.311	3.25	12.09	66.308	10.14	0.
5	15.29	0.343	4.29	15.97	98.538	15.06	0.
6	21.01	0.483	2.86	10.63	102.469	15.66	0.
7	24.20	0.452	6.22	23.15	185.247	28.31	0.
7	26.00	0.348	26.80	99.66	651.477	99.58	0.

This report has been created by IC Net
METROHM LTD

Report date: 7/31/2018 12:37:00 PM
Printed by: wet


Ident: J4216-03MSD
Analysis from: 7/27/2018 4:04:52 PM
File: _2018-07-27_

Last save: 7/27/2018 4:30:42 PM

Method: ANIONS 07-10-18.mtw
Run operator: wet
Analysis number: 63317

Last save: 7/13/2018 8:43:04 AM

SAMPLE:
: AK/AP
Vial number: 11
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.73	0.304	2.15	7.67	48.492	7.13	0.
2	8.68	0.254	2.81	10.03	47.586	7.00	0.
3	10.39	0.289	5.60	20.02	109.408	16.09	0.
4	13.33	0.312	3.38	12.10	69.171	10.17	0.
5	15.20	0.343	4.47	15.97	102.771	15.11	0.
6	20.90	0.481	2.98	10.66	106.701	15.69	0.
7	24.09	0.453	6.49	23.22	193.231	28.41	0.
7	26.00	0.348	27.87	99.67	677.360	99.58	0.

This report has been created by IC Net
METROHM LTD

Report date: 7/31/2018 12:37:42 PM
Printed by: wet


Ident: CCV
Analysis from: 7/27/2018 4:33:48 PM
File: _2018-07-27_

Last save: 7/27/2018 4:59:38 PM

Method: ANIONS 07-10-18.mtw
Run operator: wet
Analysis number: 63318

Last save: 7/13/2018 8:43:04 AM

SAMPLE:
: AK/AP
Vial number: 2
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.72	0.308	1.90	7.61	42.579	6.95	0.
2	8.68	0.256	2.53	10.11	43.344	7.08	0.
3	10.40	0.289	5.14	20.53	100.437	16.40	0.
4	13.33	0.314	3.08	12.31	63.422	10.36	0.
5	15.20	0.345	3.87	15.46	89.444	14.61	0.
6	20.90	0.487	2.82	11.26	101.676	16.61	0.
7	24.10	0.459	5.60	22.37	168.661	27.55	0.
7	26.00	0.351	24.94	99.64	609.563	99.55	0.

This report has been created by IC Net
METROHM LTD

Report date: 7/31/2018 12:38:00 PM
Printed by: wet


Ident: CCB
Analysis from: 7/27/2018 5:02:44 PM
File: _2018-07-27_

Last save: 7/31/2018 12:38:00 PM

Method: ANIONS 07-10-18.mtw
Run operator: wet
Analysis number: 63319

Last save: 7/13/2018 8:43:04 AM

SAMPLE:
: AK/AP
Vial number: 3
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD