

FC-1 300.0
8-15-18 AK


Clear table

ident	concentrati on F-	concentrati on CL-	concentrati on NO2	concentrati on BR-	concentrati on NO3	concentrati on HPO4	concentrati on SO4	file name	date time	Initial wt/ Final	Analyst
STD1	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	2018-08-08_	8/8/18 10:27		AK/AP
STD2	0.2300	0.2400	0.2670	0.8790	0.2250	0.2400	1.3980	2018-08-08_	8/8/18 10:58		AK/AP
STD3	0.4010	0.6200	0.6240	2.0930	0.5250	0.9270	3.1680	2018-08-08_	8/8/18 11:29		AK/AP
STD4	0.7470	1.1820	1.1840	3.9570	0.9900	2.0840	5.9460	2018-08-08_	8/8/18 11:59		AK/AP
STD5	1.8510	2.8630	2.8200	9.4730	2.3520	4.9900	13.9670	2018-08-08_	8/8/18 12:30		AK/AP
STD6	4.0750	5.9780	5.9630	19.6320	4.9210	10.0710	29.6480	2018-08-08_	8/8/18 13:01		AK/AP
STD7	4.9960	7.5680	7.5920	25.4650	6.3620	12.4380	38.1230	2018-08-08_	8/8/18 14:16		AK/AP
ICV	1.8980	2.8500	2.8490	9.4310	2.3630	4.7050	14.1300	2018-08-08_	8/8/18 15:46		AK/AP
ICB	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	2018-08-08_	8/8/18 16:15		AK/AP
CCV	1.9160	2.9680	2.9350	9.7100	2.4200	4.9210	14.3230	2018-08-14_	8/14/18 8:09		AK/AP
CCB	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	2018-08-14_	8/14/18 8:38		AK/AP
LB97302BLW	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	2018-08-14_	8/14/18 9:07		AK/AP
LB97302BSW	2.0200	2.9860	2.9590	9.8380	2.4290	6.0430	14.7170	2018-08-14_	8/14/18 12:53		AK/AP
J4470-01	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	2018-08-14_	8/14/18 13:22		AK/AP
J4470-01DUP	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	2018-08-14_	8/14/18 13:51		AK/AP
J4470-01MS	2.0960	3.0540	3.0800	10.1420	2.4890	5.9670	15.8630	2018-08-14_	8/14/18 14:20		AK/AP
J4470-01MSD	1.9200	2.9780	2.9440	9.8940	2.4680	5.8810	15.6060	2018-08-14_	8/14/18 14:49		AK/AP
CCV	2.0020	3.0350	2.8900	9.7200	2.3820	5.6560	14.5440	2018-08-14_	8/14/18 15:19		AK/AP
CCB	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	2018-08-14_	8/14/18 15:49		AK/AP

CALIBRATION OF COMPONENT F-

IC-1 Col
8-8-2018
AL

Method: ANIONS 08-08-18.mtw
Equation: $Q = 0.897452 \cdot A + 2.81752$
RSD: 5.321 %
Correlation coefficient: 0.998844




K3 = 0 K2 = 0 K1 = 0.897452 K0 = 2.81752
Base: Area
Ref.channel: Cond
ISTD:
Formula: Linear
Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File	
1	0	0	0	0	0			No
2	0.05922	1.992	0.1	20	5.913			Yes
3	0.2506	5.799	0.4	20	5.913			Yes
4	0.6213	13.5	0.8	20	5.913			Yes
5	1.733	38.11	2	20	5.913			Yes
6	3.937	87.67	4	20	5.913			Yes
7	5.069	108.2	5	20	5.913			Yes

CALIBRATION OF COMPONENT CL-

Method: ANIONS 08-08-18.mtw
 Equation: $Q = 1.26358 \cdot A + 1.9612$
 RSD: 2.941 %
 Correlation coefficient: 0.999647




K3 = 0 K2 = 0 K1 = 1.26358 K0 = 1.9612

Base: Area
 Ref.channel: Cond
 ISTD:
 Formula: Linear
 Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File	
1	0	0	0	0	0			No
2	0.1298	2.244	0.15	20	8.858			Yes
3	0.4855	8.262	0.6	20	8.858			Yes
4	1.041	17.15	1.2	20	8.858			Yes
5	2.633	43.76	3	20	8.858			Yes
6	5.698	93.06	6	20	8.858			Yes
7	7.353	118.2	7.5	20	8.858			Yes

CALIBRATION OF COMPONENT NO2

Method: ANIONS 08-08-18.mtw
 Equation: $Q = 0.539386 \cdot A + 2.61869$
 RSD: 3.877 %
 Correlation coefficient: 0.999387




K3 = 0 K2 = 0 K1 = 0.539386 K0 = 2.61869

Base: Area
 Ref.channel: Cond
 ISTD:
 Formula: Linear
 Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File	
1	0	0	0	0	0			No
2	0.2381	5.037	0.15	20	10.65			Yes
3	0.9535	18.28	0.6	20	10.65			Yes
4	2.089	39.06	1.2	20	10.65			Yes
5	5.336	99.69	3	20	10.65			Yes
6	11.43	216.3	6	20	10.65			Yes
7	14.68	276.7	7.5	20	10.65			Yes

CALIBRATION OF COMPONENT BR-

Method: ANIONS 08-08-18.mtw
 Equation: $Q = 2.79295 \cdot A + 10.2076$
 RSD: 4.319 %
 Correlation coefficient: 0.999239



K3 = 0 K2 = 0 K1 = 2.79295 K0 = 10.2076

Base: Area

Ref.channel: Cond

ISTD:


Formula: Linear

Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File	
1	0	0	0	0	0			No
2	0.1275	2.639	0.5	20	13.72			Yes
3	0.5499	11.33	2	20	13.72			Yes
4	1.212	24.68	4	20	13.72			Yes
5	3.1	64.18	10	20	13.72			Yes
6	6.535	136.9	20	20	13.72			Yes
7	8.264	178.7	25	20	13.72			Yes

CALIBRATION OF COMPONENT NO3

Method: ANIONS 08-08-18.mtw
 Equation: $Q = 0.494778 \cdot A + 2.34728$
 RSD: 4.427 %
 Correlation coefficient: 0.999200



K3 = 0 K2 = 0 K1 = 0.494778 K0 = 2.34728

Base: Area

Ref.channel: Cond

ISTD:

Formula: Linear


Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File	
1	0	0	0	0	0			No
2	0.175	4.354	0.125	20	15.65			Yes
3	0.6995	16.48	0.5	20	15.65			Yes
4	1.523	35.29	1	20	15.65			Yes
5	3.953	90.33	2.5	20	15.65			Yes
6	8.746	194.2	5	20	15.65			Yes
7	11.46	252.4	6.25	20	15.65			Yes

± 0.25

CALIBRATION OF COMPONENT HPO4

Method: ANIONS 08-08-18.mtw
 Equation: $Q = 1.18591 \cdot A + 2.51088$
 RSD: 1.429 %
 Correlation coefficient: 0.999917




K3 = 0 K2 = 0 K1 = 1.18591 K0 = 2.51088

Base: Area
 Ref.channel: Cond
 ISTD:
 Formula: Linear
 Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File	
1	0	0	0	0	0			No
2	0.05354	1.934	0.25	20	21.48			Yes
3	0.393	13.51	1	20	21.48			Yes
4	0.9599	33.03	2	20	21.48			Yes
5	2.438	82.03	5	20	21.48			Yes
6	5.135	167.7	10	20	21.48			Yes
7	6.523	207.7	12.5	20	21.48			Yes

CALIBRATION OF COMPONENT SO4

Method: ANIONS 08-08-18.mtw
 Equation: $Q = 1.59824 \cdot A + 14.445$
 RSD: 4.634 %
 Correlation coefficient: 0.999123



K3 = 0 K2 = 0 K1 = 1.59824 K0 = 14.445

Base: Area

Ref.channel: Cond

ISTD:

Formula: Linear

Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File
1	0	0	0	0	0		No
2	0.2676	8.457	0.75	20	25.17		Yes
3	1.017	30.61	3	20	25.17		Yes
4	2.197	65.36	6	20	25.17		Yes
5	5.703	165.7	15	20	25.17		Yes
6	12.63	362	30	20	25.17		Yes
7	16.41	468	37.5	20	25.17		Yes

Report date: 8/9/2018 8:37:23 AM
Printed by: wet


Ident: STD1
Analysis from: 8/8/2018 10:27:13 AM
File: _2018-08-08_

Last save: 8/8/2018 2:50:52 PM

Method: ANIONS 08-08-18.mtw
Run operator: wet
Analysis number: 63402

Last save: 8/8/2018 10:16:04 AM

SAMPLE:
: AK/AP
Vial number: 2
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD

Report date: 8/9/2018 8:37:34 AM
Printed by: wet


Ident: STD2
Analysis from: 8/8/2018 10:58:08 AM
File: _2018-08-08_

Last save: 8/8/2018 2:50:52 PM

Method: ANIONS 08-08-18.mtw
Run operator: wet
Analysis number: 63403

Last save: 8/8/2018 10:16:04 AM

SAMPLE:
: AK/AP
Vial number: 3
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.72	0.381	0.06	5.22	1.992	6.83	0.
2	8.72	0.263	0.13	11.47	2.244	7.70	0.
3	10.50	0.293	0.24	21.11	5.037	17.28	0.
4	13.53	0.328	0.13	11.31	2.639	9.05	0.
5	15.51	0.373	0.17	15.52	4.354	14.94	0.
6	21.10	0.501	0.05	4.72	1.934	6.64	0.
7	24.24	0.478	0.27	23.72	8.457	29.01	0.
7	28.00	0.374	1.05	93.07	26.658	91.45	0.

This report has been created by IC Net
METROHM LTD

Report date: 8/9/2018 8:37:41 AM
 Printed by: wet


Ident: STD3
 Analysis from: 8/8/2018 11:29:03 AM
 File: _2018-08-08_

Last save: 8/8/2018 2:50:52 PM

Method: ANIONS 08-08-18.mtw
 Run operator: wet
 Analysis number: 63404

Last save: 8/8/2018 10:16:04 AM

SAMPLE:
 : AK/AP
 Vial number: 4
 Volume: 20.0 µL
 Dilution: 1.00
 Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.70	0.317	0.25	5.66	5.799	5.45	0.
2	8.61	0.257	0.49	10.98	8.262	7.76	0.
3	10.33	0.284	0.95	21.55	18.276	17.17	0.
4	13.24	0.319	0.55	12.44	11.333	10.65	0.
5	15.15	0.357	0.70	15.80	16.476	15.48	0.
6	20.71	0.485	0.39	8.88	13.513	12.70	0.
7	23.76	0.459	1.02	22.99	30.610	28.76	0.
7	28.00	0.354	4.35	98.31	104.270	97.98	0.

This report has been created by IC Net
 METROHM LTD

Report date: 8/9/2018 8:37:49 AM
Printed by: wet


Ident: STD4
Analysis from: 8/8/2018 11:59:57 AM
File: _2018-08-08_

Last save: 8/8/2018 2:50:52 PM

Method: ANIONS 08-08-18.mtw
Run operator: wet
Analysis number: 63405

Last save: 8/8/2018 10:16:04 AM

SAMPLE:
: AK/AP
Vial number: 5
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.70	0.300	0.62	6.43	13.505	5.92	0.
2	8.60	0.251	1.04	10.79	17.151	7.52	0.
3	10.32	0.282	2.09	21.66	39.057	17.12	0.
4	13.22	0.314	1.21	12.57	24.684	10.82	0.
5	15.10	0.350	1.52	15.79	35.287	15.47	0.
6	20.75	0.475	0.96	9.95	33.030	14.48	0.
7	23.85	0.454	2.20	22.78	65.364	28.66	0.
7	28.00	0.347	9.64	99.97	228.078	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 8/9/2018 8:37:56 AM
Printed by: wet


Ident: STD5
Analysis from: 8/8/2018 12:30:52 PM
File: _2018-08-08_

Last save: 8/8/2018 2:50:52 PM

Method: ANIONS 08-08-18.mtw
Run operator: wet
Analysis number: 63406

Last save: 8/8/2018 10:16:04 AM

SAMPLE:
: AK/AP
Vial number: 6
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.71	0.302	1.73	6.94	38.109	6.50	0.
2	8.60	0.252	2.63	10.54	43.762	7.47	0.
3	10.30	0.280	5.34	21.37	99.693	17.02	0.
4	13.17	0.320	3.10	12.41	64.179	10.95	0.
5	15.02	0.344	3.95	15.83	90.327	15.42	0.
6	20.79	0.466	2.44	9.76	82.033	14.00	0.
7	23.88	0.443	5.70	22.84	165.745	28.29	0.
7	28.00	0.344	24.89	99.70	583.847	99.65	0.

This report has been created by IC Net
METROHM LTD

Report date: 8/9/2018 8:38:04 AM
Printed by: wet


Ident: STD6
Analysis from: 8/8/2018 1:01:47 PM
File: _2018-08-08_

Last save: 8/8/2018 2:50:52 PM

Method: ANIONS 08-08-18.mtw
Run operator: wet
Analysis number: 63407

Last save: 8/8/2018 10:16:04 AM

SAMPLE:
: AK/AP
Vial number: 7
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.71	0.295	3.94	7.26	87.665	6.96	0.
2	8.59	0.247	5.70	10.51	93.062	7.39	0.
3	10.27	0.284	11.43	21.10	216.263	17.17	0.
4	13.13	0.324	6.53	12.06	136.930	10.87	0.
5	14.93	0.332	8.75	16.14	194.161	15.41	0.
6	20.75	0.455	5.14	9.48	167.725	13.32	0.
7	23.85	0.435	12.63	23.32	361.966	28.74	0.
7	28.00	0.339	54.12	99.87	1257.773	99.86	0.

This report has been created by IC Net
METROHM LTD

Report date: 8/9/2018 8:38:11 AM
Printed by: wet


Ident: STD7
Analysis from: 8/8/2018 2:16:31 PM
File: _2018-08-08_

Last save: 8/8/2018 3:41:02 PM

Method: ANIONS 08-08-18.mtw
Run operator: wet
Analysis number: 63409

Last save: 8/8/2018 2:51:00 PM

SAMPLE:
: AK/AP
Vial number: 13
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.72	0.295	5.07	7.26	108.203	6.71	0.
2	8.60	0.243	7.35	10.53	118.233	7.34	0.
3	10.27	0.284	14.68	21.03	276.656	17.17	0.
4	13.12	0.337	8.26	11.83	178.700	11.09	0.
5	14.90	0.329	11.46	16.41	252.421	15.66	0.
6	20.80	0.447	6.52	9.34	207.651	12.89	0.
7	23.91	0.434	16.41	23.50	468.028	29.04	0.
7	26.00	0.338	69.76	99.90	1609.892	99.90	0.

This report has been created by IC Net
METROHM LTD

Report date: 8/9/2018 8:38:32 AM
 Printed by: wet


Ident: ICV
 Analysis from: 8/8/2018 3:46:54 PM
 File: _2018-08-08_

Last save: 8/8/2018 4:12:44 PM

Method: ANIONS 08-08-18.mtw
 Run operator: wet
 Analysis number: 63412

Last save: 8/8/2018 2:51:00 PM

SAMPLE:
 : AK/AP
 Vial number: 11
 Volume: 20.0 µL
 Dilution: 1.00
 Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.72	0.299	1.74	6.88	39.160	6.69	0.
2	8.60	0.247	2.67	10.56	43.560	7.44	0.
3	10.27	0.278	5.44	21.53	100.801	17.23	0.
4	13.10	0.311	3.17	12.53	63.883	10.92	0.
5	14.91	0.336	4.07	16.09	90.756	15.51	0.
6	20.84	0.460	2.32	9.18	77.235	13.20	0.
7	23.95	0.441	5.79	22.91	167.784	28.67	0.
7	26.00	0.339	25.22	99.69	583.178	99.67	0.

This report has been created by IC Net
 METROHM LTD

Report date: 8/9/2018 8:38:51 AM
Printed by: wet


Ident: ICB
Analysis from: 8/8/2018 4:15:49 PM
File: _2018-08-08_

Last save: 8/9/2018 8:38:50 AM

Method: ANIONS 08-08-18.mtw
Run operator: wet
Analysis number: 63413

Last save: 8/8/2018 2:51:00 PM

SAMPLE:
: AK/AP
Vial number: 12
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD

Report date: 8/15/2018 11:36:20 AM
Printed by: wet


Ident: CCV
Analysis from: 8/14/2018 8:09:58 AM
File: _2018-08-14_

Last save: 8/14/2018 8:35:48 AM

Method: ANIONS 08-08-18.mtw
Run operator: wet
Analysis number: 63501

Last save: 8/8/2018 2:51:00 PM

SAMPLE:
: AK/AP
Vial number: 2
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.76	0.327	1.62	6.97	39.561	6.58	0.
2	8.73	0.267	2.57	11.07	45.421	7.56	0.
3	10.48	0.308	5.11	22.01	103.979	17.30	0.
4	13.42	0.337	2.99	12.87	65.879	10.96	0.
5	15.35	0.392	3.61	15.53	93.071	15.48	0.
6	20.87	0.534	2.10	9.03	80.878	13.46	0.
7	24.31	0.503	5.17	22.24	170.202	28.32	0.
7	26.00	0.381	23.17	99.73	598.991	99.65	0.

This report has been created by IC Net
METROHM LTD

Report date: 8/15/2018 11:36:31 AM
Printed by: wet


Ident: CCB
Analysis from: 8/14/2018 8:38:54 AM
File: _2018-08-14_

Last save: 8/14/2018 9:04:44 AM

Method: ANIONS 08-08-18.mtw
Run operator: wet
Analysis number: 63502

Last save: 8/8/2018 2:51:00 PM

SAMPLE:
: AK/AP
Vial number: 3
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	0.00	0.000	0.00	0.00	0.000	0.00	0.
2	0.00	0.000	0.00	0.00	0.000	0.00	0.
3	0.00	0.000	0.00	0.00	0.000	0.00	0.
4	0.00	0.000	0.00	0.00	0.000	0.00	0.
5	0.00	0.000	0.00	0.00	0.000	0.00	0.
6	0.00	0.000	0.00	0.00	0.000	0.00	0.
7	0.00	0.000	0.00	0.00	0.000	0.00	0.
7	26.00	0.000	0.00	0.00	0.000	0.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 8/15/2018 11:36:38 AM
Printed by: wet


Ident: LB97302BLW
Analysis from: 8/14/2018 9:07:49 AM
File: _2018-08-14_

Last save: 8/15/2018 11:35:54 AM

Method: ANIONS 08-08-18.mtw
Run operator: wet
Analysis number: 63503

Last save: 8/8/2018 2:51:00 PM

SAMPLE:
: AK/AP
Vial number: 4
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	0.00	0.000	0.00	0.00	0.000	0.00	0.
2	0.00	0.000	0.00	0.00	0.000	0.00	0.
3	0.00	0.000	0.00	0.00	0.000	0.00	0.
4	0.00	0.000	0.00	0.00	0.000	0.00	0.
5	0.00	0.000	0.00	0.00	0.000	0.00	0.
6	0.00	0.000	0.00	0.00	0.000	0.00	0.
7	0.00	0.000	0.00	0.00	0.000	0.00	0.
7	26.00	0.000	0.00	0.00	0.000	0.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 8/15/2018 11:36:46 AM
 Printed by: wet


Ident: LB97302BSW
 Analysis from: 8/14/2018 12:53:14 PM
 File: _2018-08-14_

Last save: 8/15/2018 11:35:54 AM

Method: ANIONS 08-08-18.mtw
 Run operator: wet
 Analysis number: 63507

Last save: 8/8/2018 2:51:00 PM

SAMPLE:
 : AK/AP
 Vial number: 5
 Volume: 20.0 µL
 Dilution: 1.00
 Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.77	0.331	1.68	6.98	41.879	6.65	0.
2	8.76	0.267	2.59	10.75	45.709	7.26	0.
3	10.52	0.308	5.14	21.35	104.844	16.64	0.
4	13.50	0.337	3.03	12.55	66.793	10.60	0.
5	15.46	0.386	3.67	15.23	93.437	14.83	0.
6	20.89	0.539	2.57	10.65	99.790	15.84	0.
7	24.32	0.500	5.35	22.21	175.126	27.80	0.
7	26.00	0.381	24.03	99.71	627.579	99.61	0.

This report has been created by IC Net
 METROHM LTD

Report date: 8/15/2018 11:36:55 AM
Printed by: wet


Ident: J4470-01
Analysis from: 8/14/2018 1:22:09 PM
File: _2018-08-14_

Last save: 8/14/2018 1:48:00 PM

Method: ANIONS 08-08-18.mtw
Run operator: wet
Analysis number: 63508

Last save: 8/8/2018 2:51:00 PM

SAMPLE:
: AK/AP
Vial number: 14
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD

Report date: 8/15/2018 11:37:08 AM
Printed by: wet


Ident: J4470-01DUP
Analysis from: 8/14/2018 1:51:05 PM
File: _2018-08-14_

Last save: 8/15/2018 11:37:08 AM

Method: ANIONS 08-08-18.mtw
Run operator: wet
Analysis number: 63509

Last save: 8/8/2018 2:51:00 PM

SAMPLE:
: AK/AP
Vial number: 15
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD

Report date: 8/15/2018 11:59:18 AM
Printed by: wet


Ident: J4470-01MS
Analysis from: 8/14/2018 2:20:01 PM
File: _2018-08-14_

Last save: 8/14/2018 2:46:50 PM

Method: ANIONS 08-08-18.mtw
Run operator: wet
Analysis number: 63510

Last save: 8/14/2018 2:31:08 PM

SAMPLE:
: AK/AP
Vial number: 16
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.77	0.327	1.71	6.76	43.571	6.65	0.
2	8.73	0.263	2.69	10.63	46.790	7.14	0.
3	10.47	0.310	5.32	21.04	109.356	16.69	0.
4	13.44	0.332	3.17	12.54	68.968	10.53	0.
5	15.37	0.375	3.87	15.32	95.868	14.63	0.
6	20.95	0.518	2.61	10.31	98.511	15.04	0.
7	24.41	0.495	5.84	23.09	189.467	28.92	0.
7	27.00	0.374	25.21	99.70	652.531	99.60	0.

This report has been created by IC Net
METROHM LTD

Report date: 8/15/2018 11:59:28 AM
Printed by: wet


Ident: J4470-01MSD
Analysis from: 8/14/2018 2:49:56 PM
File: _2018-08-14_

Last save: 8/14/2018 3:16:46 PM

Method: ANIONS 08-08-18.mtw
Run operator: wet
Analysis number: 63511

Last save: 8/14/2018 2:31:08 PM

SAMPLE:
: AK/AP
Vial number: 17
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.78	0.330	1.61	6.61	39.658	6.22	0.
2	8.73	0.265	2.59	10.62	45.589	7.15	0.
3	10.47	0.307	5.12	21.02	104.297	16.36	0.
4	13.43	0.335	3.07	12.60	67.197	10.54	0.
5	15.36	0.386	3.73	15.33	95.036	14.91	0.
6	20.98	0.524	2.54	10.44	97.059	15.22	0.
7	24.44	0.506	5.62	23.08	186.257	29.21	0.
7	27.00	0.379	24.28	99.70	635.091	99.61	0.

This report has been created by IC Net
METROHM LTD

Report date: 8/15/2018 11:59:35 AM
Printed by: wet


Ident: CCV
Analysis from: 8/14/2018 3:19:52 PM
File: _2018-08-14_

Last save: 8/14/2018 3:46:40 PM

Method: ANIONS 08-08-18.mtw
Run operator: wet
Analysis number: 63512

Last save: 8/14/2018 2:31:08 PM

SAMPLE:
: AK/AP
Vial number: 2
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.75	0.325	1.63	6.82	41.470	6.73	0.
2	8.71	0.266	2.64	11.06	46.484	7.54	0.
3	10.45	0.304	5.10	21.31	102.300	16.60	0.
4	13.39	0.331	3.04	12.72	65.949	10.70	0.
5	15.30	0.375	3.69	15.45	91.550	14.85	0.
6	20.94	0.520	2.47	10.31	93.273	15.13	0.
7	24.39	0.501	5.27	22.04	172.963	28.06	0.
7	27.00	0.375	23.85	99.71	613.989	99.61	0.

This report has been created by IC Net
METROHM LTD

Report date: 8/15/2018 11:59:51 AM
Printed by: wet


Ident: CCB
Analysis from: 8/14/2018 3:49:47 PM
File: _2018-08-14_

Last save: 8/15/2018 11:59:50 AM

Method: ANIONS 08-08-18.mtw
Run operator: wet
Analysis number: 63513

Last save: 8/14/2018 2:31:08 PM

SAMPLE:
:
Vial number: 3
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD