

IC-1 300.0
10-02-18 80


Clear table

ident	concentrati on F-	concentrati on CL-	concentrati on NO2	concentrati on BR-	concentrati on NO3	concentrati on HPO4	concentrati on SO4	file name	date time	Initial wt/ Final	Analyst
STD1	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	2018-09-04_	9/4/18 10:59		AK/AP
STD2	0.1960	0.2230	0.2340	0.7850	0.2110	0.0490	1.3230	2018-09-04_	9/4/18 11:29		AK/AP
STD3	0.4070	0.6170	0.6320	2.1040	0.5280	0.9990	3.2000	2018-09-04_	9/4/18 11:59		AK/AP
STD4	0.7330	1.2040	1.1860	3.9630	0.9920	2.0690	5.9070	2018-09-04_	9/4/18 12:29		AK/AP
STD5	1.9250	2.9260	2.9000	9.6790	2.4000	5.3010	14.3500	2018-09-04_	9/4/18 12:58		AK/AP
STD6	4.0190	5.8190	5.8430	19.4130	4.8370	9.8580	28.9880	2018-09-04_	9/4/18 13:28		AK/AP
STD7	5.0180	7.6620	7.6550	25.5560	6.4060	12.4740	38.4830	2018-09-04_	9/4/18 13:58		AK/AP
ICV	1.9790	3.0470	3.0480	10.1300	2.5080	5.2630	14.9370	2018-09-04_	9/4/18 15:28		AK/AP
ICB	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	2018-09-04_	9/4/18 15:58		AK/AP
CCV	1.8440	2.8800	2.8540	9.6790	2.3430	4.5580	13.8320	2018-10-01_	10/1/18 12:37		AK/AP
CCB	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	2018-10-01_	10/1/18 13:08		AK/AP
LB98282BLW	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	2018-10-01_	10/1/18 13:39		AK/AP
LB98282BSW	2.1530	3.0260	3.0110	9.8710	2.4490	5.0510	14.4520	2018-10-01_	10/1/18 14:10		AK/AP
J5190-01	0.0000	548.3880	0.0000	1.8250	0.8480	2.0890	64.6910	2018-10-01_	10/1/18 15:01		AK/AP
J5190-01DUP	0.0000	557.8640	0.0000	1.6980	0.8210	2.1200	65.0500	2018-10-01_	10/1/18 15:32		AK/AP
J5190-01MS	1.7060	501.8010	0.4700	11.3900	3.1790	5.9400	80.0230	2018-10-01_	10/1/18 16:03		AK/AP
J5190-01MSD	1.6310	507.7650	0.4960	11.0850	3.1090	5.6620	78.5370	2018-10-01_	10/1/18 16:34		AK/AP
CCV	1.7930	2.9070	2.8350	9.5290	2.3440	3.8390	14.1560	2018-10-01_	10/1/18 17:05		AK/AP
CCB	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	2018-10-01_	10/1/18 17:36		AK/AP

CALIBRATION OF COMPONENT F-

IC-1 cal
9-4-18
AK

Method: ANIONS 09-04-18.mtw
Equation: $Q = 0.899783 \cdot A + 2.72293$
RSD: 3.453 %
Correlation coefficient: 0.999513



K3 = 0 K2 = 0 K1 = 0.899783 K0 = 2.72293

Base: Area

Ref.channel: Cond

ISTD:


Formula: Linear

Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File
1	0	0	0	0	0		No
2	0.05228	1.336	0.1	20	5.913		Yes
3	0.2345	6.021	0.4	20	5.913		Yes
4	0.5148	13.28	0.8	20	5.913		Yes
5	1.533	39.77	2	20	5.913		Yes
6	3.234	86.32	4	20	5.913		Yes
7	4.229	108.5	5	20	5.913		Yes

CALIBRATION OF COMPONENT CL-

Method: ANIONS 09-04-18.mtw
 Equation: $Q = 1.29184 \cdot A + 1.78813$
 RSD: 4.309 %
 Correlation coefficient: 0.999242




K3 = 0 K2 = 0 K1 = 1.29184 K0 = 1.78813

Base: Area
 Ref.channel: Cond
 ISTD:
 Formula: Linear
 Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File
1	0	0	0	0	0		No
2	0.123	2.067	0.15	20	8.858	Yes	
3	0.4946	8.169	0.6	20	8.858	Yes	
4	1.035	17.25	1.2	20	8.858	Yes	
5	2.69	43.91	3	20	8.858	Yes	
6	5.468	88.7	6	20	8.858	Yes	
7	7.305	117.2	7.5	20	8.858	Yes	

CALIBRATION OF COMPONENT NO2

Method: ANIONS 09-04-18.mtw
 Equation: $Q = 0.555871 \cdot A + 2.11184$
 RSD: 4.201 %
 Correlation coefficient: 0.999280




K3 = 0 K2 = 0 K1 = 0.555871 K0 = 2.11184
 Base: Area
 Ref.channel: Cond
 ISTD:
 Formula: Linear
 Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File	
1	0	0	0	0	0			No
2	0.2443	4.621	0.15	20	10.65			Yes
3	0.9895	18.94	0.6	20	10.65			Yes
4	2.066	38.88	1.2	20	10.65			Yes
5	5.357	100.5	3	20	10.65			Yes
6	10.68	206.4	6	20	10.65			Yes
7	13.97	271.6	7.5	20	10.65			Yes

CALIBRATION OF COMPONENT BR-

Method: ANIONS 09-04-18.mtw
 Equation: $Q = 2.88313 \cdot A + 7.56613$
 RSD: 4.500 %
 Correlation coefficient: 0.999173



K3 = 0 K2 = 0 K1 = 2.88313 K0 = 7.56613

Base: Area

Ref.channel: Cond

ISTD:


Formula: Linear

Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File
1	0	0	0	0	0		No
2	0.1371	2.823	0.5	20	13.72		Yes
3	0.5728	11.97	2	20	13.72		Yes
4	1.212	24.87	4	20	13.72		Yes
5	3.172	64.52	10	20	13.72		Yes
6	6.332	132	20	20	13.72		Yes
7	8.221	174.7	25	20	13.72		Yes

CALIBRATION OF COMPONENT NO3

Method: ANIONS 09-04-18.mtw
 Equation: $Q = 0.506435 \cdot A + 2.06904$
 RSD: 5.131 %
 Correlation coefficient: 0.998925



K3 = 0 K2 = 0 K1 = 0.506435 K0 = 2.06904

Base: Area

Ref.channel: Cond

ISTD:

Formula: Linear


Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File
1	0	0	0	0	0		No
2	0.1761	4.248	0.125	20	15.65	Yes	
3	0.717	16.79	0.5	20	15.65	Yes	
4	1.516	35.08	1	20	15.65	Yes	
5	4.035	90.69	2.5	20	15.65	Yes	
6	8.384	187	5	20	15.65	Yes	
7	11.27	248.9	6.25	20	15.65	Yes	

±□;□

CALIBRATION OF COMPONENT HPO4

Method: ANIONS 09-04-18.mtw
 Equation: $Q = 1.0895 \cdot A - 1.12689$
 RSD: 3.862 %
 Correlation coefficient: 0.999391




K3 = 0 K2 = 0 K1 = 1.0895 K0 = -1.12689

Base: Area
 Ref.channel: Cond
 ISTD:
 Formula: Linear
 Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File
1	0	0	0	0	0		No
2	0.05941	1.931	0.25	20	21.48		Yes
3	0.5152	19.38	1	20	21.48		Yes
4	1.069	39.02	2	20	21.48		Yes
5	2.889	98.34	5	20	21.48		Yes
6	5.468	182	10	20	21.48		Yes
7	7.057	230	12.5	20	21.48		Yes

CALIBRATION OF COMPONENT SO4

Method: ANIONS 09-04-18.mtw
 Equation: $Q = 1.61971 \cdot A + 12.4616$
 RSD: 5.431 %
 Correlation coefficient: 0.998795



K3 = 0 K2 = 0 K1 = 1.61971 K0 = 12.4616

Base: Area
 Ref.channel: Cond
 ISTD:
 Formula: Linear
 Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File
1	0	0	0	0	0		No
2	0.2749	8.639	0.75	20	25.17		Yes
3	1.043	31.82	3	20	25.17		Yes
4	2.181	65.24	6	20	25.17		Yes
5	5.784	169.5	15	20	25.17		Yes
6	12.02	350.2	30	20	25.17		Yes
7	16.25	467.5	37.5	20	25.17		Yes

IC-1 Cal
09-04-2018

Report date: 9/6/2018 10:31:55 AM
Printed by: wet


Ident: STD1
Analysis from: 9/4/2018 10:59:17 AM
File: _2018-09-04_

Last save: 9/4/2018 2:59:20 PM

Method: ANIONS 09-04-18.mtw
Run operator: wet
Analysis number: 63678

Last save: 9/4/2018 8:54:34 AM

SAMPLE:
: AK/AP
Vial number: 2
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD

Report date: 9/6/2018 10:32:08 AM
Printed by: wet


Ident: STD2
Analysis from: 9/4/2018 11:29:12 AM
File: _2018-09-04_

Last save: 9/4/2018 2:59:22 PM

Method: ANIONS 09-04-18.mtw
Run operator: wet
Analysis number: 63679

Last save: 9/4/2018 8:54:34 AM

SAMPLE:
: AK/AP
Vial number: 3
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.88	0.366	0.05	4.79	1.336	5.21	0.
2	8.90	0.254	0.12	11.50	2.067	8.05	0.
3	10.72	0.284	0.24	22.81	4.621	18.01	0.
4	13.78	0.319	0.14	12.80	2.823	11.00	0.
5	15.82	0.360	0.18	16.42	4.248	16.55	0.
6	21.32	0.487	0.06	5.52	1.931	7.52	0.
7	24.92	0.476	0.27	25.73	8.639	33.66	0.
7	27.00	0.364	1.06	99.58	25.666	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 9/6/2018 10:32:16 AM
Printed by: wet


Ident: STD3
Analysis from: 9/4/2018 11:59:07 AM
File: _2018-09-04_

Last save: 9/4/2018 2:59:22 PM

Method: ANIONS 09-04-18.mtw
Run operator: wet
Analysis number: 63680

Last save: 9/4/2018 8:54:34 AM

SAMPLE:
: AK/AP
Vial number: 4
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.87	0.352	0.23	5.05	6.021	5.20	0.
2	8.89	0.251	0.49	10.66	8.169	7.06	0.
3	10.68	0.284	0.99	21.32	18.941	16.37	0.
4	13.71	0.319	0.57	12.34	11.969	10.34	0.
5	15.72	0.353	0.72	15.44	16.786	14.50	0.
6	21.28	0.499	0.51	11.09	19.376	16.74	0.
7	24.92	0.466	1.04	22.47	31.819	27.49	0.
7	27.00	0.360	4.56	98.38	113.081	97.71	0.

This report has been created by IC Net
METROHM LTD

Report date: 9/6/2018 10:32:32 AM
Printed by: wet


Ident: STD4
Analysis from: 9/4/2018 12:29:02 PM
File: _2018-09-04_

Last save: 9/4/2018 2:59:22 PM

Method: ANIONS 09-04-18.mtw
Run operator: wet
Analysis number: 63681

Last save: 9/4/2018 8:54:34 AM

SAMPLE:
: AK/AP
Vial number: 5
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.90	0.347	0.51	5.32	13.277	5.62	0.
2	8.90	0.250	1.04	10.71	17.249	7.30	0.
3	10.69	0.280	2.07	21.36	38.880	16.46	0.
4	13.69	0.314	1.21	12.53	24.868	10.53	0.
5	15.67	0.347	1.52	15.67	35.082	14.85	0.
6	21.36	0.483	1.07	11.06	39.021	16.52	0.
7	24.97	0.456	2.18	22.55	65.240	27.62	0.
7	27.00	0.354	9.59	99.19	233.619	98.89	0.

This report has been created by IC Net
METROHM LTD

Report date: 9/6/2018 10:32:47 AM
Printed by: wet


Ident: STD5
Analysis from: 9/4/2018 12:58:58 PM
File: _2018-09-04_

Last save: 9/4/2018 2:59:22 PM

Method: ANIONS 09-04-18.mtw
Run operator: wet
Analysis number: 63682

Last save: 9/4/2018 8:54:34 AM

SAMPLE:
: AK/AP
Vial number: 6
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.88	0.343	1.53	6.00	39.768	6.52	0.
2	8.85	0.245	2.69	10.53	43.912	7.20	0.
3	10.59	0.280	5.36	20.97	100.543	16.49	0.
4	13.56	0.311	3.17	12.42	64.517	10.58	0.
5	15.49	0.336	4.03	15.80	90.690	14.87	0.
6	21.31	0.458	2.89	11.31	98.345	16.12	0.
7	24.95	0.446	5.78	22.65	169.497	27.79	0.
7	27.00	0.346	25.46	99.68	607.273	99.57	0.

This report has been created by IC Net
METROHM LTD

Report date: 9/6/2018 10:34:20 AM
 Printed by: wet


Ident: STD6
 Analysis from: 9/4/2018 1:28:53 PM
 File: _2018-09-04_

Last save: 9/4/2018 2:59:22 PM

Method: ANIONS 09-04-18.mtw
 Run operator: wet
 Analysis number: 63683

Last save: 9/4/2018 8:54:34 AM

SAMPLE:
 : AK/AP
 Vial number: 7
 Volume: 20.0 µL
 Dilution: 1.00
 Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.86	0.343	3.23	6.26	86.317	6.99	0.
2	8.81	0.243	5.47	10.58	88.700	7.18	0.
3	10.55	0.289	10.68	20.67	206.436	16.71	0.
4	13.53	0.320	6.33	12.26	132.040	10.69	0.
5	15.42	0.332	8.38	16.23	186.955	15.13	0.
6	21.27	0.452	5.47	10.58	181.997	14.73	0.
7	24.90	0.442	12.02	23.27	350.247	28.35	0.
7	27.00	0.346	51.59	99.84	1232.691	99.79	0.

This report has been created by IC Net
 METROHM LTD

Report date: 9/6/2018 10:34:30 AM
 Printed by: wet


Ident: STD7
 Analysis from: 9/4/2018 1:58:48 PM
 File: _2018-09-04_

Last save: 9/4/2018 3:00:00 PM

Method: ANIONS 09-04-18.mtw
 Run operator: wet
 Analysis number: 63684

Last save: 9/4/2018 8:54:34 AM

SAMPLE:
 : AK/AP
 Vial number: 8
 Volume: 20.0 µL
 Dilution: 1.00
 Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.89	0.343	4.23	6.18	108.522	6.70	0.
2	8.86	0.241	7.30	10.68	117.237	7.23	0.
3	10.59	0.291	13.97	20.43	271.607	16.76	0.
4	13.59	0.328	8.22	12.02	174.656	10.78	0.
5	15.46	0.327	11.27	16.48	248.910	15.36	0.
6	21.33	0.444	7.06	10.32	230.013	14.19	0.
7	24.97	0.436	16.25	23.77	467.485	28.84	0.
7	27.00	0.344	68.30	99.88	1618.430	99.85	0.

This report has been created by IC Net
 METROHM LTD

Report date: 9/6/2018 10:35:22 AM
 Printed by: wet


Ident: ICV
 Analysis from: 9/4/2018 3:28:33 PM
 File: _2018-09-04_

Last save: 9/4/2018 3:55:22 PM

Method: ANIONS 09-04-18.mtw
 Run operator: wet
 Analysis number: 63687

Last save: 9/4/2018 2:59:30 PM

SAMPLE:
 : AK/AP
 Vial number: 11
 Volume: 20.0 µL
 Dilution: 1.00
 Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.90	0.344	1.57	5.92	40.953	6.48	0.
2	8.86	0.246	2.81	10.58	45.786	7.24	0.
3	10.59	0.282	5.61	21.14	105.878	16.75	0.
4	13.55	0.312	3.33	12.53	67.647	10.70	0.
5	15.47	0.335	4.25	16.00	94.966	15.02	0.
6	21.35	0.460	2.85	10.72	97.647	15.44	0.
7	24.98	0.445	6.05	22.81	176.741	27.95	0.
7	27.00	0.346	26.46	99.70	629.617	99.58	0.

This report has been created by IC Net
 METROHM LTD

Report date: 9/6/2018 10:35:42 AM
Printed by: wet


Ident: ICB
Analysis from: 9/4/2018 3:58:28 PM
File: _2018-09-04_

Last save: 9/6/2018 10:35:40 AM

Method: ANIONS 09-04-18.mtw
Run operator: wet
Analysis number: 63688

Last save: 9/4/2018 2:59:30 PM

SAMPLE:
: AK/AP
Vial number: 12
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD

Report date: 10/1/2018 1:19:10 PM
Printed by: wet


Ident: CCV
Analysis from: 10/1/2018 12:37:20 PM
File: _2018-10-01_

Last save: 10/1/2018 1:05:10 PM

Method: ANIONS 09-04-18.mtw
Run operator: wet
Analysis number: 64263

Last save: 9/28/2018 9:10:42 PM

SAMPLE:
: AK/AP
Vial number: 2
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.84	0.457	1.11	5.71	37.959	6.54	0.
2	8.66	0.299	2.25	11.59	43.203	7.44	0.
3	10.33	0.342	4.49	23.10	98.896	17.03	0.
4	13.16	0.395	2.56	13.18	64.516	11.11	0.
5	15.05	0.452	3.07	15.79	88.450	15.23	0.
6	21.10	0.663	1.84	9.49	84.708	14.58	0.
7	24.58	0.625	4.10	21.12	163.107	28.08	0.
7	28.00	0.462	19.41	99.98	580.839	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 10/1/2018 1:42:40 PM
Printed by: wet


Ident: CCB
Analysis from: 10/1/2018 1:08:15 PM
File: _2018-10-01_

Last save: 10/1/2018 1:42:40 PM

Method: ANIONS 09-04-18.mtw
Run operator: wet
Analysis number: 64264

Last save: 9/28/2018 9:10:42 PM

SAMPLE:
:
Vial number: 3
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD

Report date: 10/2/2018 9:15:58 AM
Printed by: wet


Ident: LB98282BLW
Analysis from: 10/1/2018 1:39:10 PM
File: _2018-10-01_

Last save: 10/2/2018 9:15:58 AM

Method: ANIONS 09-04-18.mtw
Run operator: wet
Analysis number: 64265

Last save: 9/28/2018 9:10:42 PM

SAMPLE:
: AK/AP
Vial number: 4
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD

Report date: 10/2/2018 9:16:07 AM
Printed by: wet


Ident: LB98283BSW
Analysis from: 10/1/2018 2:10:05 PM
File: _2018-10-01_

Last save: 10/2/2018 9:15:38 AM

Method: ANIONS 09-04-18.mtw
Run operator: wet
Analysis number: 64266

Last save: 9/28/2018 9:10:42 PM

SAMPLE:
: AK/AP
Vial number: 5
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.89	0.475	1.22	5.88	44.835	7.23	0.
2	8.71	0.297	2.37	11.43	45.459	7.34	0.
3	10.39	0.341	4.75	22.90	104.550	16.87	0.
4	13.21	0.381	2.70	13.01	65.851	10.63	0.
5	15.06	0.449	3.23	15.54	92.623	14.95	0.
6	21.16	0.654	2.06	9.93	93.755	15.13	0.
7	24.64	0.611	4.36	21.02	170.761	27.55	0.
7	28.00	0.458	20.70	99.70	617.835	99.69	0.

This report has been created by IC Net
METROHM LTD

Report date: 10/2/2018 9:20:06 AM
Printed by: wet


Ident: J5190-01
Analysis from: 10/1/2018 3:01:38 PM
File: _2018-10-01_

Last save: 10/2/2018 9:20:06 AM

Method: ANIONS 09-04-18.mtw
Run operator: wet
Analysis number: 64268

Last save: 9/28/2018 9:10:42 PM

SAMPLE:
: AK/AP
Vial number: 103
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	0.00	0.000	0.00	0.00	0.000	0.00	0.
2	9.46	1.028	139.62	86.14	8488.643	90.42	0.
3	0.00	0.000	0.00	0.00	0.000	0.00	0.
4	14.21	0.365	0.44	0.27	10.033	0.11	0.
5	15.87	0.472	1.01	0.62	29.397	0.31	0.
6	21.40	0.724	0.79	0.49	39.384	0.42	0.
7	24.83	0.688	18.95	11.69	791.097	8.43	0.
7	28.00	0.468	160.82	99.22	9358.555	99.69	0.

This report has been created by IC Net
METROHM LTD

Report date: 10/2/2018 9:20:18 AM
Printed by: wet


Ident: J5190-01DUP
Analysis from: 10/1/2018 3:32:33 PM
File: _2018-10-01_

Last save: 10/1/2018 4:00:22 PM

Method: ANIONS 09-04-18.mtw
Run operator: wet
Analysis number: 64269

Last save: 9/28/2018 9:10:42 PM

SAMPLE:
: AK/AP
Vial number: 104
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	0.00	0.000	0.00	0.00	0.000	0.00	0.
2	9.48	0.871	163.51	87.71	8635.342	90.54	0.
3	0.00	0.000	0.00	0.00	0.000	0.00	0.
4	14.26	0.357	0.42	0.22	9.154	0.10	0.
5	15.90	0.470	0.98	0.52	28.335	0.30	0.
6	21.36	0.714	0.82	0.44	39.951	0.42	0.
7	24.81	0.674	19.25	10.33	795.536	8.34	0.
7	28.00	0.441	184.96	99.22	9508.318	99.69	0.

This report has been created by IC Net
METROHM LTD

Report date: 10/2/2018 9:20:28 AM
 Printed by: wet


Ident: J5190-01MS
 Analysis from: 10/1/2018 4:03:27 PM
 File: _2018-10-01_

Last save: 10/1/2018 4:31:18 PM

Method: ANIONS 09-04-18.mtw
 Run operator: wet
 Analysis number: 64270

Last save: 9/28/2018 9:10:42 PM

SAMPLE:
 : AK/AP
 Vial number: 105
 Volume: 20.0 µL
 Dilution: 1.00
 Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.87	0.755	0.78	0.39	34.902	0.38	0.
2	9.52	0.812	159.66	80.92	7767.388	84.71	0.
3	11.28	0.663	0.33	0.17	13.117	0.14	0.
4	14.09	0.364	3.41	1.73	76.390	0.83	0.
5	15.72	0.478	4.08	2.07	121.465	1.32	0.
6	21.29	0.725	2.23	1.13	110.072	1.20	0.
7	24.86	0.673	23.54	11.93	980.413	10.69	0.
7	28.00	0.639	194.02	98.34	9103.748	99.28	0.

This report has been created by IC Net
 METROHM LTD

Report date: 10/2/2018 9:20:38 AM
Printed by: wet


Ident: J5190-01MSD
Analysis from: 10/1/2018 4:34:23 PM
File: _2018-10-01_

Last save: 10/1/2018 5:02:12 PM

Method: ANIONS 09-04-18.mtw
Run operator: wet
Analysis number: 64271

Last save: 9/28/2018 9:10:42 PM

SAMPLE:
: AK/AP
Vial number: 106
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.73	0.753	0.74	0.38	33.220	0.36	0.
2	9.38	0.823	159.44	81.00	7859.724	85.14	0.
3	11.17	0.687	0.34	0.17	14.038	0.15	0.
4	14.04	0.363	3.32	1.69	74.273	0.80	0.
5	15.72	0.476	4.00	2.03	118.702	1.29	0.
6	21.22	0.711	2.16	1.10	104.976	1.14	0.
7	24.71	0.653	23.69	12.03	962.072	10.42	0.
7	28.00	0.638	193.69	98.40	9167.004	99.30	0.

This report has been created by IC Net
METROHM LTD

Report date: 10/2/2018 9:20:47 AM
Printed by: wet


Ident: CCV
Analysis from: 10/1/2018 5:05:18 PM
File: _2018-10-01_

Last save: 10/1/2018 5:33:06 PM

Method: ANIONS 09-04-18.mtw
Run operator: wet
Analysis number: 64272

Last save: 9/28/2018 9:10:42 PM

SAMPLE:
: AK/AP
Vial number: 2
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.92	0.460	1.06	5.49	36.839	6.45	0.
2	8.86	0.294	2.29	11.89	43.616	7.64	0.
3	10.57	0.335	4.52	23.48	98.191	17.20	0.
4	13.41	0.388	2.55	13.23	63.479	11.12	0.
5	15.33	0.449	3.08	15.96	88.496	15.50	0.
6	21.15	0.650	1.58	8.20	71.500	12.52	0.
7	24.69	0.638	4.13	21.45	167.097	29.26	0.
7	28.00	0.459	19.21	99.71	569.217	99.68	0.

This report has been created by IC Net
METROHM LTD

Report date: 10/2/2018 9:21:10 AM
Printed by: wet


Ident: CCB
Analysis from: 10/1/2018 5:36:12 PM
File: _2018-10-01_

Last save: 10/2/2018 9:21:10 AM

Method: ANIONS 09-04-18.mtw
Run operator: wet
Analysis number: 64273

Last save: 9/28/2018 9:10:42 PM

SAMPLE:
: AK/AP
Vial number: 3
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD