


Data Path : Z:\svoasrv\HPCHEM1\BNA_E\Data\BE022619\
Data File : BE098766.D
Acq On : 26 Feb 2019 19:26
Operator : JU/SJ
Sample : K1603-08
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
M1-T0-UV(PRE)

Quant Time: Feb 27 00:23:58 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_E\METHODS\8270-SIM-BE022619.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Feb 26 15:44:42 2019
Response via : Initial Calibration



Data Path : Z:\svoasrv\HPCHEM1\BNA_E\Data\BE022619\
 Data File : BE098766.D
 Acq On : 26 Feb 2019 19:26
 Operator : JU/SJ
 Sample : K1603-08
 Misc :
 ALS Vial : 13 Sample Multiplier: 1


Instrument :
 BNA_E
 ClientSampleId :
 M1-T0-UV(PRE)

Quant Time: Feb 27 00:23:58 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_E\METHODS\8270-SIM-BE022619.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Feb 26 15:44:42 2019
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.804	152	1320	0.40	ng	-0.01
7) Naphthalene-d8	10.613	136	5538	0.40	ng	0.01
13) Acenaphthene-d10	14.470	164	3929	0.40	ng	0.00
19) Phenanthrene-d10	17.228	188	9590	0.40	ng	# 0.00
27) Chrysene-d12	21.415	240	10493	0.40	ng	0.00
34) Perylene-d12	23.919	264	8950	0.40	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.409	112	341	0.10	ng	0.00
5) Phenol-d6	7.033	99	249	0.05	ng	0.03
8) Nitrobenzene-d5	9.003	82	951	0.21	ng	0.02
11) 2-Methylnaphthalene-d10	12.222	152	2332	0.22	ng	0.01
14) 2,4,6-Tribromophenol	15.983	330	361	0.26	ng	0.00
15) 2-Fluorobiphenyl	13.101	172	3492	0.21	ng	0.01
25) Fluoranthene-d10	19.259	212	29982	0.22	ng	0.00
29) Terphenyl-d14	19.851	244	6621	0.25	ng	0.00
Target Compounds						
2) 1,4-Dioxane	3.313	88	1316	0.58	ng	# 92
32) Bis(2-ethylhexyl)phtha...	21.306	149	3251	0.05	ng	98





(#) = qualifier out of range (m) = manual integration (+) = signals summed



#1
 1,4-Dichlorobenzene-d4
 Concen: 0.40 ng
 RT: 7.804 min Scan# 429
 Delta R.T. -0.011 min
 Lab File: BE098766.D
 Acq: 26 Feb 2019 19:26




Instrument :
 BNA_E
 ClientSampleId :
 M1-T0-UV(PRE)


Tgt Ion: 152 Resp: 1320
 Ion Ratio Lower Upper
 152 100
 150 152.2 121.4 182.2
 115 70.5 59.1 88.7



#2
 1,4-Dioxane
 Concen: 0.58 ng
 RT: 3.313 min Scan# 39
 Delta R.T. 0.000 min
 Lab File: BE098766.D
 Acq: 26 Feb 2019 19:26

Tgt Ion: 88 Resp: 1316
 Ion Ratio Lower Upper
 88 100
 58 92.6 73.9 110.9
 43 69.1 43.7 65.5#









#4
2-Fluorophenol
Concen: 0.10 ng
RT: 5.409 min Scan# 221
Delta R.T. 0.000 min
Lab File: BE098766.D
Acq: 26 Feb 2019 19:26




Instrument :
BNA_E
ClientSampleId :
M1-T0-UV(PRE)


Tgt Ion:112 Resp: 341
Ion Ratio Lower Upper
112 100
64 101.8 62.9 94.3#
63 215.0 152.2 228.4



#5
Phenol-d6
Concen: 0.05 ng
RT: 7.033 min Scan# 362
Delta R.T. 0.035 min
Lab File: BE098766.D
Acq: 26 Feb 2019 19:26

Tgt Ion: 99 Resp: 249
Ion Ratio Lower Upper
99 100
42 42.6 24.6 37.0#
71 57.0 35.1 52.7#









#7
Naphthalene-d8
Concen: 0.40 ng
RT: 10.613 min Scan# 650
Delta R.T. 0.011 min
Lab File: BE098766.D
Acq: 26 Feb 2019 19:26




Instrument :
BNA_E
ClientSampleId :
M1-T0-UV(PRE)


Tgt Ion:	136	Resp:	5538
Ion Ratio	Lower	Upper	
136	100		
137	12.8	9.7	14.5
54	45.4	35.5	53.3
68	6.3	5.0	7.6



#8
Nitrobenzene-d5
Concen: 0.21 ng
RT: 9.003 min Scan# 526
Delta R.T. 0.025 min
Lab File: BE098766.D
Acq: 26 Feb 2019 19:26

Tgt Ion:	82	Resp:	951
Ion Ratio	Lower	Upper	
82	100		
128	174.4	96.5	144.7#
54	319.2	224.7	337.1









#11
2-Methylnaphthalene-d10
Concen: 0.22 ng
RT: 12.222 min Scan# 764
Delta R.T. 0.013 min
Lab File: BE098766.D
Acq: 26 Feb 2019 19:26




Instrument :
BNA_E
ClientSampleId :
M1-T0-UV(PRE)


Tgt Ion:152 Resp: 2332
Ion Ratio Lower Upper
152 100
151 19.0 16.2 24.4



#13
Acenaphthene-d10
Concen: 0.40 ng
RT: 14.470 min Scan# 920
Delta R.T. -0.002 min
Lab File: BE098766.D
Acq: 26 Feb 2019 19:26

Tgt Ion:164 Resp: 3929
Ion Ratio Lower Upper
164 100
162 102.4 80.5 120.7
160 47.4 40.1 60.1









#14
2,4,6-Tribromophenol
Concen: 0.26 ng
RT: 15.983 min Scan# 1027
Delta R.T. 0.001 min
Lab File: BE098766.D
Acq: 26 Feb 2019 19:26




Instrument :
BNA_E
ClientSampleId :
M1-T0-UV(PRE)


Tgt Ion: 330 Resp: 361
Ion Ratio Lower Upper
330 100
332 96.7 73.3 109.9
141 47.4 33.1 49.7



#15
2-Fluorobiphenyl
Concen: 0.21 ng
RT: 13.101 min Scan# 825
Delta R.T. 0.012 min
Lab File: BE098766.D
Acq: 26 Feb 2019 19:26

Tgt Ion: 172 Resp: 3492
Ion Ratio Lower Upper
172 100
171 35.9 29.0 43.4
170 25.8 20.8 31.2









#19
Phenanthrene-d10
Concen: 0.40 ng
RT: 17.228 min Scan# 1120
Delta R.T. 0.001 min
Lab File: BE098766.D
Acq: 26 Feb 2019 19:26




Instrument :
BNA_E
ClientSampleId :
M1-T0-UV(PRE)


Tgt Ion:188 Resp: 9590
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 7.4 4.7 7.1#



#25
Fluoranthene-d10
Concen: 0.22 ng
RT: 19.259 min Scan# 1391
Delta R.T. 0.006 min
Lab File: BE098766.D
Acq: 26 Feb 2019 19:26

Tgt Ion:212 Resp: 29982
Ion Ratio Lower Upper
212 100
106 2.1 1.7 2.5
104 1.2 1.0 1.6









#27
Chrysene-d12
Concen: 0.40 ng
RT: 21.415 min Scan# 1634
Delta R.T. 0.000 min
Lab File: BE098766.D
Acq: 26 Feb 2019 19:26




Instrument :
BNA_E
ClientSampleId :
M1-T0-UV(PRE)


Tgt Ion:240 Resp: 10493
Ion Ratio Lower Upper
240 100
120 6.3 4.7 7.1
236 26.9 21.9 32.9



#29
Terphenyl-d14
Concen: 0.25 ng
RT: 19.851 min Scan# 1494
Delta R.T. -0.005 min
Lab File: BE098766.D
Acq: 26 Feb 2019 19:26

Tgt Ion:244 Resp: 6621
Ion Ratio Lower Upper
244 100
212 37.2 29.4 44.2
122 9.1 7.1 10.7









#32
Bis(2-ethylhexyl)phthalate
Concen: 0.05 ng
RT: 21.306 min Scan# 1625
Delta R.T. -0.000 min
Lab File: BE098766.D
Acq: 26 Feb 2019 19:26

Instrument :
BNA_E
ClientSampleId :
M1-T0-UV(PRE)

Tgt Ion:149 Resp: 3251
Ion Ratio Lower Upper
149 100
167 6.0 5.4 8.2
279 1.3 1.0 1.4



#34
Perylene-d12
Concen: 0.40 ng
RT: 23.919 min Scan# 2214
Delta R.T. -0.002 min
Lab File: BE098766.D
Acq: 26 Feb 2019 19:26

Tgt Ion:264 Resp: 8950
Ion Ratio Lower Upper
264 100
260 26.1 20.5 30.7
265 28.2 22.3 33.5

