

Data Path : Z:\SVOASRV\HPCHEM1\BNA_E\DATA\BE030819\
 Data File : BE098851.D
 Acq On : 9 Mar 2019 2:45
 Operator : JU/SJ
 Sample : K1793-14
 Misc :
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 RE126D3-20190306

Quant Time: Mar 09 04:56:02 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_E\METHODS\8270-SIM-BE030619.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Mar 06 15:33:24 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.80	152	766	0.40	ng	0.00
7) Naphthalene-d8	10.60	136	3119	0.40	ng	0.01
13) Acenaphthene-d10	14.46	164	2159	0.40	ng	0.00
19) Phenanthrene-d10	17.21	188	5800	0.40	ng	0.00
27) Chrysene-d12	21.40	240	6835	0.40	ng	0.00
34) Perylene-d12	23.90	264	6795	0.40	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.40	112	310	0.14	ng	0.01
5) Phenol-d6	7.01	99	266	0.08	ng	0.03
8) Nitrobenzene-d5	8.99	82	1146	0.35	ng	0.03
11) 2-Methylnaphthalene-d10	12.20	152	2155	0.37	ng	0.00
14) 2,4,6-Tribromophenol	15.97	330	414	0.38	ng	0.00
15) 2-Fluorobiphenyl	13.09	172	3796	0.42	ng	0.00
25) Fluoranthene-d10	19.24	212	32801	0.35	ng	0.00
29) Terphenyl-d14	19.84	244	8541	0.51	ng	0.00
Target Compounds						
2) 1,4-Dioxane	3.28	88	1222	0.932	ng	Qvalue # 79
32) Bis(2-ethylhexyl)phthalate	21.29	149	3440	0.076	ng	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_E\DATA\BE030819\
Data File : BE098851.D
Acq On : 9 Mar 2019 2:45
Operator : JU/SJ
Sample : K1793-14
Misc :
ALS Vial : 21 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
RE126D3-20190306

Quant Time: Mar 09 04:56:02 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_E\METHODS\8270-SIM-BE030619.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Mar 06 15:33:24 2019
Response via : Initial Calibration









#1

1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.80 min Scan# 428
Delta R.T. 0.00 min
Lab File: BE098851.D
Acq: 9 Mar 2019 2:45

Instrument :
BNA_E
ClientSampleId :
RE126D3-20190306




Tgt Ion:152 Resp: 766
Ion Ratio Lower Upper
152 100
150 144.8 122.5 183.7
115 74.6 57.4 86.2




#2

1,4-Dioxane
Concen: 0.932 ng
RT: 3.28 min Scan# 36
Delta R.T. -0.01 min
Lab File: BE098851.D
Acq: 9 Mar 2019 2:45

Tgt Ion: 88 Resp: 1222
Ion Ratio Lower Upper
88 100
58 99.3 75.8 113.6
43 88.2 41.8 62.8#





#4

2-Fluorophenol

Concen: 0.135 ng

RT: 5.40 min Scan# 220

Delta R.T. 0.01 min

Lab File: BE098851.D

Acq: 9 Mar 2019 2:45

Instrument :

BNA_E

ClientSampleId :

RE126D3-20190306


Tgt Ion: 112 Resp: 310

Ion Ratio Lower Upper

112 100

64 89.0 57.9 86.9#




63 206.8 158.3 237.5



Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BE0

Ion 63.00 (62.70 to 63.70): BE0



#5

Phenol-d6

Concen: 0.082 ng

RT: 7.01 min Scan# 360

Delta R.T. 0.03 min

Lab File: BE098851.D

Acq: 9 Mar 2019 2:45


Tgt Ion: 99 Resp: 266

Ion Ratio Lower Upper

99 100

42 36.8 24.2 36.2#



71 30.8 35.7 53.5#




Abundance Ion 99.00 (98.70 to 99.70): BE0

Ion 42.00 (41.70 to 42.70): BE0

Ion 71.00 (70.70 to 71.70): BE0





#7

Naphthalene-d8

Concen: 0.400 ng

RT: 10.60 min Scan# 649

Delta R.T. 0.01 min

Lab File: BE098851.D

Acq: 9 Mar 2019 2:45

Instrument :

BNA_E

ClientSampleId :

RE126D3-20190306

Tgt Ion: 136 Resp: 3119


Ion Ratio Lower Upper

136 100

137 14.9 11.4 17.0

54 51.9 39.3 58.9

68 9.0 6.7 10.1






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BE0

Ion 68.00 (67.70 to 68.70): BE0



#8

Nitrobenzene-d5

Concen: 0.350 ng

RT: 8.99 min Scan# 525

Delta R.T. 0.03 min

Lab File: BE098851.D

Acq: 9 Mar 2019 2:45


Tgt Ion: 82 Resp: 1146

Ion Ratio Lower Upper

82 100

128 183.3 123.8 185.8



54 291.2 203.4 305.2




Abundance Ion 82.00 (81.70 to 82.70): BE0

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BE0





#11

2-Methylnaphthalene-d10

Concen: 0.374 ng

RT: 12.20 min Scan# 762

Delta R.T. 0.00 min

Lab File: BE098851.D

Acq: 9 Mar 2019 2:45

Instrument :

BNA_E

ClientSampleId :


RE126D3-20190306

Tgt Ion:152 Resp: 2155

Ion Ratio Lower Upper

152 100

151 19.1 16.5 24.7



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 151.00 (150.70 to 151.70): E

12.20



600

400

200

0

Time-->



#13

Acenaphthene-d10

Concen: 0.400 ng

RT: 14.46 min Scan# 919

Delta R.T. 0.00 min

Lab File: BE098851.D

Acq: 9 Mar 2019 2:45


Tgt Ion:164 Resp: 2159

Ion Ratio Lower Upper

164 100

162 102.0 80.2 120.2

160 50.2 37.8 56.8



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E

14.46


1500


1000

500

0

Time-->









#14
 2,4,6-Tribromophenol
 Concen: 0.380 ng
 RT: 15.97 min Scan# 1026
 Delta R.T. -0.00 min
 Lab File: BE098851.D
 Acq: 9 Mar 2019 2:45




Instrument :
 BNA_E
 ClientSampleId :
 RE126D3-20190306


Tgt Ion: 330 Resp: 414
 Ion Ratio Lower Upper
 330 100
 332 99.8 77.6 116.4
 141 38.2 31.0 46.4



#15
 2-Fluorobiphenyl
 Concen: 0.425 ng
 RT: 13.09 min Scan# 824
 Delta R.T. 0.00 min
 Lab File: BE098851.D
 Acq: 9 Mar 2019 2:45

Tgt Ion: 172 Resp: 3796
 Ion Ratio Lower Upper
 172 100
 171 33.0 28.0 42.0
 170 22.7 17.7 26.5





#19

Phenanthrene-d10

Concen: 0.400 ng

RT: 17.21 min Scan# 1119

Delta R.T. -0.00 min

Lab File: BE098851.D

Acq: 9 Mar 2019 2:45

Instrument :

BNA_E

ClientSampleId :

RE126D3-20190306


Tgt Ion:188 Resp: 5800

Ion Ratio Lower Upper

188 100

94 0.0 0.0 0.0




80 8.7 6.3 9.5



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BE0

Ion 80.00 (79.70 to 80.70): BE0



#25

Fluoranthene-d10

Concen: 0.354 ng

RT: 19.24 min Scan# 1388

Delta R.T. -0.01 min

Lab File: BE098851.D

Acq: 9 Mar 2019 2:45


Tgt Ion:212 Resp: 32801

Ion Ratio Lower Upper

212 100

106 2.4 1.8 2.8



104 1.4 1.0 1.6




Abundance Ion 212.00 (211.70 to 212.70): E

Ion 106.00 (105.70 to 106.70): E

Ion 104.00 (103.70 to 104.70): E





#27

Chrysene-d12

Concen: 0.400 ng

RT: 21.40 min Scan# 1633

Delta R.T. 0.00 min

Lab File: BE098851.D

Acq: 9 Mar 2019 2:45

Instrument :

BNA_E

ClientSampleId :

RE126D3-20190306


Tgt Ion:240 Resp: 6835

Ion Ratio Lower Upper

240 100

120 6.0 5.0 7.4




236 28.7 22.7 34.1



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#29

Terphenyl-d14

Concen: 0.514 ng

RT: 19.84 min Scan# 1492

Delta R.T. -0.01 min

Lab File: BE098851.D

Acq: 9 Mar 2019 2:45


Tgt Ion:244 Resp: 8541

Ion Ratio Lower Upper

244 100

212 37.7 29.4 44.2



122 9.2 7.1 10.7




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E









#32
 Bis(2-ethylhexyl)phthalate
 Concen: 0.076 ng
 RT: 21.29 min Scan# 1624
 Delta R.T. -0.01 min
 Lab File: BE098851.D
 Acq: 9 Mar 2019 2:45

Instrument :
 BNA_E
 ClientSampleId :
 RE126D3-20190306

Tgt Ion:149 Resp: 3440
 Ion Ratio Lower Upper
 149 100
 167 7.0 5.4 8.0
 279 1.3 1.0 1.4



#34
 Perylene-d12
 Concen: 0.400 ng
 RT: 23.90 min Scan# 2207
 Delta R.T. -0.01 min
 Lab File: BE098851.D
 Acq: 9 Mar 2019 2:45

Tgt Ion:264 Resp: 6795
 Ion Ratio Lower Upper
 264 100
 260 26.3 21.2 31.8
 265 28.3 24.6 36.8

