

Data Path : Z:\SVOASRV\HPCHEM1\BNA E\DATA\BE032319\
 Data File : BE099111.D
 Acq On : 23 Mar 2019 14:31
 Operator : JU/SJ
 Sample : PB118177BL
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 PB118177BL

Quant Time: Mar 24 03:17:02 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA E\METHODS\8270-SIM-BE032219.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Mar 23 04:40:11 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.84	152	3794	0.40	ng	0.00
7) Naphthalene-d8	10.63	136	14124	0.40	ng	-0.01
13) Acenaphthene-d10	14.49	164	8536	0.40	ng	0.00
19) Phenanthrene-d10	17.22	188	22512	0.40	ng	0.00
27) Chrysene-d12	21.39	240	30779	0.40	ng	0.00
34) Perylene-d12	23.90	264	33889	0.40	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.42	112	4318	0.38	ng	0.00
5) Phenol-d6	7.00	99	5988	0.37	ng	0.00
8) Nitrobenzene-d5	8.99	82	3648	0.59	ng	0.00
11) 2-Methylnaphthalene-d10	12.22	152	9399	0.37	ng	-0.01
14) 2,4,6-Tribromophenol	15.96	330	1345	0.54	ng	0.00
15) 2-Fluorobiphenyl	13.10	172	13434	0.40	ng	-0.01
25) Fluoranthene-d10	19.24	212	112538	0.37	ng	0.00
29) Terphenyl-d14	19.84	244	19525	0.30	ng	0.00


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA E\DATA\BE032319\
Data File : BE099111.D
Acq On : 23 Mar 2019 14:31
Operator : JU/SJ
Sample : PB118177BL
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
PB118177BL

Quant Time: Mar 24 03:17:02 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA E\METHODS\8270-SIM-BE032219.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sat Mar 23 04:40:11 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.84 min Scan# 432
Delta R.T. -0.00 min
Lab File: BE099111.D
Acq: 23 Mar 2019 14:31

Instrument :
BNA_E
ClientSampleId :
PB118177BL

Tot Ion:152 Resp: 3794
Ion Ratio Lower Upper
152 100
150 150.6 122.5 183.7
115 66.0 57.4 86.2




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#4




2-Fluorophenol
Concen: 0.382 ng
RT: 5.42 min Scan# 222
Delta R.T. 0.01 min
Lab File: BE099111.D
Acq: 23 Mar 2019 14:31

Tgt Ion:112 Resp: 4318
Ion Ratio Lower Upper
112 100
64 59.6 57.9 86.9
63 122.9 158.3 237.5#



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BE0
Ion 63.00 (62.70 to 63.70): BE0





#5

Phenol-d6

Concen: 0.368 ng

RT: 7.00 min Scan# 359

Delta R.T. 0.01 min

Lab File: BE099111.D

Acq: 23 Mar 2019 14:31

Instrument :

BNA_E

ClientSampleId :

PB118177BL





Tot Ion: 99 Resp: 5988

Ion Ratio Lower Upper

99 100

42 13.7 24.2 36.2#

71 35.4 35.7 53.5#



#7

Naphthalene-d8

Concen: 0.400 ng

RT: 10.63 min Scan# 651

Delta R.T. -0.01 min

Lab File: BE099111.D

Acq: 23 Mar 2019 14:31

Tgt Ion: 136 Resp: 14124


Ion Ratio Lower Upper


136 100

137 11.5 11.4 17.0

54 34.5 39.3 58.9#

68 9.9 6.7 10.1





#8

Nitrobenzene-d5

Concen: 0.591 ng

RT: 8.99 min Scan# 525

Delta R.T. -0.01 min

Lab File: BE099111.D

Acq: 23 Mar 2019 14:31

Instrument :

BNA_E

ClientSampleId :

PB118177BL


Tot Ion: 82 Resp: 3648

Ion Ratio Lower Upper

82 100

128 118.8 123.8 185.8#




54 156.2 203.4 305.2#



Abundance Ion 82.00 (81.70 to 82.70): BE099111.D (-518) (-)

Ion 128.00 (127.70 to 128.70): BE099111.D (-518) (-)

Ion 54.00 (53.70 to 54.70): BE099111.D (-518) (-)



#11

2-Methylnaphthalene-d10

Concen: 0.369 ng

RT: 12.22 min Scan# 764

Delta R.T. -0.01 min

Lab File: BE099111.D


Acq: 23 Mar 2019 14:31

Tgt Ion: 152 Resp: 9399

Ion Ratio Lower Upper



152 100


151 19.2 16.5 24.7



Abundance Ion 152.00 (151.70 to 152.70): BE099111.D (-758) (-)

Ion 151.00 (150.70 to 151.70): BE099111.D (-758) (-)





#13

Acenaphthene-d10

Concen: 0.400 ng

RT: 14.49 min Scan# 921

Delta R.T. 0.00 min

Lab File: BE099111.D

Acq: 23 Mar 2019 14:31

Instrument :

BNA_E

ClientSampleId :

PB118177BL


Tot Ion:164 Resp: 8536

Ion Ratio Lower Upper

164 100

162 97.1 80.2 120.2




160 45.0 37.8 56.8



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#14

2,4,6-Tribromophenol

Concen: 0.536 ng

RT: 15.96 min Scan# 1025

Delta R.T. 0.00 min

Lab File: BE099111.D

Acq: 23 Mar 2019 14:31


Tgt Ion:330 Resp: 1345

Ion Ratio Lower Upper

330 100

332 92.0 77.6 116.4



141 28.7 31.0 46.4#




Abundance Ion 330.00 (329.70 to 330.70): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#15
 2-Fluorobiphenyl
 Concen: 0.396 ng
 RT: 13.10 min Scan# 825
 Delta R.T. -0.01 min
 Lab File: BE099111.D
 Acq: 23 Mar 2019 14:31

Instrument :
 BNA_E
 ClientSampled :
 PB118177BL

Tot Ion:172 Resp: 13434
 Ion Ratio Lower Upper
 172 100
 171 35.5 28.0 42.0
 170 25.4 17.7 26.5




Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E






#19
 Phenanthrene-d10
 Concen: 0.400 ng
 RT: 17.22 min Scan# 1119
 Delta R.T. 0.00 min
 Lab File: BE099111.D
 Acq: 23 Mar 2019 14:31

Tgt Ion:188 Resp: 22512
 Ion Ratio Lower Upper
 188 100
 94 0.0 0.0 0.0
 80 6.8 6.3 9.5



Abundance Ion 188.00 (187.70 to 188.70): E
 Ion 94.00 (93.70 to 94.70): BE0
 Ion 80.00 (79.70 to 80.70): BE0









#25
 Fluoranthene-d10
 Concen: 0.375 ng
 RT: 19.24 min Scan# 1388
 Delta R.T. -0.00 min
 Lab File: BE099111.D
 Acq: 23 Mar 2019 14:31




Instrument :
 BNA_E
 ClientSampleId :
 PB118177BL


Tot Ion:212 Resp: 112538
 Ion Ratio Lower Upper
 212 100
 106 2.5 1.8 2.8
 104 1.5 1.0 1.6



#27
 Chrysene-d12
 Concen: 0.400 ng
 RT: 21.39 min Scan# 1632
 Delta R.T. -0.00 min
 Lab File: BE099111.D
 Acq: 23 Mar 2019 14:31

Tgt Ion:240 Resp: 30779
 Ion Ratio Lower Upper
 240 100
 120 3.8 5.0 7.4#
 236 26.0 22.7 34.1





#29

Terphenyl-d14

Concen: 0.300 ng

RT: 19.84 min Scan# 1492

Delta R.T. -0.00 min

Lab File: BE099111.D

Acq: 23 Mar 2019 14:31

Instrument :

BNA_E

ClientSampleId :

PB118177BL


Tot Ion:244 Resp: 19525

Ion Ratio Lower Upper

244 100

212 29.3 29.4 44.2#




122 8.0 7.1 10.7



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#34

Perylene-d12

Concen: 0.400 ng

RT: 23.90 min Scan# 2208

Delta R.T. -0.00 min

Lab File: BE099111.D

Acq: 23 Mar 2019 14:31


Tgt Ion:264 Resp: 33889

Ion Ratio Lower Upper

264 100

260 23.0 21.2 31.8

265 28.2 24.6 36.8



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

