

Data Path : Z:\SVOASRV\HPCHEM1\BNA E\DATA\BE032519\
 Data File : BE099213.D
 Acq On : 26 Mar 2019 13:03
 Operator : JU/SJ
 Sample : K2019-03
 Misc :
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 OUTFALL001-190319

Quant Time: Mar 26 13:44:33 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA E\METHODS\8270-SIM-BE032519.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Mar 26 07:02:06 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.84	152	3529	0.40	ng	0.00
7) Naphthalene-d8	10.63	136	15794	0.40	ng	0.00
13) Acenaphthene-d10	14.47	164	12969	0.40	ng	-0.02
19) Phenanthrene-d10	17.20	188	35713	0.40	ng	-0.01
27) Chrysene-d12	21.38	240	40874	0.40	ng	-0.01
34) Perylene-d12	23.89	264	38821	0.40	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.41	112	1594	0.15	ng	0.00
5) Phenol-d6	6.99	99	1359	0.08	ng	0.00
8) Nitrobenzene-d5	8.99	82	4746	0.37	ng	0.00
11) 2-Methylnaphthalene-d10	12.22	152	11119	0.37	ng	0.00
14) 2,4,6-Tribromophenol	15.96	330	1773	0.47	ng	0.00
15) 2-Fluorobiphenyl	13.10	172	19578	0.37	ng	0.00
25) Fluoranthene-d10	19.24	212	163846	0.38	ng	0.00
29) Terphenyl-d14	19.83	244	32090	0.36	ng	0.00
Target Compounds						Qvalue
32) Bis(2-ethylhexyl)phthalate	21.28	149	15993	0.099	ng	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA E\DATA\BE032519\
Data File : BE099213.D
Acq On : 26 Mar 2019 13:03
Operator : JU/SJ
Sample : K2019-03
Misc :
ALS Vial : 24 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
OUTFALL001-190319

Quant Time: Mar 26 13:44:33 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA E\METHODS\8270-SIM-BE032519.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Mar 26 07:02:06 2019
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 0.400 ng

RT: 7.84 min Scan# 432

Delta R.T. -0.00 min

Lab File: BE099213.D

Acq: 26 Mar 2019 13:03

Instrument :

BNA_E

ClientSampleId :

OUTFALL001-190319


Tot Ion:152 Resp: 3529

Ion Ratio Lower Upper

152 100

150 146.0 112.8 169.2




115 59.5 45.1 67.7



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#4

2-Fluorophenol

Concen: 0.151 ng

RT: 5.41 min Scan# 221

Delta R.T. -0.00 min

Lab File: BE099213.D

Acq: 26 Mar 2019 13:03


Tgt Ion:112 Resp: 1594

Ion Ratio Lower Upper

112 100

64 60.4 46.2 69.2



63 122.6 89.9 134.9




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BE0

Ion 63.00 (62.70 to 63.70): BE0





#5

Phenol-d6

Concen: 0.084 ng

RT: 6.99 min Scan# 358

Delta R.T. -0.00 min

Lab File: BE099213.D

Acq: 26 Mar 2019 13:03

Instrument :

BNA_E

ClientSampleId :

OUTFALL001-190319


Tot Ion: 99 Resp: 1359

Ion Ratio Lower Upper




99 100

42 23.8 12.4 18.6#

71 40.8 28.4 42.6



Abundance Ion 99.00 (98.70 to 99.70): BE0
Ion 42.00 (41.70 to 42.70): BE0
Ion 71.00 (70.70 to 71.70): BE0



#7

Naphthalene-d8

Concen: 0.400 ng

RT: 10.63 min Scan# 651

Delta R.T. -0.00 min

Lab File: BE099213.D

Acq: 26 Mar 2019 13:03

Tgt Ion: 136 Resp: 15794


Ion Ratio Lower Upper

136 100



137 11.4 8.7 13.1


54 21.6 18.7 28.1

68 6.4 5.2 7.8



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BE0
Ion 68.00 (67.70 to 68.70): BE0









#8
 Nitrobenzene-d5
 Concen: 0.368 ng
 RT: 8.99 min Scan# 525
 Delta R.T. -0.00 min
 Lab File: BE099213.D
 Acq: 26 Mar 2019 13:03

Instrument :
 BNA_E
 ClientSampleId :
 OUTFALL001-190319

Tot Ion	82	Resp	4746
Ion Ratio	Lower	Upper	
82	100		
128	143.2	107.5	161.3
54	132.8	106.3	159.5




Abundance Ion 82.00 (81.70 to 82.70): BE0
 Ion 128.00 (127.70 to 128.70): E
 Ion 54.00 (53.70 to 54.70): BE0






#11
 2-Methylnaphthalene-d10
 Concen: 0.365 ng
 RT: 12.22 min Scan# 764
 Delta R.T. -0.00 min
 Lab File: BE099213.D
 Acq: 26 Mar 2019 13:03

Tgt Ion	152	Resp	11119
Ion Ratio	Lower	Upper	
152	100		
151	19.2	15.0	22.6



Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 151.00 (150.70 to 151.70): E









#13
 Acenaphthene-d10
 Concen: 0.400 ng
 RT: 14.47 min Scan# 920
 Delta R.T. -0.02 min
 Lab File: BE099213.D
 Acq: 26 Mar 2019 13:03

Instrument :
 BNA_E
 ClientSampleId :
 OUTFALL001-190319

Tot Ion:164 Resp: 12969
 Ion Ratio Lower Upper
 164 100
 162 98.7 79.2 118.8
 160 47.2 36.7 55.1




Abundance Ion 164.00 (163.70 to 164.70): E
 10000 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E






#14
 2,4,6-Tribromophenol
 Concen: 0.469 ng
 RT: 15.96 min Scan# 1025
 Delta R.T. -0.00 min
 Lab File: BE099213.D
 Acq: 26 Mar 2019 13:03

Tgt Ion:330 Resp: 1773
 Ion Ratio Lower Upper
 330 100
 332 96.7 71.3 106.9
 141 34.9 21.7 32.5#



Abundance Ion 330.00 (329.70 to 330.70): E
 1500 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E









#15
2-Fluorobiphenyl
Concen: 0.370 ng
RT: 13.10 min Scan# 825
Delta R.T. -0.00 min
Lab File: BE099213.D
Acq: 26 Mar 2019 13:03

Instrument :
BNA_E
ClientSampleId :
OUTFALL001-190319

Tot Ion:172 Resp: 19578
Ion Ratio Lower Upper
172 100
171 35.3 27.4 41.0
170 23.9 19.1 28.7




Abundance Ion 172.00 (171.70 to 172.70): E
Ion 171.00 (170.70 to 171.70): E
Ion 170.00 (169.70 to 170.70): E






#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.20 min Scan# 1118
Delta R.T. -0.01 min
Lab File: BE099213.D
Acq: 26 Mar 2019 13:03

Tgt Ion:188 Resp: 35713
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 12.1 4.5 6.7#



Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BE0
Ion 80.00 (79.70 to 80.70): BE0





#25

Fluoranthene-d10

Concen: 0.379 ng

RT: 19.24 min Scan# 1387

Delta R.T. -0.00 min

Lab File: BE099213.D

Acq: 26 Mar 2019 13:03

Instrument :

BNA_E

ClientSampleId :

OUTFALL001-190319


Tot Ion:212 Resp: 163846

Ion Ratio Lower Upper


212 100

106 2.2 1.8 2.8



104 1.3 1.1 1.7



Abundance Ion 212.00 (211.70 to 212.70): E
Ion 106.00 (105.70 to 106.70): E
Ion 104.00 (103.70 to 104.70): E



Time--> 19.10 19.20 19.30 19.40



#27

Chrysene-d12

Concen: 0.400 ng

RT: 21.38 min Scan# 1631

Delta R.T. -0.01 min

Lab File: BE099213.D

Acq: 26 Mar 2019 13:03


Tgt Ion:240 Resp: 40874

Ion Ratio Lower Upper


240 100

120 7.0 2.6 3.8#


236 27.9 20.9 31.3




Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E



Time--> 21.20 21.40





#29

Terphenyl-d14

Concen: 0.361 ng

RT: 19.83 min Scan# 1491

Delta R.T. 0.00 min

Lab File: BE099213.D

Acq: 26 Mar 2019 13:03

Instrument :

BNA_E

ClientSampleId :

OUTFALL001-190319


Tot Ion:244 Resp: 32090

Ion Ratio Lower Upper

244 100

212 29.2 22.7 34.1




122 6.0 5.8 8.6



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#32

Bis(2-ethylhexyl)phthalate

Concen: 0.099 ng

RT: 21.28 min Scan# 1623

Delta R.T. -0.01 min

Lab File: BE099213.D

Acq: 26 Mar 2019 13:03


Tgt Ion:149 Resp: 15993

Ion Ratio Lower Upper

149 100

167 7.2 5.9 8.9



279 1.3 1.0 1.6






Abundance Ion 149.00 (148.70 to 149.70): E

Ion 167.00 (166.70 to 167.70): E

Ion 279.00 (278.70 to 279.70): E





#34

Pervlene-d12

Concen: 0.400 ng

RT: 23.89 min Scan# 2206

Delta R.T. -0.00 min

Lab File: BE099213.D

Acq: 26 Mar 2019 13:03

Instrument :

BNA_E

ClientSampleId :

OUTFALL001-190319

Tot Ion:264 Resp: 38821

Ion Ratio Lower Upper

264 100

260 25.5 18.2 27.2

265 26.9 21.8 32.8

