

Data Path : Z:\SVOASRV\HPCHEM1\BNA_E\DATA\BE032619\
 Data File : BE099220.D
 Acq On : 26 Mar 2019 18:10
 Operator : JU/SJ
 Sample : K2020-02
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_E
 ClientSampleId :
 KY038PS027-190318

Quant Time: Mar 27 08:50:53 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_E\METHODS\8270-SIM-BE032519.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Mar 26 07:02:06 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.83	152	3592	0.40	ng	-0.01
7) Naphthalene-d8	10.63	136	15688	0.40	ng	0.00
13) Acenaphthene-d10	14.47	164	12420	0.40	ng	-0.02
19) Phenanthrene-d10	17.20	188	35480	0.40	ng	-0.01
27) Chrysene-d12	21.38	240	40660	0.40	ng	-0.01
34) Perylene-d12	23.89	264	38344	0.40	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.40	112	1682	0.16	ng	-0.01
5) Phenol-d6	6.99	99	1380	0.08	ng	0.00
8) Nitrobenzene-d5	8.99	82	4785	0.37	ng	0.00
11) 2-Methylnaphthalene-d10	12.22	152	11017	0.36	ng	0.00
14) 2,4,6-Tribromophenol	15.96	330	2366	0.56	ng	0.00
15) 2-Fluorobiphenyl	13.10	172	21002	0.41	ng	0.00
25) Fluoranthene-d10	19.24	212	176268	0.41	ng	0.00
29) Terphenyl-d14	19.83	244	34707	0.39	ng	0.00
Target Compounds						
2) 1,4-Dioxane	3.34	88	585	0.124	ng	Qvalue # 82
22) Pentachlorophenol	16.85	266	214	0.306	ng	95
32) Bis(2-ethylhexyl)phthalate	21.28	149	25661	0.160	ng	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_E\DATA\BE032619\
Data File : BE099220.D
Acq On : 26 Mar 2019 18:10
Operator : JU/SJ
Sample : K2020-02
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_E
ClientSampleId :
KY038PS027-190318

Quant Time: Mar 27 08:50:53 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_E\METHODS\8270-SIM-BE032519.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Mar 26 07:02:06 2019
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 0.400 ng

RT: 7.83 min Scan# 431

Delta R.T. -0.01 min

Lab File: BE099220.D

Acq: 26 Mar 2019 18:10

Instrument :

BNA_E

ClientSampleId :

KY038PS027-190318


Tgt Ion:152 Resp: 3592

Ion Ratio Lower Upper

152 100

150 142.3 112.8 169.2




115 58.7 45.1 67.7



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#2

1,4-Dioxane

Concen: 0.124 ng

RT: 3.34 min Scan# 41

Delta R.T. 0.00 min

Lab File: BE099220.D

Acq: 26 Mar 2019 18:10


Tgt Ion: 88 Resp: 585

Ion Ratio Lower Upper

88 100

58 52.3 47.4 71.0



43 0.0 15.6 23.4#




Abundance Ion 88.00 (87.70 to 88.70): BE0

Ion 58.00 (57.70 to 58.70): BE0

Ion 43.00 (42.70 to 43.70): BE0





#4

2-Fluorophenol

Concen: 0.157 ng

RT: 5.40 min Scan# 220

Delta R.T. -0.01 min

Lab File: BE099220.D

Acq: 26 Mar 2019 18:10

Instrument :

BNA_E

ClientSampleId :

KY038PS027-190318


Tgt Ion: 112 Resp: 1682

Ion Ratio Lower Upper

112 100

64 53.4 46.2 69.2




63 111.5 89.9 134.9



Abundance Ion 112.00 (111.70 to 112.70): BE099178.D (-217) (-)

Ion 64.00 (63.70 to 64.70): BE099178.D (-217) (-)

Ion 63.00 (62.70 to 63.70): BE099178.D (-217) (-)



#5

Phenol-d6

Concen: 0.084 ng

RT: 6.99 min Scan# 358

Delta R.T. 0.00 min

Lab File: BE099220.D

Acq: 26 Mar 2019 18:10


Tgt Ion: 99 Resp: 1380

Ion Ratio Lower Upper

99 100

42 29.3 12.4 18.6#



71 42.5 28.4 42.6




Abundance Ion 99.00 (98.70 to 99.70): BE099178.D (-352) (-)

Ion 42.00 (41.70 to 42.70): BE099178.D (-352) (-)

Ion 71.00 (70.70 to 71.70): BE099178.D (-352) (-)





#7

Naphthalene-d8

Concen: 0.400 ng

RT: 10.63 min Scan# 651

Delta R.T. -0.00 min

Lab File: BE099220.D

Acq: 26 Mar 2019 18:10

Instrument :

BNA_E

ClientSampleId :

KY038PS027-190318

Tgt Ion:136 Resp: 15688


Ion Ratio Lower Upper

136 100

137 11.6 8.7 13.1

54 22.7 18.7 28.1

68 6.1 5.2 7.8






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BE0

Ion 68.00 (67.70 to 68.70): BE0



#8

Nitrobenzene-d5

Concen: 0.373 ng

RT: 8.99 min Scan# 525

Delta R.T. -0.00 min

Lab File: BE099220.D

Acq: 26 Mar 2019 18:10


Tgt Ion: 82 Resp: 4785

Ion Ratio Lower Upper

82 100

128 146.8 107.5 161.3



54 129.7 106.3 159.5




Abundance Ion 82.00 (81.70 to 82.70): BE0

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BE0









#11
 2-Methylnaphthalene-d10
 Concen: 0.364 ng
 RT: 12.22 min Scan# 764
 Delta R.T. -0.00 min
 Lab File: BE099220.D
 Acq: 26 Mar 2019 18:10




Instrument :
 BNA_E
 ClientSampleId :
 KY038PS027-190318


Tgt Ion:152 Resp: 11017
 Ion Ratio Lower Upper
 152 100
 151 20.0 15.0 22.6



#13
 Acenaphthene-d10
 Concen: 0.400 ng
 RT: 14.47 min Scan# 920
 Delta R.T. -0.02 min
 Lab File: BE099220.D
 Acq: 26 Mar 2019 18:10

Tgt Ion:164 Resp: 12420
 Ion Ratio Lower Upper
 164 100
 162 101.0 79.2 118.8
 160 47.7 36.7 55.1









#14
 2,4,6-Tribromophenol
 Concen: 0.562 ng
 RT: 15.96 min Scan# 1025
 Delta R.T. 0.00 min
 Lab File: BE099220.D
 Acq: 26 Mar 2019 18:10




Instrument :
 BNA_E
 ClientSampleId :
 KY038PS027-190318


Tgt Ion:330 Resp: 2366
 Ion Ratio Lower Upper
 330 100
 332 97.8 71.3 106.9
 141 37.2 21.7 32.5#



#15
 2-Fluorobiphenyl
 Concen: 0.415 ng
 RT: 13.10 min Scan# 825
 Delta R.T. -0.00 min
 Lab File: BE099220.D
 Acq: 26 Mar 2019 18:10

Tgt Ion:172 Resp: 21002
 Ion Ratio Lower Upper
 172 100
 171 34.8 27.4 41.0
 170 23.2 19.1 28.7





#19

Phenanthrene-d10

Concen: 0.400 ng

RT: 17.20 min Scan# 1118

Delta R.T. -0.01 min

Lab File: BE099220.D

Acq: 26 Mar 2019 18:10

Instrument :

BNA_E

ClientSampleId :

KY038PS027-190318


Tgt Ion:188 Resp: 35480

Ion Ratio Lower Upper

188 100

94 0.0 0.0 0.0




80 11.6 4.5 6.7#



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BE0

Ion 80.00 (79.70 to 80.70): BE0



#22

Pentachlorophenol

Concen: 0.306 ng

RT: 16.85 min Scan# 1092

Delta R.T. -0.01 min

Lab File: BE099220.D

Acq: 26 Mar 2019 18:10


Tgt Ion:266 Resp: 214

Ion Ratio Lower Upper

266 100

264 73.9 54.4 81.6



268 73.3 61.3 91.9




Abundance Ion 266.00 (265.70 to 266.70): E

Ion 264.00 (263.70 to 264.70): E

Ion 268.00 (267.70 to 268.70): E





#25

Fluoranthene-d10

Concen: 0.410 ng

RT: 19.24 min Scan# 1387

Delta R.T. -0.01 min

Lab File: BE099220.D

Acq: 26 Mar 2019 18:10

Instrument :

BNA_E

ClientSampleId :

KY038PS027-190318


Tgt Ion:212 Resp: 176268

Ion Ratio Lower Upper

212 100

106 2.3 1.8 2.8




104 1.3 1.1 1.7



Abundance Ion 212.00 (211.70 to 212.70): E

Ion 106.00 (105.70 to 106.70): E

Ion 104.00 (103.70 to 104.70): E



#27

Chrysene-d12

Concen: 0.400 ng

RT: 21.38 min Scan# 1631

Delta R.T. -0.01 min

Lab File: BE099220.D

Acq: 26 Mar 2019 18:10


Tgt Ion:240 Resp: 40660

Ion Ratio Lower Upper

240 100

120 7.2 2.6 3.8#



236 27.9 20.9 31.3




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#29

Terphenyl-d14

Concen: 0.392 ng

RT: 19.83 min Scan# 1491

Delta R.T. 0.00 min

Lab File: BE099220.D

Acq: 26 Mar 2019 18:10

Instrument :

BNA_E

ClientSampleId :

KY038PS027-190318


Tgt Ion:244 Resp: 34707

Ion Ratio Lower Upper

244 100

212 29.2 22.7 34.1




122 7.0 5.8 8.6



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#32

Bis(2-ethylhexyl)phthalate

Concen: 0.160 ng

RT: 21.28 min Scan# 1623

Delta R.T. -0.01 min

Lab File: BE099220.D

Acq: 26 Mar 2019 18:10


Tgt Ion:149 Resp: 25661

Ion Ratio Lower Upper

149 100

167 7.6 5.9 8.9



279 1.3 1.0 1.6






Abundance Ion 149.00 (148.70 to 149.70): E

Ion 167.00 (166.70 to 167.70): E

Ion 279.00 (278.70 to 279.70): E





#34

Perylene-d12

Concen: 0.400 ng

RT: 23.89 min Scan# 2207

Delta R.T. -0.00 min

Lab File: BE099220.D

Acq: 26 Mar 2019 18:10

Instrument :

BNA_E

ClientSampleId :

KY038PS027-190318

Tgt Ion:264 Resp: 38344

Ion Ratio Lower Upper

264 100

260 25.0 18.2 27.2

265 25.8 21.8 32.8

